# AIM-Port Technology Vendor API

**Version 2.9**

Atlas GPS LLC / AIM-Port
80 SW 8th St
Suite 2185
Miami, FL 33130

Email: support@aim-port.com
Phone: 888-538-2130

2026 © Atlas GPS LLC

# Disclaimer

The information contained in this document is for informational purposes only. Atlas GPS LLC makes no warranties, express, implied or statutory, including the implied warranties of merchantability, and fitness for a particular purpose as to the information in this document or any of the services or systems described in the document.

Due to ever-changing market conditions, this information should not be interpreted to be a commitment on the part of Atlas GPS LLC with respect to the technical specifications reports, or to the services or systems described, and Atlas GPS LLC cannot guarantee the accuracy of any information presented after the publication date. This document may be revised from time to time without notice.

Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of Atlas GPS LLC.

Atlas GPS LLC may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from Atlas GPS LLC, the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property (including trade secrets).

The names of actual companies and products mentioned herein may be the trademarks of their respective owners.

# Introduction

The purpose of this document is to provide the technical details for integrating your platform with the AIM-Port platform to receive orders, and to send and receive updates, message and/or documents.

This API is available through secure ports established for the purpose of enabling communication between mortgage originators and valuation vendors over the internet. Each vendor will have their own account/credentials to access the API.

This API is established to be a two-way talking mechanism between the AIM-Port platform (client/lender) and a vendor's system. Client/Lender systems have the ability to send new orders, files, and messages. The vendor has the ability to send order updates, files, messages and update the status. In this way, all communications to and from the client system can be made through the API, alleviating the need to use the AIM-Port web portal for individual updates, messages, and/or file upload.

Copyright 2026 © Atlas GPS, LLC

# Technical Overview

API communications are in the form of JSON made over HTTPS POST. The POST body will contain the JSON for the appropriate action. The structure of the JSON will vary by operation and will be described in this document.

Atlas GPS LLC provides a testing/staging URL for development and testing purposes, and a production URL for live orders. These URLs will vary by client, and will be provided with other access credentials.

**Note:** Testing credentials will vary from live credentials to ensure test orders aren't sent to production and vice versa. Testing/sign-off will be required before being provided with production credentials. The vendor will need to provide Atlas GPS LLC with their endpoint URL, where all updates from the AIM-Port system to the vendor will be sent.

Access to the API is restricted to port 443. TLS 1.2+ required. All calls are synchronous.

Updates from the AIM-Port system to the vendor system will be made by posting to the vendor's endpoint URL. The post will continue to be made every 15 minutes until proper acknowledgement is received, for a maximum of 2 hours (subject to change).

**Please Note** – Every lender that utilizes our system has their own endpoint URL, so it would be best to setup the integration such that the URL you will post to will be set on a lender-by-lender basis.

Copyright 2026 © Atlas GPS, LLC

# Table of Contents

**Disclaimer** ..... 2
**Introduction** ..... 2
**Technical Overview** ..... 3
**Table of Contents** ..... 4
**New Order to Vendor** ..... 6
**Retrieve order details** ..... 8
**Sending/Receiving a Message – Bi-Directional** ..... 8
**Send Files – Client to Vendor** ..... 9
**Update Loan Number – Client to Vendor** ..... 10
**Update FHA Case Number – Client to Vendor** ..... 10
**Revision Request – Client to Vendor** ..... 11
**Get Client Product List** ..... 12
**Order Assigned to Vendor – Vendor (AMC) to Client** ..... 13
**Order Accepted by Vendor – Vendor (AMC) to Client** ..... 13
**Order Hold – Bi-Directional** ..... 14
**Order Resume – Bi-Directional** ..... 15
**Order Cancelled – Bi-Directional** ..... 15
**Order Scheduled – Vendor to Client** ..... 16
**Order Inspection – Vendor to Client** ..... 17
**Order Due Date Change – Vendor to Client** ..... 17
**Order Fee Change – Vendor to Client** ..... 18
**Order Paid – Vendor to Client** ..... 18
**Order Documents Upload (Order Remains in Progress) – Vendor to Client** ..... 19
**Order Report Upload – Vendor to Client** ..... 20
**Order Updates – Vendor to Client (Deprecated)** ..... 21
**Data Validation** ..... 22
**Data Mapping** ..... 28
Property Types ..... 28
Loan Types ..... 28
Occupancy Types ..... 28
Intended Uses ..... 29
Property Rights (Commercial) ..... 29
Intended Users (Commercial) ..... 29
Loan Purpose (Commercial) ..... 29

Copyright 2026 © Atlas GPS, LLC

Property Access Types ..... 29
Order Types ..... 30
Payment Methods ..... 30
File Categories ..... 30
Report Types ..... 31
Revision History ..... 31

Copyright 2026 © Atlas GPS, LLC

# New Order to Vendor

The following JSON format is what will be seen for all new orders.

**Example New Order JSON**


```
{
  "OrderRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API] "
    },
    "order": {
      “order_id”: “[AIM-Ports unique order number for this client’s order]”,
      “order_type”: “[The type of order **(see enumerations)]”,
      "address": "[The primary address (house number and street name) for the Property] ",
      "address2": "[Apartment or unit number for the property] ",
      "city": "[The city associated with the property]",
      "state": "[The state (2 character state abbreviation) associated with the property] ",
      "zip_code": "[The 5 digit zip code associated with the property]",
      "county": "[The county associated with the property] ",
      "loan_number": "[The loan number for the loan transaction]",
      "case_number": "[Unique number for specific loan type (FHA etc.)] ",
      "purchase_price": "[The price being paid for the property]",
      “disclosed_fee”: "[The disclosed fee for the property]",
      “loan_amount”: "[The total loan amount for the sale]",
      “anticipated_value”: "[The anticipated value of the property]",
      "seller_concessions": "[The total seller concessions amount for the transaction] ",
      "property_type": "[The type of property **(see enumerations)] ",
      "loan_type": "[The type of loan **(see enumerations) (residential orders only)] ",
      "occupancy": "[The occupancy type **(see enumerations) (residential orders only)] ",
      "intended_use": "[The intended use **(see enumerations) (residential orders only)] ",
      “property_rights”: "[The property rights value of the property] **(see enumerations)",
      "property_owner": "[The property owner (commercial orders only)]",
      "loan_purpose": "[The loan purpose **(see enumerations) (commercial orders only)]",
      "intended_users": "[The intended users of the report **(see enumerations) (commercial orders only)]",
      "borrower": {
        "name": "[The name of the borrower]",
        "address": "[The current address of the borrower] ",
        "city": "[The current city of the borrower]",
        "state": "[The current state of the borrower] ",
        "zip_code": "[The current zip code of the borrower]",
        "email": "[The borrower’s email address]",
        "phone": "[The borrower’s best contact phone number] "
      },
      "coborrower": {
        "name": "[The name of the borrower]",
        "email": "[The borrower’s email address]",
        "phone": "[The borrower’s best contact phone number] "
      },
      "property_access": {
```


Copyright 2026 © Atlas GPS, LLC

```
            "type": "[Contact type for property access **(see enumerations)]",
            "name": "[The name of the property access person] ",
            "home_phone": "[Home phone of the property access person] ",
            "cell_phone": "[Cell phone of the property access person] ",
            "work_phone": "[Work phone of the property access person] ",
            "email": "[Email of the property access person] ",
            "other_description": "[If type is other, description of contact person (i.e. son, friend, maintenance man
                                  etc.] "
        },
        "notification_emails": {
            "emailaddress1@email.com",
            "emailaddress2@email.com"
        },
        "reports": [
            {
                "id": [The report type id. Each client will be provided with a spreadsheet with the name
            and ID of each of their respective report types.]
            }
        ],
        "payment_method": "[Payment method for the appraisal report **(see enumerations)] ",
        "due_date": "[The date the report is due (i.e. 04/22/2025 05:00 PM)] ",
        "settlement_date": "[The loan settlement date (i.e. 05/15/2025)]",
        "itp_date": "[The loan intent to proceed date (i.e. 05/15/2025)]",
        "investor": "[The name of secondary investor, if known when placing order]",
        "special_instructions": "[Any special notes about the order being placed] ",
        "rush": "[true/false] ",
        "client_name ": "[Name of the client placing the order] ",
        "client_address ": "[Address of the client placing the order] ",
        "client_address2 ": "[Address2 of the client placing the order] ",
        "client_city ": "[City of the client placing the order] ",
        "client_state ": "[State of the client placing the order] ",
        "client_zip ": "[Zip Code of the client placing the order] ",
        "branch_name": "[Name of branch]",
    },
    "files": [
        {
            "content": "[Base64 encoded file content] ",
            "filename": "[Name of the file, including extension]",
            "category": "[The category/type of file (see enumerations)] ",
            "description": "[If file category is 'other', a description of the file may be provided] "
        }
    ]
  }
}
```

**Notes**

- Fields with red descriptions are always required.
- Case Number is required for FHA loans.
- Point of contact – Name, one phone number or email is required for property access person if the product being ordered requires an interior inspection.
- Multiple Files may be sent, just place another array item in the files section.

Copyright 2026 © Atlas GPS, LLC

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [If success is true, your unique order number/reference number should be provided] ,
  "message": "[If success is false, an error message should be provided] ",
  "fee": [If success is true, a fee for the product(s) requested should be provided]
}
```

## Retrieve order details

For your convenience, we have a method to retrieve order details at whatever frequency you may choose to do so. You may choose to check an order's details periodically for changes, or in case of error on your side.

**Note**: Utilizing this method is not required. It is expected that order changes should be communicated to you from the lender via order update API event, or via a message.

**Example Retrieve Order JSON**

```
{
  "GetOrderRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API] ",
      "order_id": "[The AIM-Port order ID to retrieve details for]"
    }
  }
}
```

**Example Response**

Successful response will be in the same form as the new order JSON post.

Failed response:

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "false",
  "message": "[Error message]"
}
```

## Sending/Receiving a Message – Bi-Directional

The following JSON format is what will be seen when client sends a new message to the vendor, or what the client should expect if the vendor sends a message.

Copyright 2026 © Atlas GPS, LLC

The order ID should be the AIM-Port order ID generated when the order was created.

**Example Send Message JSON**

```
{
  "MessageRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API] ",
      "order_id": “[The order ID to attach the message to]“
    },
    "message": {
      "subject": "[The subject of the message]",
      "content": "[The content of the message] "
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Send Files – Client to Vendor

The following JSON format is what the client will send to the vendor when uploading new files.

Note: All order files available to the vendor will be sent with each order update action. We suggest using the file ID to determine if the file has already been received, or is a new file.

**Example Order Update JSON**

```
{
  " NewFilesRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API] ",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    “order": {
      “new_files”: {
        {
          "file_id": "[Unique file ID]",
          "content": "[Base64 encoded file content] ",
```

Copyright 2026 © Atlas GPS, LLC

```
            "filename": "[Name of the file, including extension] ,
            "category": "[The category/type of file (see enumerations)] ",
            "description": "[If file category is 'other', a description of the file may be provided] "
          }...
        }
      }
    }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Update Loan Number – Client to Vendor

The following JSON format is what the client will send to the vendor when there's an update to the loan number.

**Example Order Update JSON**

```
{
  "LoanNumUpdateRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API] ",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "loan_number": "[The loan number for the loan transaction]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Update FHA Case Number – Client to Vendor

Copyright 2026 © Atlas GPS, LLC

The following JSON format is what the client will send to the vendor when there's an update to the loan number.

**Example Order Update JSON**

```
{
  "FHANumUpdateRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API] ",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "case_number": "[The loan number for the loan transaction]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Revision Request – Client to Vendor

The following JSON format is what will be seen when client sends a new revision request to the vendor.

The order ID should be the AIM-Port order ID generated when the order was created.

**Example Send Message JSON**

```
{
  "RevisionRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API] ",
      "order_id": "[The order ID to attach the message to]"
    },
    "message": {
      "subject": "[The subject of the message]",
      "content": "[The content of the message] "
    }
  }
}
```

**Example Response**

Copyright 2026 © Atlas GPS, LLC

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Get Client Product List

AIM-Port does offer an event to get a client's product list (we are happy to provide this in an Excel spreadsheet as well). The following JSON is what the vendor will send to the client to get the current list of their active products.

**Example Client Product List JSON**

```
{
  "ProductListRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "501102",
  "success": "true",
  "products": [
    {
      "product_id": 49079,
      "product_name": "1004 Single-family Appraisal",
      "form_type": "1004/70",
      "order_type": "residential"
    },
    {
      "product_id": 49032,
      "product_name": "Single-family Investment (1004 and 1007)",
      "form_type": "1004/70",
      "order_type": "residential"
    },
    {
      "product_id": 49146,
      "product_name": "Condo Appraisal (1073)",
      "form_type": "1073/465",
      "order_type": "residential"
    },

    {
      "product_id": 49098,
```

Copyright 2026 © Atlas GPS, LLC

```
        "product_name": "Multi-family Appraisal (1025)",
        "form_type": "1025/72",
        "order_type": "residential"
      },
      {
        "product_id": 48899,
        "product_name": "Appraisal Update/Recertification (1004D)",
        "form_type": "1004D/442",
        "order_type": "residential"
      },
      {
        "product_id": 48900,
        "product_name": "Appraisal Update/Inspection of Repairs (1004D)",
        "form_type": "1004D/442",
        "order_type": "residential"
      }
    ]
}
```


## Order Assigned to Vendor – Vendor (AMC) to Client

The following JSON is what the vendor will send to the client when they have assigned their order to a vendor asking them to complete the assignment. Note – this action is for assigning – there is a different event to use when a vendor has accepted the assignment.

**Example Assigned to Vendor JSON**

```
{
  "OrderAssignedRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Accepted by Vendor – Vendor (AMC) to Client

Copyright 2026 © Atlas GPS, LLC

The following JSON is what the vendor will send to the client when they have an assigned vendor that has accepted the terms to complete the assignment. Note – the accepting vendor's information is not passed on to loan producing staff, but may be used for data tracking purposes and scrubbing against client or investor "Do Not Use" lists.

**Example Accepted by Vendor JSON**

```
{
  "OrderAcceptedRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "vendor_first_name": "[The first name of the vendor]",
      "vendor_last_name": "[The last name of the vendor]",
      "vendor_license_number": "[The license number of the vendor]",
      "vendor_license_expiration": "[The expiration of the vendor (mm/yyyy)]",
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Hold – Bi-Directional

The following JSON is what the vendor will send to the client when they place the order on hold in their system.

**Example Order Update JSON**

```
{
  "OrderHoldRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "hold_message ": "[Optional message]"
    }
  }
```

Copyright 2026 © Atlas GPS, LLC

```
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Resume – Bi-Directional

The following JSON is what the vendor will send to the client when they remove the order from hold in their system.

**Example Order Update JSON**

```
{
  "OrderResumeRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "resume_message ": "[Optional message]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Cancelled – Bi-Directional

The following JSON is what the vendor will send to the client when they mark an order as cancelled in their system.

**Example Order Update JSON**

```
{
```

Copyright 2026 © Atlas GPS, LLC

```
  "OrderCancelledRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "cancellation_message ": "[Required cancellation message]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Scheduled – Vendor to Client

The following JSON is what the vendor will send to the client when they have a scheduled inspection date entered in their system.

**Example Order Update JSON**

```
{
  "OrderScheduledRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "inspection_date ": "[The scheduled date (i.e. 04/22/2025 05:00 PM)]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

Copyright 2026 © Atlas GPS, LLC

## Order Inspection – Vendor to Client

The following JSON is what the vendor will send to the client when they are able to confirm the inspection has taken place.

**Example Order Update JSON**

```
{
  "OrderInspectedRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "inspection_date ": "[The date the inspection was completed (i.e. 04/22/2025 05:00 PM)]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Due Date Change – Vendor to Client

The following JSON is what the vendor will send to the client when they update the client due date in their system.

**Example Order Update JSON**

```
{
  "OrderDueDateRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "due_date ": "[The client due date (i.e. 04/22/2025 05:00 PM)]"
    }
  }
}
```

Copyright 2026 © Atlas GPS, LLC

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Fee Change – Vendor to Client

The following JSON is what the vendor will send to the client when they update the order fee in their system.

**Example Order Update JSON**

```
{
  "OrderFeeChangeRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "order": {
      "fee ": "[The client fee (i.e. 500.00)]"
    }
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Paid – Vendor to Client

The following JSON is what the vendor will send to the client when they have received a borrower payment system.

**Example Order Update JSON**

```
{
  "OrderPaidRequest": {
    "login": {
```

Copyright 2026 © Atlas GPS, LLC

```
        "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
        "api_key": "[Provided by AIM-Port to be used to send data through the API]",
        "order_id": "[The vendor order ID to attach the update to]"
      },
      "order": {
        "paid_amount ": "[The amount received (i.e. 500.00)]"
      }
    }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Documents Upload (Order Remains in Progress) – Vendor to Client

The following JSON is what the vendor will send to the client when if they need to deliver documents to the client without indicating that the report is complete.

**Example Order Update JSON**

```
{
  "DocsNoCompletionRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "files": [
      {
        "file_id": "[Unique File ID] ",
        "content": "[Base64 encoded file content] ",
        "filename": "[Name of the file, including extension] ",
        "category": "[The category/type of file (see mapping)] ",
        “category_label”: "[The category name/label of the file category] ",
        "description": "[If file category is ‘other’, a description of the file may be provided]"
      }
    ]
  }
}
```

**Example Response**

Copyright 2026 © Atlas GPS, LLC

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Order Report Upload – Vendor to Client

The following JSON is what the vendor will send to the client when they are ready to deliver the report and supporting documents to the client. Note – when files are provided, AIM-Port will infer that the vendor is providing a completed product for the Client to receive and review.

Note: For UAD 2.6 – you only need to send the UAD/XML with embedded PDF if the order product is for a UAD/XML form. You do not need to send the PDF separately. For UAD 3.6 – you only need to send the Zip file – you do not need to send the inner contents (XML, PDF, etc.) separately.

**Example Order Update JSON**

```
{
  "OrderFilesRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The vendor order ID to attach the update to]"
    },
    "files": [
      {
        "file_id": "[Unique File ID] ",
        "content": "[Base64 encoded file content] ",
        "filename": "[Name of the file, including extension] ",
        "category": "[The category/type of file (see mapping)] ",
        “category_label”: "[The category name/label of the file category] ",
        "description": "[If file category is ‘other’, a description of the file may be provided]"
      }
    ]
  }
}
```

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

Copyright 2026 © Atlas GPS, LLC

# Order Updates – Vendor to Client (Deprecated)

The following JSON is what the vendor will send to the client when their status changes, files to be uploaded, or inspection dates are set, due date changes, or fee changes. Note – when files are provided, our system will infer that you have provided a completed product for the Client to receive and review.

**Example Order Update JSON**

```
{
  "OrderUpdateRequest": {
    "login": {
      "client_id": "[Provided by AIM-Port to be used to send data through the API] ",
      "api_key": "[Provided by AIM-Port to be used to send data through the API]",
      "order_id": "[The client order ID / tracking number of the request]",
      "aimport_order_id": "[The AIM-Port order ID of the request]"
    },
    "order": {
      "aimport_order_id": "[The AIM-Port order ID of the request]",
      "tracking_num ": "[The client order ID of the request]",
      "loan_number ": "[The client loan number]",
      "inspection_date": "[The inspection date (i.e. 04/22/2025 05:00 PM)]",
      "fee": "[The total fee of the order (all products included – i.e. 500.00)] ",
      "due_date": "[The due date of the orders (i.e. 04/22/2025 05:00 PM)] ",
      "reports": [
          {
            "report_type": "[AIM-Port Product ID] ",
            "name": "[AIM-Port Product Name] ",
          }
       ],
      "payment_method": "[The order payment method name]",
      "balance_due": "[The order balance due (if any)]",
      "property_type ": "[The property type name from the order details]”,
      "loan_type": "[The loan type name from the order details]”,
      "intended_use ": "[The intended use name from the order details]”,
      "occupancy_type ": "[The occupancy type name from the order details]”
    },
    "files": [
      {
        "file_id": "[Unique File ID] ",
        "content": "[Base64 encoded file content] ",
        "filename": "[Name of the file, including extension] ",
        "category": "[The category/type of file (see mapping)] ",
        “category_label”: "[The category name/label of the file category] ",
        "description": "[If file category is ‘other’, a description of the file may be provided]"
      }
    ]
  }
}
```

Copyright 2026 © Atlas GPS, LLC

**Note:** The vendor system may send all fields in 'order' to the client's endpoint on each POST, or only fields that have changed. The client system will assume if a field is not present, that data has not changed.

**Example Response**

```
{
  "client_id": "[The same client ID sent with the request] ",
  "success": "[true/false] ",
  "order_id": [The order id of the request],
  "message": "[If success is false, an error message should be provided] "
}
```

## Data Validation

**New Order JSON – Client to Vendor**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderRequest/login/client_id** | string | 15 | Yes |
| **/OrderRequest/login/api_key** | string | 36 | Yes |
| **/OrderRequest/order/address** | string | 250 | Yes |
| **/OrderRequest/order/address2** | string | 250 | No |
| **/OrderRequest/order/city** | string | 50 | Yes |
| **/OrderRequest/order/state** | string | 2 | Yes |
| **/OrderRequest/order/zip** | integer | 5 | Yes |
| **/OrderRequest/order/county** | string | 50 | Yes |
| **/OrderRequest/order/loan_number** | string | 15 | Cond |
| **/OrderRequest/order/case_number** | string | 15 | Cond |
| **/OrderRequest/order/purchase_price** | decimal | 15 | No |
| **/OrderRequest/order/seller_concessions** | string | 15 | No |
| **/OrderRequest/order/disclosed_fee** | string | 10 | No |
| **/OrderRequest/order/loan_amount** | string | 15 | No |
| **/OrderRequest/order/anticipated_value** | string | 15 | No |
| **/OrderRequest/order/property_type** | enumeration | | Yes |
| **/OrderRequest/order/loan_type** | enumeration | | Yes |
| **/OrderRequest/order/occupancy** | enumeration | | No |
| **/OrderRequest/order/intended_use** | enumeration | | Yes |
| **/OrderRequest/order/property_rights** | enumeration | | No |
| **/OrderRequest/order/loan_purpose** | enumeration | | No |
| **/OrderRequest/order/intended_users** | enumeration | | No |
| **/OrderRequest/order/property_owner** | string | 150 | No |
| **/OrderRequest/order/borrower/name** | string | 80 | Yes |
| **/OrderRequest/order/borrower/address** | string | 250 | No |

Copyright 2026 © Atlas GPS, LLC

| | | | |
|---|---|---|---|
| **/OrderRequest/order/borrower/city** | string | 50 | No |
| **/OrderRequest/order/borrower/state** | string | 2 | No |
| **/OrderRequest/order/borrower/zip_code** | integer | 5 | No |
| **/OrderRequest/order/borrower/email** | string | 150 | Cond |
| **/OrderRequest/order/borrower/phone** | string | 25 | Cond |
| **/OrderRequest/order/coborrower/name** | string | 80 | No |
| **/OrderRequest/order/coborrower/email** | string | 150 | No |
| **/OrderRequest/order/coborrower/phone** | string | 25 | No |
| **/OrderRequest/order/property_access/type** | enumeration | | Yes |
| **/OrderRequest/order/property_access/name** | string | 80 | Yes |
| **/OrderRequest/order/property_access/home_phone** | string | 25 | Cond |
| **/OrderRequest/order/property_access/cell_phone** | string | 25 | Cond |
| **/OrderRequest/order/property_access/work_phone** | string | 25 | Cond |
| **/OrderRequest/order/property_access/email** | string | 150 | Cond |
| **/OrderRequest/order/property_access/other_description** | string | 50 | Cond |
| **/OrderRequest/order/notification_emails/[0]** | string | 150 | No |
| **/OrderRequest/order/reports/[0]/report_type** | enumeration | | Yes |
| **/OrderRequest/order/payment_method** | enumeration | | Yes |
| **/OrderRequest/order/due_date** | string | 15 | Yes |
| **/OrderRequest/order/settlement_date** | string | 25 | No |
| **/OrderRequest/order/investor** | string | 150 | No |
| **/OrderRequest/order/special_instructions** | string | 1000 | No |
| **/OrderRequest/order/rush** | string | 5 | No |
| **/OrderRequest/order/client_name** | String | 250 | Yes |
| **/OrderRequest/order/client_address** | String | 255 | No |
| **/OrderRequest/order/client_address2** | String | 255 | No |
| **/OrderRequest/order/client_city** | String | 150 | No |
| **/OrderRequest/order/client_state** | String | 2 | No |
| **/OrderRequest/order/client_zip** | String | 5 | No |
| **/OrderRequest/order/branch_name** | String | 100 | No |
| **/OrderRequest/files/[0]/file_id** | string | 50 | Yes |
| **/OrderRequest/files/[0]/content** | base64 encoded file contents | 50MB Max File, 100MB Max Post | Yes |
| **/OrderRequest/files/[0]/filename** | string | 500 | Yes |
| **/OrderRequest/files/[0]/category** | enumeration | | Yes |
| **/OrderRequest/files/[0]/description** | string | 255 | Cond |

**Send/Receive Message JSON – Both Directions**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/MessageRequest/login/client_id** | string | 15 | Yes |

Copyright 2026 © Atlas GPS, LLC

| | | | |
|---|---|---|---|
| **/MessageRequest/login/api_key** | string | 36 | Yes |
| **/MessageRequest/login/order_id** | integer | 10 | Yes |
| **/MessageRequest/message/subject** | string | 255 | Yes |
| **/MessageRequest/message/content** | text | N/A | Yes |

**Send Files JSON – Client to Vendor**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/NewFilesRequest/login/client_id** | string | 15 | Yes |
| **/NewFilesRequest/login/api_key** | string | 36 | Yes |
| **/NewFilesRequest/login/order_id** | integer | 10 | Yes |
| **/NewFilesRequest/order/new_files/[0]/file_id** | string | 50 | Yes |
| **/NewFilesRequest/order/new_files /[0]/content** | base64 encoded file contents | 50MB Max File, 100MB Max Post | Cond |
| **/NewFilesRequest/order/new_files /[0]/filename** | string | 500 | Yes |
| **/NewFilesRequest/order/new_files /[0]/category** | enumeration | | Yes |
| **/NewFilesRequest/order/new_files /[0]/description** | string | 255 | Cond |

**Update Loan Number JSON – Client to Vendor**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/LoanNumUpdateRequest/login/client_id** | string | 15 | Yes |
| **/LoanNumUpdateRequest/login/api_key** | string | 36 | Yes |
| **/LoanNumUpdateRequest/login/order_id** | integer | 10 | Yes |
| **/LoanNumUpdateRequest/order/loan_number** | string | 15 | Yes |

**Update FHA Case Number JSON – Client to Vendor**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/FHANumUpdateRequest/login/client_id** | string | 15 | Yes |
| **/FHANumUpdateRequest/login/api_key** | string | 36 | Yes |
| **/FHANumUpdateRequest/login/order_id** | integer | 10 | Yes |
| **/FHANumUpdateRequest/order/case_number** | string | 15 | Yes |

**Order Assigned to Vendor JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|

Copyright 2026 © Atlas GPS, LLC

| | | | |
|---|---|---|---|
| **/OrderAssignedRequest/login/client_id** | string | 15 | Yes |
| **/OrderAssignedRequest/login/api_key** | string | 36 | Yes |
| **/OrderAssignedRequest/login/order_id** | integer | 10 | Yes |

**Order Accepted by Vendor JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderAcceptedRequest/login/client_id** | string | 15 | Yes |
| **/OrderAcceptedRequest/login/api_key** | string | 36 | Yes |
| **/OrderAcceptedRequest/login/order_id** | integer | 10 | Yes |
| **/OrderAcceptedRequest/order/vendor_first_name** | string | 50 | No |
| **/OrderAcceptedRequest/order/vendor_last_name** | string | 80 | No |
| **/OrderAcceptedRequest/order/vendor_license_number** | string | 30 | No |
| **/OrderAcceptedRequest/order/vendor_license_expiration** | string | 15 | No |

**Order Hold JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderHoleRequest/login/client_id** | string | 15 | Yes |
| **/OrderHoldRequest/login/api_key** | string | 36 | Yes |
| **/OrderHoldRequest/login/order_id** | integer | 10 | Yes |
| **/OrderHoldRequest/order/hold_message** | text | N/A | No |

**Order Resume JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderResumeRequest/login/client_id** | string | 15 | Yes |
| **/OrderResumeRequest/login/api_key** | string | 36 | Yes |
| **/OrderResumeRequest/login/order_id** | integer | 10 | Yes |
| **/OrderResumeRequest/order/resume_message** | text | N/A | No |

**Order Cancelled JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderCancelledRequest/login/client_id** | string | 15 | Yes |
| **/OrderCancelledRequest/login/api_key** | string | 36 | Yes |
| **/OrderCancelledRequest/login/order_id** | integer | 10 | Yes |
| **/OrderCancelledRequest/order/cancellation_message** | text | N/A | Yes |

**Order Scheduled JSON – Vendor to Client**

Copyright 2026 © Atlas GPS, LLC

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderScheduledRequest/login/client_id** | string | 15 | Yes |
| **/OrderScheduledRequest/login/api_key** | string | 36 | Yes |
| **/OrderScheduledRequest/login/order_id** | integer | 10 | Yes |
| **/OrderScheduledRequest/order/inspection_date** | string | 15 | Yes |

**Order Scheduled JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderInspectedRequest/login/client_id** | string | 15 | Yes |
| **/OrderInspectedRequest/login/api_key** | string | 36 | Yes |
| **/OrderInspectedRequest/login/order_id** | integer | 10 | Yes |
| **/OrderInspectedRequest/order/inspection_date** | string | 15 | Yes |

**Order Due Date Change JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderDueDateRequest/login/client_id** | string | 15 | Yes |
| **/OrderDueDateRequest/login/api_key** | string | 36 | Yes |
| **/OrderDueDateRequest/login/order_id** | integer | 10 | Yes |
| **/OrderDueDateRequest/order/due_date** | string | 15 | Yes |

**Order Fee Change JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderFeeRequest/login/client_id** | string | 15 | Yes |
| **/OrderFeeRequest/login/api_key** | string | 36 | Yes |
| **/OrderFeeRequest/login/order_id** | integer | 10 | Yes |
| **/OrderFeeRequest/order/fee** | string | 10 | Yes |

**Order Paid Change JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderPaidRequest/login/client_id** | string | 15 | Yes |
| **/OrderPaidRequest/login/api_key** | string | 36 | Yes |
| **/OrderPaidRequest/login/order_id** | integer | 10 | Yes |
| **/OrderPaidRequest/order/paid_amount** | string | 10 | Yes |

Copyright 2026 © Atlas GPS, LLC

**Update File Upload JSON – Vendor to Client**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderFilesRequest/login/client_id** | string | 15 | Yes |
| **/OrderFilesRequest/login/api_key** | string | 36 | Yes |
| **/OrderFilesRequest/login/order_id** | string | 25 | Yes |
| **/OrderFilesRequest/files/[0]/file_id** | string | 50 | Yes |
| **/OrderFilesRequest/files/[0]/content** | base64 encoded file contents | 50MB Max File, 100MB Max Post | Cond |
| **/OrderFilesRequest/files/[0]/filename** | string | 500 | Yes |
| **/OrderFilesRequest/files/file[0]/category** | enumeration | | Yes |
| **/OrderFilesRequest/files/[0]/description** | string | 255 | Cond |

**Update Order JSON – Vendor to Client (DEPRECATED)**

| JSON Path | Data Type | Max Length | Required |
|---|---|---|---|
| **/OrderUpdateRequest/login/client_id** | string | 15 | Yes |
| **/OrderUpdateRequest/login/api_key** | string | 36 | Yes |
| **/OrderUpdateRequest/login/order_id** | string | 25 | Yes |
| **/OrderUpdateRequest/login/aimport_order_id** | integer | 10 | Yes |
| **/OrderUpdateRequest/order/aimport_order_id** | integer | 10 | Yes |
| **/OrderUpdateRequest/order/tracking_num** | string | 25 | Yes |
| **/OrderUpdateRequest/order/loan_number** | string | 16 | Cond |
| **/OrderUpdateRequest/order/inspection_date** | string | 25 | Yes |
| **/OrderUpdateRequest/order/fee** | decimal | 10, 2 | Yes |
| **/OrderUpdateRequest/order/due_date** | string | 25 | Yes |
| **/OrderUpdateRequest/order/reports/[0]/report_type** | enumeration | | Yes |
| **/OrderUpdateRequest/order/reports/[0]/name** | string | 250 | Yes |
| **/OrderUpdateRequest/order/payment_method** | enumeration | | No |
| **/OrderUpdateRequest/order/balance_due** | decimal | 10, 2 | No |
| **/OrderUpdateRequest/order/date_ordered** | string | 25 | No |
| **/OrderUpdateRequest/order/property_type** | enumeration | | No |
| **/OrderUpdateRequest/order/loan_type** | enumeration | | No |
| **/OrderUpdateRequest/order/intended_use** | enumeration | | No |
| **/OrderUpdateRequest/order/occupancy_type** | enumeration | | No |
| **/OrderUpdateRequest/files/[0]/file_id** | string | 50 | Yes |
| **/OrderUpdateRequest/files/[0]/content** | base64 encoded file contents | 50MB Max File, 100MB Max Post | Cond |
| **/OrderUpdateRequest/files/[0]/filename** | string | 500 | Yes |

Copyright 2026 © Atlas GPS, LLC

| | | | |
|---|---|---|---|
| **/OrderUpdateRequest/files/file[0]/category** | enumeration | | Yes |
| **/OrderUpdateRequest/files/[0]/description** | string | 255 | Cond |

# Data Mapping

## Property Types

| JSON Value | Description |
|---|---|
| sfr | Single Family Residence |
| condo | Condominium |
| coop | Cooperative |
| manufactured | Manufactured Home |
| mobile | Mobile Home |
| prefab | Prefabricated Home |
| multi2 | 2 Unit Property |
| multi3 | 3 Unit Property |
| multi4 | 4 Unit Property |
| farm | Farm |
| pud | PUD |
| other | Other |

## Loan Types

| JSON Value | Description |
|---|---|
| conventional | Conventional |
| fha | Federal Housing Administration (FHA) |
| usda | United States Dept of Agriculture (USDA) |
| jumbo | Jumbo |
| superjumbo | Super Jumbo |
| reverse | Reverse Mortgage |
| heloc | Home Equity (HELOC) |
| other | Other |

## Occupancy Types

| JSON Value | Description |
|---|---|
| owner | Owner Occupied |
| tenant | Tenant Occupied |
| secondhome | Owner’s Second Home |
| vacant | Vacant |

Copyright 2026 © Atlas GPS, LLC

## Intended Uses

| JSON Value | Description |
|---|---|
| purchase | Purchase Transaction |
| refi | Mortgage Refinance |
| constructionperm | Construction/Perm Loan |
| reo | Real Estate Owned |
| homeequity | Home Equity (HELOC) |
| other | Other |

## Property Rights (Commercial)

| JSON Value | Description |
|---|---|
| Fee Simple | Fee Simple |
| Leased Fee | Leased Fee |
| Sandwich Lease | Sandwich Lease |
| Leasehold Interest | Leasehold Interest |
| Co-op Ownership | Co-op Ownership |

## Intended Users (Commercial)

| JSON Value | Description |
|---|---|
| Client | Client |
| US SBA | US SBA |
| Other | Other |

## Loan Purpose (Commercial)

| JSON Value | Description |
|---|---|
| Purchase | Purchase Transaction |
| Refinance/Renewal | Mortgage Refinance/Renewal |
| Construction | Construction |
| Potential Administrative Action | Potential Administrative Action |
| Non-Purchase Money Loan | Non-Purchase Money Loan |
| New Valuation for Existing Loan | New Valuation for Existing Loan |

## Property Access Types

| JSON Value | Description |
|---|---|
| borrower | Borrower |
| coborrower | Co-Borrower |

Copyright 2026 © Atlas GPS, LLC

| | |
|---|---|
| builder | Builder |
| listingagent | Listing Agent |
| sellingagent | Selling Agent |
| familymember | Family Member |
| neighbor | Neighbor |
| tenant | Tenant |
| other | Other |

## Order Types

| JSON Value | Description |
|---|---|
| residential | Residential Appraisal |
| commercial | Commercial Appraisal |

## Payment Methods

| JSON Value | Description |
|---|---|
| bill | Bill/Invoice the Client |
| clientlink | Send payment link to the client |
| borrowerlink | Send payment link to borrower's email address |

## File Categories

| JSON Value | Description |
|---|---|
| uadxml | Appraisal UAD/XML |
| uad2zip | UAD 3.6 Zip File |
| appraisal | Appraisal PDF |
| cert | AMC Compliance Certificate |
| condo | Condo Questionnaire |
| coop | Coop Docs |
| eadpdf | FHA EAD SSR |
| fnmpdf | Fannie Mae UCDP SSR |
| frepdf | Freddie Mac UCDP SSR |
| legaldesc | Legal Description |
| leasesrentrolls | Copies of Leases/Rent Rolls |
| plansspecs | Plans / Specs |
| propertyfinancials | Property Financial Statements |
| rebuttal | Rebuttal Docs |
| salescontract | Sales Contract |
| salescontractrev | Revised Sales Contract |
| salescontractadd | Sales Contract Addendum |

Copyright 2026 © Atlas GPS, LLC

| | |
|---|---|
| vendor_invoice | Vendor Invoice |
| other | Other (Provide Description) |

### Report Types

Every client will have a customized report type list, which will be provided to the client in a separate Excel Spreadsheet.

## Revision History

| Version | Description | Date |
|---|---|---|
| ***1.0*** | *Initial API Release* | *01/30/17* |
| ***2.0*** | *API XML to JSON update* | *02/04/19* |
| ***2.1*** | *Adding Intent to Proceed Date* | *02/04/20* |
| ***2.2*** | *Adding Fields to Add Order Call* | *01/10/22* |
| ***2.3*** | *Changing format of responses, adding update loan number* | *04/10/23* |
| ***2.4*** | *Adding notification_emails on inbound order* | *05/25/25* |
| ***2.5*** | *Updates to reflect Atlas GPS LLC as company* | *7/24/25* |
| ***2.6*** | *Adding new events for vendor to send for order assigned, accepted, hold, resume, paid. Deprecated order update event.* | *12/30/25* |
| ***2.7*** | *Updates to reflect hold, resume, and cancelled events as bi-directional* | *01/12/26* |
| ***2.8*** | *Adding revision request event* | *03/10/26* |
| ***2.9*** | *Added the ability to send documents w/o indicating order is completed* | *04/06/26* |

Copyright 2026 © Atlas GPS, LLC