

DENTAL PRACTICE MANAGEMENT SYSTEM

User Training Manual & Operational Guide

MVP Frontend - Training Edition

Demo Clinic	Pearl Smile Dental Clinic
Branch	Kampala Main Branch
Roles	Clinic Administrator, Dentist, Receptionist, Cashier
Manual Version	1.0 - 26 September 2026

Prepared as a practical training and reference manual for the frozen MVP frontend.

Developed with love by BaCorn Tech

Contents

Section	Topic
1	About This Manual
2	System at a Glance
3	User Roles and Responsibilities
4	Getting Started and Navigating the System
5	Receptionist Training Guide
6	Dentist Training Guide
7	Cashier Training Guide
8	Clinic Administrator Training Guide
9	Module-by-Module Reference
10	End-to-End Patient Visit Walkthrough
11	Reports, Printing and Receipts
12	Good Data-Entry and Safety Practices
13	Common Problems and Troubleshooting
14	Suggested Staff Training Session
15	Quick Reference Checklists
Appendix A	Demo Accounts
Appendix B	Common Status Meanings
Appendix C	Glossary

MVP note: This guide describes the frozen MVP frontend. During Laravel backend integration, the data source and security enforcement will change, but the approved user-facing workflows should remain substantially the same.

1. About This Manual

This manual is a practical training guide for staff who will use the Dental Practice Management System. It is written for non-technical clinic users and focuses on how work moves through the system from reception to clinical care, billing, reporting and follow-up.

1.1 What this manual covers

- How to sign in, navigate the sidebar, use search, notifications and the profile menu.
- How Receptionists manage patients, appointments, check-in and recalls.
- How Dentists work with encounters, medical history, the odontogram, treatment plans, procedures, prescriptions and clinical documents.
- How Cashiers manage invoices, payments, receipts and outstanding balances.
- How Clinic Administrators manage users, clinic settings and management reports.
- How the roles work together during a complete patient visit.
- How to avoid common data-entry mistakes and how to recover from common UI problems.

1.2 What this manual does not replace

- Clinical judgment or professional dental protocols.
- Formal accounting procedures or statutory tax guidance.
- Production cybersecurity procedures that will be enforced by the Laravel backend.
- Clinic-specific operating policies that may be introduced later.

Trainer note: Use the system with demo data first. After staff understand the workflow, repeat the exercises using realistic practice scenarios before production rollout.

2. System at a Glance

The system is designed around a simple clinic journey. Each role participates in different parts of the same patient flow.

Step	Stage	What happens
1	Patient	Register/search patient and confirm identity
2	Appointment	Book, confirm, reschedule or cancel appointment
3	Check-In / Queue	Patient arrives and enters Waiting Room
4	Clinical Encounter	Dentist documents the current visit
5	Dental Chart	Record findings using FDI tooth numbering
6	Treatment Plan	Propose and track treatment items
7	Procedure	Record treatment actually performed

Step	Stage	What happens
8	Invoice & Payment	Create invoice, collect payment and issue receipt
9	Recall / Follow-Up	Track future reviews or appointments

Key principle: Operational statuses such as Waiting or In Treatment are separate from clinical Encounter statuses such as Draft or Completed. A treatment plan item that is accepted is also not the same as a procedure that has actually been performed.

3. User Roles and Responsibilities

Role	Main responsibilities	Key caution
Clinic Administrator	Overall system administration, users/staff, clinic settings, management reports, operational oversight.	Avoid changing role/status values unless authorised by clinic management.
Dentist	Clinical encounters, medical history, odontogram, treatment plans, procedures, prescriptions, clinical documents and clinical follow-up.	Always confirm patient identity and medical safety information before clinical documentation.
Receptionist	Patient registration/search, appointments, front-desk operations, check-in/waiting room and follow-up coordination.	Do not use front-desk access to enter clinical notes unless the role is explicitly allowed.
Cashier	Patient financial identification, invoices, payments, receipts, outstanding balances and permitted finance reports.	Do not interpret or modify clinical information.

3.1 Role separation matters

The system intentionally separates operational, clinical, financial and administrative responsibilities. If an option is not visible for a role, staff should not try to bypass the restriction by manually editing the URL or asking another user to leave a session open.

Security note: The MVP frontend demonstrates role restrictions. In production, the Laravel backend must enforce these permissions server-side as well.

4. Getting Started and Navigating the System

4.1 Signing in

1. Open the Dental Practice Management System login page.
2. Enter the username/account details provided for your role.

3. Enter your password. For the local MVP demo, the demo password is Demo@123 unless it has been changed during testing.
4. Select Sign In. The system opens the dashboard and navigation appropriate to your role.
5. Confirm that your name and role shown in the top-right account area are correct before continuing.

4.2 Main screen layout

Area	Purpose
Left sidebar	Opens modules available to your role. Some groups such as Clinical Overview or Billing expand to show child modules.
Top bar	Contains the menu toggle, global patient search, notifications and your profile menu.
Workspace	The main working area where lists, forms, charts and clinical/financial records appear.
Footer	Shows the BaCorn Tech attribution and confirms you are still within the application workspace.

4.3 Search and filters

- Use module search boxes to narrow records by the fields supported by that module.
- Type normally; search updates as you type. Use the single clear (X) control to reset the search.
- Filters such as status, role, dentist, payment method or date range can be combined where available.
- Use Reset to restore the unfiltered view. Searching and filtering do not alter business records.

4.4 Profile menu

- Profile - view or edit the personal fields the system allows you to change.
- Change Password - change your own password only.
- Logout - end the current session. Always log out before another staff member uses the same computer.

4.5 Unsaved changes warning

When you edit a record and try to navigate away before saving, the system may warn you about unsaved changes. Use Stay to continue editing, or Discard to abandon only the current unsaved work. Saving one form should not silently discard unsaved work from another area.

5. Receptionist Training Guide

The Receptionist is responsible for front-desk coordination: patient registration, appointments, arrival/check-in and follow-up coordination. The Receptionist should keep patient identity and appointment information accurate so that Dentists and Cashiers receive the correct context.

5.1 Registering or finding a patient

1. Open Patients from the sidebar.
2. Search first to avoid creating duplicate patient records.
3. If the patient already exists, open the existing record and confirm identity details.

4. If the patient does not exist and your role has Add Patient permission, select Add Patient and complete the required fields.
5. Save once and wait for the success confirmation. Do not double-click the save action.

Best practice: Search before registering. Duplicate patient records can split appointments, billing and clinical history across two identities.

5.2 Booking and managing appointments

1. Open Appointments.
2. Choose the correct patient, dentist, date, time and purpose/service.
3. Save the appointment and confirm that it appears in the appointment list/calendar.
4. Use the available action to confirm, reschedule or cancel when required.
5. If rescheduling, confirm that the new appointment details are correct and that the previous status/linkage is handled by the system.

5.3 Checking a patient in

1. When the patient arrives, open the appointment or Waiting Room workflow.
2. Verify the patient name, appointment time and assigned dentist.
3. Use Check In only once.
4. Confirm that the appointment/queue state now shows Waiting.
5. The patient should appear in the Waiting Room and be available to the assigned Dentist according to permissions.

5.4 Waiting Room

- Waiting - patients who have arrived and are waiting for care.
- Expected Arrivals - appointments that are expected but not yet checked in, where the interface shows them.
- In Treatment - patients whose operational status has moved into treatment.
- The Waiting Room status is operational. It is not the same as the clinical Encounter status.

5.5 Recalls and follow-up

1. Open Recalls & Follow-Ups.
2. Search for the patient or filter by recall status.
3. Review whether the recall is Upcoming, Overdue or already Scheduled.
4. Where the workflow allows it, schedule/link an appointment for the recall.
5. Do not create a second appointment if the recall is already linked to an existing appointment.

Boundary: Reception staff may see operational information needed for their work, but should not use those screens to document clinical findings, diagnoses, prescriptions or procedures unless the final permission matrix explicitly allows it.

6. Dentist Training Guide

The Dentist workflow begins with a correctly identified patient and appointment, then moves through clinical documentation, charting and treatment planning. The system deliberately keeps findings, planned treatment and treatment actually performed as separate concepts.

6.1 Starting from the Waiting Room

1. Open Waiting Room and locate the patient assigned to you.
2. Confirm the patient name, appointment and current operational status.
3. Use Start Treatment only when appropriate. This changes operational status; it does not complete the clinical Encounter.
4. Use Open Clinical Encounter or Resume Encounter to enter the clinical workspace.
5. Confirm that the Patient Context at the top of the clinical workspace is the patient you intended to open.

6.2 Clinical Encounter

1. Review the current Appointment and Encounter status.
2. Read medical safety information before entering treatment-related information.
3. Complete the clinical documentation fields required by the current workflow.
4. Use Save Draft when documentation is not finished.
5. Use Complete Encounter only when required information is complete and the visit should be locked as completed.
6. Completed Encounters are historical/read-only and should not be edited as though they were a current visit.

Current vs historical: Never assume the latest Encounter for a patient is the current Encounter. The system uses the current appointment/clinical context. A patient can have a historical completed Encounter and a different current appointment at the same time.

6.3 Medical History and safety context

- Allergies, conditions and current medication history should be reviewed before prescribing or treatment documentation.
- A recorded allergy is safety-critical information and should not be treated as ordinary contact data.
- No recorded allergy/condition does not automatically prove that none exists. It means there is no recorded information in the system.
- Medication history is not the same as a new Prescription issued during the current visit.

6.4 Odontogram / Dental Chart

1. Open the Odontogram from the current patient context.
2. Confirm whether you are viewing permanent or primary dentition.
3. Select the correct FDI tooth number.
4. Record the finding/condition and surface(s) where the condition is surface-specific.
5. Save the finding and confirm it appears on the correct tooth.
6. Review any planned-treatment overlay separately from the recorded finding.

Clinical concept	Meaning in the system
No recorded finding	The system has no recorded clinical state for that tooth; this is NOT automatically Healthy.
Healthy	The tooth has been explicitly recorded as healthy.
Missing	The tooth is recorded as absent/missing.

Clinical concept	Meaning in the system
Extracted	The tooth has a history/status indicating extraction; do not treat this as identical to Missing.
Finding	What is clinically observed/recorded on the chart.
Planned treatment	What is proposed for future treatment; it is not a completed Procedure.

6.5 Treatment Plans

1. Open Treatment Plans from the patient context or global register.
2. Create or open the plan for the correct patient.
3. Add service/treatment items, selecting tooth/surface only when the service requires them.
4. Review the proposed value and item status.
5. Record acceptance/decline using the existing workflow.
6. Remember: Accepted means the patient/plan accepted the item; it does not mean the treatment has been performed.
7. A performed treatment should be recorded separately as a Procedure.

6.6 Procedures Performed

1. Open Procedures Performed or the patient procedure workflow.
2. Confirm patient, service, dentist, date and tooth/surface where applicable.
3. Record the Procedure only when the treatment was actually performed.
4. If the Procedure fulfils a treatment-plan item, confirm the plan reflects the completed work according to the existing workflow.
5. Do not treat Procedure value as money collected. Billing and payment are separate.

6.7 Prescriptions

1. Open Prescriptions for the correct patient.
2. Review allergies, conditions and medication history displayed by the system.
3. Enter the prescription fields supported by the MVP.
4. Save only after confirming the patient and prescription information.
5. The MVP displays known safety information but does not provide an automatic drug-interaction or clinical-recommendation engine.

6.8 Clinical Documents

- Supported demo document types include X-Ray and Clinical Photo.
- Historical demo documents may contain metadata without an actual preview file; the correct state is Preview unavailable, not a broken image.
- A temporary runtime preview may be available after choosing a local file, but that preview should not be treated as durable backend storage.
- The current document schema does not directly link a document to a Tooth or Procedure.

6.9 Dentist workflow reminders

- Verify patient identity before every clinical action.
- Review medical safety information before prescribing/treatment.
- Keep findings, planned treatment and performed procedures separate.
- Use Save Draft when work is incomplete; do not Complete an Encounter prematurely.
- Do not use another Dentist's restricted record as an editable workspace if ownership rules do not allow it.

7. Cashier Training Guide

The Cashier handles the financial side of the patient journey. The main rule is that Invoice, Payment and Receipt are separate records: an Invoice creates an amount due, a Payment settles part or all of that amount, and a Receipt confirms the payment that was recorded.

7.1 Finding a patient for billing

1. Use Patient Search or the finance module search.
2. Confirm patient identity using the financial identification information available to your role.
3. Do not attempt to access clinical notes or dental chart information from financial screens.

7.2 Invoices

1. Open Invoices.
2. Search for the patient or invoice.
3. Review invoice total, paid amount, balance and status.
4. If your role/workflow allows creating an invoice, use the existing Create Invoice form and verify all line items before saving.
5. A treatment plan amount is not automatically an Invoice and a Procedure is not automatically a Payment.

7.3 Recording a payment

1. Open an invoice with an outstanding balance or use Record Payment from Outstanding Balances.
2. Confirm the patient, invoice and remaining balance.
3. Enter the amount and payment method: Cash, Mobile Money, Bank, Card or Other as supported.
4. Enter a reference when applicable.
5. Save once. The system should create one Payment and the corresponding Receipt according to the frozen workflow.
6. Confirm that the invoice paid amount increases and the remaining balance decreases by exactly the payment amount.

Overpayment protection: Never intentionally enter more than the remaining balance. The system should reject overpayment without creating a Payment or Receipt.

7.4 Receipts

1. Open Receipts and select the required receipt.
2. Verify patient, invoice, amount, payment method, reference, received-by user and remaining balance.
3. Select Print Receipt when a paper or PDF copy is required.
4. The redesigned print layout should print as a professional A4 receipt without the sidebar/top bar.

7.5 Outstanding Balances

- The Outstanding Balances module lists invoices whose remaining balance is greater than zero.
- Use the search/filter controls to locate a patient or invoice.
- Use View Invoice to inspect details or Record Payment to continue settlement.
- Fully paid invoices should no longer appear as outstanding.

7.6 Cashier dashboard and reports

- Use dashboard totals as a quick summary, then drill into Payments or Outstanding Balances when you need the source records.
- Reports are read-only. Filtering a report does not change payment or invoice data.
- Use Print or CSV export only for report types your role is authorised to view.

8. Clinic Administrator Training Guide

The Clinic Administrator has responsibility for system administration and management oversight. Administrative access should not be used to bypass clinical ownership or to perform clinical work that belongs to a Dentist.

8.1 Users & Staff

1. Open Users & Staff.
2. Use search and Role/Status filters to find the account.
3. To add a user, select Add User and complete the approved identity, role and status fields.
4. To edit a user, change only documented editable fields.
5. Use Active/Inactive status rather than deleting historical users where the workflow requires history preservation.
6. Never display, copy or ask users for their stored password. Passwords are not shown in the Users module.

8.2 Clinic Settings

1. Open Clinic Settings.
2. Review the current clinic/branch identity and other supported configuration fields.
3. Change only documented settings and save once.
4. If validation fails, correct the highlighted field before saving again.
5. Do not place API keys, database passwords or other secrets in frontend settings.

8.3 Reports

1. Open Reports.
2. Choose the Report Type.
3. Apply date, payment method, dentist or status filters when supported.
4. Review KPI totals and the detailed rows together.
5. Use Print or Export CSV when needed. These actions should not modify business data.

8.4 Profile and Change Password

- Profile is for your own account. You cannot use self-profile editing to change your own role, status or target another user.
- Change Password affects only the current signed-in user.
- If a user account needs a role or status change, use Users & Staff according to management policy.

8.5 Administrative discipline

- Do not create duplicate user accounts.
- Do not deactivate accounts without confirming the staff member and management instruction.
- Do not edit clinic settings simply to test the interface during live clinic operations.
- Always log out when leaving an administrative workstation unattended.

9. Module-by-Module Reference

Module	Purpose	Training emphasis
Dashboard	Role-specific overview and KPIs.	Use as a summary; open source modules to inspect details.
Patients / Patient Search	Find/register patients and open patient records.	Search first to prevent duplicates.
Appointments	Schedule and manage patient visits.	Confirm patient, dentist, time and status.
Waiting Room	Manage arrivals, waiting and in-treatment operational status.	Operational state is separate from Encounter state.
Encounters	Global encounter register and entry to clinical documentation.	Draft may continue; Completed is locked/history.
Medical History	Allergies, conditions and medications.	No record does not prove none exists.
Odontogram	Dental findings using FDI numbering.	Finding is not planned treatment; primary/permanent dentition differ.
Treatment Plans	Proposed/accepted/declined/planned/completed treatment items.	Accepted is not the same as performed.
Procedures Performed	Treatment actually carried out.	Procedure is not payment/revenue.
Prescriptions	Patient prescription workflow.	Review safety context; no automatic drug interaction engine.
Clinical Documents	X-Ray/Clinical Photo metadata and temporary preview.	No direct Tooth or Procedure relationship in current MVP schema.
Invoices	Amounts billed to patients.	Balance depends on valid payments.
Payments	Money received against invoices.	One valid save should produce one payment.
Receipts	Confirmation of recorded payment.	Print receipt after verifying payment details.
Outstanding Balances	Invoices with balance greater than zero.	Use Record Payment or View Invoice.
Recalls & Follow-Ups	Future care/follow-up tracking.	Recall and Appointment are different; scheduled recalls may link to appointments.
Reports	Read-only operational/clinical/financial summaries by role.	Filters do not mutate data.

Module	Purpose	Training emphasis
Users & Staff	User identity, role and status.	Admin-controlled; do not delete history casually.
Clinic Settings	Supported clinic configuration.	Keep secrets out of frontend settings.
Profile	Current user self-profile.	Cannot self-promote role/status.
Change Password	Current user password change.	Never share passwords.

10. End-to-End Patient Visit Walkthrough

Use this scenario during staff training to demonstrate how one patient visit moves across roles. The exact patient and values can be changed during training, but the workflow sequence should remain consistent.

Stage	Role	Action	Expected result
1. Patient identification	Receptionist	Search existing patient or register a new patient.	One correct patient identity is used throughout the visit.
2. Appointment	Receptionist	Book/confirm the visit with the correct Dentist.	Appointment appears in schedule and role dashboards.
3. Arrival	Receptionist	Check the patient in.	Appointment/queue reflects Waiting.
4. Start treatment	Dentist	Open Waiting Room and start/open the clinical encounter.	Patient moves operationally to In Treatment; correct patient context opens.
5. Safety review	Dentist	Review allergies, conditions and medication history.	Safety information is visible before treatment/prescribing.
6. Clinical documentation	Dentist	Document Encounter and save Draft if incomplete.	Clinical record is saved without falsely marking treatment as complete.
7. Dental chart	Dentist	Record findings on the correct FDI tooth/surface.	Odontogram shows actual finding separately from planned treatment.
8. Treatment plan	Dentist	Add/accept/decline treatment items.	Plan records what is proposed/approved, not automatically performed.
9. Procedure	Dentist	Record treatment actually performed.	Procedure history reflects completed clinical work.
10. Prescription / documents	Dentist	Add prescription/document where clinically required.	Supporting clinical records remain linked to the correct patient.
11. Billing	Cashier/Admin per permission	Open/create invoice and review balance.	Amount due is shown separately from treatment-plan value.
12. Payment	Cashier	Record valid payment.	Paid amount/balance update; one

Stage	Role	Action	Expected result
			Receipt is issued.
13. Receipt	Cashier	Verify and print Receipt.	Professional receipt shows correct patient, invoice, amount and balance.
14. Follow-up	Receptionist/Dentist per permission	Create/review Recall and link future Appointment when appropriate.	Future care remains trackable without duplicating appointments.

10.1 Example: Amina Nakato

Amina is a useful training case because she has historical clinical information, a current in-treatment appointment, a known Penicillin allergy, an odontogram finding on tooth 26, planned filling treatment, an outstanding balance and a scheduled recall. Trainers can use her record to explain why current/historical encounters, findings/plans, and clinical/finance data must remain separate.

10.2 Example: Samuel Kato

Samuel is useful for explaining mixed treatment-plan states. His plan demonstrates an item that was accepted and completed, an item that was declined, and an item that was accepted but remains planned. The plan totals therefore mean Proposed, Accepted and Completed - not Amount Billed or Amount Paid.

11. Reports, Printing and Receipts

11.1 Using reports

1. Open Reports and select a report type available to your role.
2. Apply filters such as date range, payment method, dentist or status where provided.
3. Review the KPI summary and detailed records.
4. Use Reset to return to the default report view.
5. Use Print for a paper/PDF report, or Export CSV when the report supports it.

Read-only: Reports are derived from existing records. Changing a report filter or printing/exporting a report must not alter patient, clinical or financial data.

11.2 Printing a receipt

1. Open the required Receipt.
2. Confirm the patient, invoice, amount, method, reference and remaining balance.
3. Select Print Receipt.
4. In print preview, confirm the document shows the clinic header, Payment Receipt identity, patient/invoice context, prominent Amount Received and payment details.
5. Print or save as PDF. The application sidebar, top bar and action buttons should not appear on the printed receipt.

11.3 Privacy before printing

- Print only the document the patient or clinic requires.
- Collect printed documents immediately from shared printers.
- Do not leave reports containing patient or financial information unattended.
- Use generic/identifier-based filenames for saved PDFs where possible instead of patient names.

12. Good Data-Entry and Safety Practices

Practice	Instruction
Patient identity	Confirm patient name/ID before appointments, clinical documentation, billing and follow-up.
Search before create	Avoid duplicate patients, users and appointments.
One action, one click	Do not repeatedly click Save/Record Payment/Complete; wait for system feedback.
Medical safety	Dentists should review allergies, conditions and medications before treatment/prescribing.
Current vs history	Do not edit completed historical encounters as though they are current.
Dental chart	Use correct FDI tooth number and distinguish No record, Healthy, Missing and Extracted.
Treatment lifecycle	Finding -> Plan -> Procedure are distinct stages. Accepted is not Performed.
Finance	Invoice -> Payment -> Receipt are distinct. Do not overpay an invoice.
Follow-up	Recall may lead to an Appointment; it is not itself an Appointment.
Security	Use your own account and log out when handing the workstation to someone else.
Privacy	Do not expose clinical information to roles that do not need it.
Unsaved work	Respond carefully to Stay/Discard prompts; do not assume changing pages automatically saves.

13. Common Problems and Troubleshooting

Problem	What to do
I cannot see a module	Your role may not have access. Confirm the account shown in the profile menu. Do not attempt to bypass the restriction.

Problem	What to do
Search shows no results	Clear the search and filters, then try patient name/ID or other fields supported by that module.
I can type only one character in search	This was fixed during the frontend audit. If it returns, reload the application and report it as a regression.
A form says I have unsaved changes	Choose Stay to continue editing, or Discard to abandon only those unsaved changes.
Receipt shows wrong balance	Stop before printing and verify the linked Invoice and Payment. Finance values should reconcile across Invoice, Payment, Receipt and Outstanding Balances.
Historical encounter opened instead of current visit	Do not continue documenting. Return to the correct current Appointment/Encounter context and report the issue.
Document preview unavailable	Historical demo documents may contain metadata only. Preview unavailable is expected unless a runtime file was selected.
A patient appears twice	Do not create a third record. Escalate to the administrator; duplicate patient identities require controlled cleanup.
Print preview looks wrong	Cancel printing, reopen the Receipt/Report and try again. Do not print a document that clips or omits required data.
A page says Page Not Found	Return via the sidebar. If a normal visible menu item led there, report it as a defect.
The system shows null/undefined/NaN	Take a screenshot and report it. These are rendering defects and should not be treated as real data.
Another person needs to use the computer	Log out completely first. Never hand over an active session.

Escalation: If the system displays the wrong patient, wrong invoice, stale clinical information after login/logout, duplicate payment/receipt, or a permission bypass, stop the affected workflow and report it immediately. These are not minor cosmetic issues.

14. Suggested Staff Training Session

A trainer can use the following structure for a 2.5-3 hour introductory session. Adjust timing to the clinic team and repeat role-specific exercises as needed.

Time	Topic	Activity
15 min	System overview	Explain the patient journey and the four roles.
15 min	Login and navigation	Each trainee signs in, identifies their role, sidebar, search and profile menu.

Time	Topic	Activity
30 min	Reception workflow	Search/register patient, book appointment, check-in and review Waiting Room.
45 min	Clinical workflow	Dentist opens encounter, reviews medical safety, uses odontogram, treatment plan, procedures, prescription/documents.
30 min	Finance workflow	Cashier opens invoice, records test payment, checks receipt/outstanding, prints receipt.
20 min	Administration	Admin reviews users, settings and reports.
15 min	Follow-up	Review recalls and linked appointments.
20 min	Practice and questions	Trainees repeat the workflow using a different demo patient.

14.1 Recommended hands-on exercises

- Receptionist: find Brenda, identify her appointment and explain Waiting vs Draft Encounter.
- Dentist: open Amina, identify the Penicillin allergy, tooth 26 caries and planned filling, and explain why they are separate.
- Dentist: open Samuel and explain Proposed, Accepted and Completed treatment-plan values.
- Cashier: locate Joseph outstanding balance and explain Invoice Total, Paid and Balance.
- Admin: locate Miriam and explain why Inactive is different from deleting a user.
- All roles: log out and sign in as a different role to observe how the sidebar and permitted modules change.

15. Quick Reference Checklists

15.1 Receptionist - before finishing a task

- Correct patient selected.
- Appointment date/time/Dentist confirmed.
- Patient checked in only once.
- Waiting Room status makes sense.
- Recall is not duplicated if already linked to an Appointment.
- Unsaved forms are either saved or deliberately discarded.

15.2 Dentist - before completing an Encounter

- Correct patient and current Appointment/Encounter confirmed.
- Allergies/conditions/medications reviewed.
- Clinical documentation required by the form is complete.
- Odontogram findings are on the correct tooth/surface.
- Planned treatment is not being mistaken for performed treatment.
- Procedures actually performed are recorded separately.
- Any prescription/document belongs to the correct patient.
- Complete Encounter is appropriate; otherwise Save Draft.

15.3 Cashier - before recording payment

- Correct patient and invoice selected.
- Outstanding balance confirmed.
- Payment amount does not exceed balance.
- Payment method and reference are correct.
- Save clicked once.
- Invoice paid/balance values updated correctly.
- Receipt shows the same payment amount and remaining balance.

15.4 Administrator - before saving administrative changes

- Correct user/setting selected.
- Role/status change is authorised.
- Historical user is deactivated rather than casually deleted.
- No password or secret is exposed in a frontend field.
- Report filters are understood as read-only.
- Changes have been reviewed before logout.

Appendix A - Demo Accounts

User	Role	Status	Demo use
Grace Namutebi	Clinic Administrator	Active	Administration, users, settings, management reports
Dr. Daniel Mugisha	Dentist	Active	Clinical workflow and Daniel-owned cases
Dr. Sarah Nakanwagi	Dentist	Active	Clinical workflow and Sarah-owned cases
Lydia Akello	Receptionist	Active	Front-desk workflow
Brian Ssemanda	Cashier	Active	Billing/payment workflow
Miriam Achieng	Receptionist	Inactive	Used to demonstrate inactive-login denial

Local MVP demo password for active demo accounts: Demo@123 (unless changed during a training exercise and then reset).

Production warning: Do not reuse a shared demo password in a real deployment. Production authentication must be enforced by the Laravel backend.

Appendix B - Common Status Meanings

Domain	Status	Training meaning
Appointment / Queue	WAITING	Patient has arrived and is waiting

Domain	Status	Training meaning
		operationally.
Appointment / Queue	IN_TREATMENT	Patient has moved into the operational treatment stage.
Appointment	CONFIRMED	Appointment has been confirmed but has not yet been completed.
Appointment	SCHEDULED	Appointment exists and is scheduled.
Appointment	CANCELLED	Appointment was cancelled.
Encounter	DRAFT	Clinical documentation can still continue.
Encounter	COMPLETED	Clinical encounter is finished and treated as historical/read-only.
Invoice	PAID	Remaining balance is zero.
Invoice	PARTIALLY_PAID	Some payment has been received but a balance remains.
Recall	UPCOMING	Follow-up is approaching but not yet overdue.
Recall	OVERDUE	Follow-up date has passed without the expected completion/scheduling.
Recall	SCHEDULED	Recall has been linked to/satisfied by a scheduled appointment according to the workflow.

Appendix C - Glossary

Term	Meaning
Encounter	The clinical record for a dental visit or clinical documentation session.
Odontogram	Graphical dental chart showing tooth-specific findings using FDI/ISO 3950 numbering.
Finding	A clinical condition recorded on a tooth/surface.
Treatment Plan	Proposed/accepted/declined/planned care; it is not proof that treatment was performed.
Procedure	Treatment actually recorded as performed.
Invoice	Financial record of an amount billed.

Term	Meaning
Payment	Money received against an invoice.
Receipt	Document confirming a recorded payment.
Outstanding Balance	Remaining amount due on an invoice after settlement-contributing payments.
Recall	Follow-up requirement/reminder for future care; it may be linked to a later appointment.
Patient Context	The visible patient identity and related context used to keep clinical actions attached to the correct patient.
FDI Numbering	International two-digit tooth numbering used by the odontogram for permanent and primary dentition.
Dirty / Unsaved State	A form contains meaningful changes that have not yet been saved.

End of User Training Manual

Pearl Smile Dental Clinic - Dental Practice Management System

Developed with love by BaCorn Tech