```
import React, { useState, useEffect, useRef } from "https://esm.sh/react@18.3.1";
/* ---------- icons (self-contained, no external icon package) ---------- */
const IconBase = ({ children, size = 20, ...p }) => (React.createElement("svg", {
const CalIcon = (p) => React.createElement(IconBase, { ...p }, React.createElemen
const Flame = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M8.5 14.5A2.5 2.5 0 0 0 11 12c0-1.38-.5-2-1
const Wind = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M9.59 4.59A2 2 0 1 1 11 8H2" }),
    React.createElement("path", { d: "M12.59 19.41A2 2 0 1 0 14 16H2" }),
    React.createElement("path", { d: "M17.73 7.73A2.5 2.5 0 1 1 19.5 12H2" }));
const Shield = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M12 22s8-4 8-10V5l-8-3-8 3v7c0 6 8 10 8 10z
const BookOpen = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M2 4h6a4 4 0 0 1 4 4v12a3 3 0 0 0-3-3H2z" }
    React.createElement("path", { d: "M22 4h-6a4 4 0 0 0-4 4v12a3 3 0 0 1 3-3h7z"
const SettingsIcon = (p) => React.createElement(IconBase, { ...p },
    React.createElement("circle", { cx: "12", cy: "12", r: "3" }),
    React.createElement("path", { d: "M19.4 15a1.65 1.65 0 0 0 .33 1.82l.06.06a2
const Check = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M20 6 9 17l-5-5" }));
const Plus = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M12 5v14M5 12h14" }));
const Trash2 = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M3 6h18" }),
    React.createElement("path", { d: "M8 6V4a2 2 0 0 1 2-2h4a2 2 0 0 1 2 2v2" }),
    React.createElement("path", { d: "M19 6l-1 14a2 2 0 0 1-2 2H8a2 2 0 0 1-2-2L5
    React.createElement("path", { d: "M10 11v6M14 11v6" }));
const ChevronDown = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "m6 9 6 6 6-6" }));
const BarChart3 = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M3 3v18h18" }),
    React.createElement("rect", { x: "7", y: "12", width: "3", height: "6" }),
    React.createElement("rect", { x: "12", y: "8", width: "3", height: "10" }),
    React.createElement("rect", { x: "17", y: "5", width: "3", height: "13" }));
const Pencil = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M12 20h9" }),
    React.createElement("path", { d: "M16.5 3.5a2.12 2.12 0 0 1 3 3L7 19l-4 1 1-4
const Zap = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M13 2 3 14h9l-1 8 10-12h-9z" }));
/* ---------- storage (browser localStorage — persists on-device between visits)
const KEY = "bull-tracker-data";
async function storageGet() {
    try {
        const raw = window.localStorage.getItem(KEY);
```

```
        return raw ? JSON.parse(raw) : null;
    }
    catch (e) {
        return null;
    }
}
async function storageSet(obj) {
    try {
        window.localStorage.setItem(KEY, JSON.stringify(obj));
    }
    catch (e) {
        console.error("save failed", e);
    }
}
async function storageClear() {
    try {
        window.localStorage.removeItem(KEY);
    }
    catch (e) { }
}
/* ---------- dates ---------- */
const pad = (n) => String(n).padStart(2, "0");
const dateKey = (d) => `${d.getFullYear()}-${pad(d.getMonth() + 1)}-${pad(d.getDa
const todayKey = () => dateKey(new Date());
const DAY_MS = 86400000;
const WD = ["SUN", "MON", "TUE", "WED", "THU", "FRI", "SAT"];
function hijriDay(date) {
    try {
        const s = new Intl.DateTimeFormat("en-u-ca-islamic", { day: "numeric" }).
        const n = parseInt(s, 10);
        return isNaN(n) ? null : n;
    }
    catch (e) {
        return null;
    }
}
function fastingSuggested(date, mode) {
    const h = hijriDay(date);
    const lunar = h !== null && h >= 13 && h <= 15;
    const weekly = date.getDay() === 1 || date.getDay() === 4;
    if (mode === "lunar")
        return lunar;
    if (mode === "weekly")
        return weekly;
    return weekly || lunar;
}
/* ---------- reminders (.ics export — no backend available for real push) ------
```

```
function icsDate(d) {
    return d.getFullYear() + pad(d.getMonth() + 1) + pad(d.getDate()) + "T" + pad
}
function buildReminderEvent(uid, title, timeStr) {
    const [hh, mm] = (timeStr || "08:00").split(":").map((n) => parseInt(n, 10));
    const start = new Date();
    start.setHours(hh, mm, 0, 0);
    if (start.getTime() < Date.now())
        start.setDate(start.getDate() + 1);
    const end = new Date(start.getTime() + 15 * 60000);
    return [
        "BEGIN:VEVENT",
        "UID:" + uid + "@bull.app",
        "DTSTART:" + icsDate(start),
        "DTEND:" + icsDate(end),
        "RRULE:FREQ=DAILY",
        "SUMMARY:" + title,
        "BEGIN:VALARM",
        "TRIGGER:PT0M",
        "ACTION:DISPLAY",
        "DESCRIPTION:" + title,
        "END:VALARM",
        "END:VEVENT",
    ].join("\r\n");
}
function downloadReminderIcs(settings) {
    const ics = [
        "BEGIN:VCALENDAR",
        "VERSION:2.0",
        "PRODID:-//Bull//Reminders//EN",
        buildReminderEvent("bull-morning", "Bull \u2014 Morning Check-In", settin
        buildReminderEvent("bull-evening", "Bull \u2014 Evening Review", settings
        "END:VCALENDAR",
    ].join("\r\n");
    const blob = new Blob([ics], { type: "text/calendar" });
    const url = URL.createObjectURL(blob);
    const a = document.createElement("a");
    a.href = url;
    a.download = "bull-reminders.ics";
    a.click();
    setTimeout(() => URL.revokeObjectURL(url), 5000);
}
/* ---------- score visuals: physique (vigour) + devil (risk) ---------- */
function pts(arr) { return arr.map((p) => p[0].toFixed(2) + "," + p[1].toFixed(2)
function VigourFigure({ pct, size = 58 }) {
    const t = Math.max(0, Math.min(1, (pct || 0) / 100));
    const sw = 7.5 + 11.5 * t, wz = 6.5 + 3.0 * t, aw = 2.2 + 3.4 * t;
```

```
    const lg = 3.6 + 3.0 * t, nk = 2.0 + 2.4 * t, hr = 8.6 - 0.6 * t;
    const bd = 1.2 + 7.5 * t, bw = 2.4 + (hr * 0.96 - 2.4) * t;
    const G = "url(#figGrad)";
    return (React.createElement("div", { className: "flex flex-col items-center"
        React.createElement("svg", { width: size, height: size, viewBox: "0 0 100
            React.createElement("defs", null,
                React.createElement("linearGradient", { id: "figGrad", x1: "0%",
                    React.createElement("stop", { offset: "0%", stopColor: "#e6b5
                    React.createElement("stop", { offset: "100%", stopColor: "#c9
            React.createElement("polygon", { points: pts([[50 - wz, 64], [50 - wz
            React.createElement("polygon", { points: pts([[50 + wz, 64], [50 + wz
            React.createElement("polygon", { points: pts([[50 - sw, 41], [50 + sw
            React.createElement("polygon", { points: pts([[50 - sw, 41.5], [50 -
            React.createElement("polygon", { points: pts([[50 + sw, 41.5], [50 +
            React.createElement("polygon", { points: pts([[50 - nk, 32], [50 + nk
            React.createElement("circle", { cx: 50, cy: 24, r: hr, fill: G }),
            React.createElement("path", { d: `M${(50 - bw).toFixed(2)} 26.5 C${(5
            t > 0.3 && React.createElement("g", { stroke: "#faf6ef", strokeLineca
                React.createElement("path", { strokeWidth: "1.2", d: "M50 44 L50
                React.createElement("path", { strokeWidth: "1.2", d: `M${(50 - sw
                React.createElement("path", { strokeWidth: "1", d: `M${(50 - wz *
                React.createElement("path", { strokeWidth: "1", d: `M${(50 - wz *
        React.createElement("div", { className: "text-[9px] uppercase tracking-[0
}
const ART_BANDS = [0, 20, 40, 60, 80];
function bandIndex(v) {
    let i = 0;
    ART_BANDS.forEach((b, n) => { if ((v || 0) >= b) i = n; });
    return i;
}
function BandArt({ value, dir, size, label, fallback }) {
    const [failed, setFailed] = useState({});
    const idx = bandIndex(value);
    if (failed[idx])
        return fallback;
    /* The 5 band images are a discrete swap, but the old code-drawn figures grew
       continuously with the exact score. Layering a smooth scale on top of the
       band crossfade keeps that same "grows as the number moves" feel instead of
       only jumping every 20 points — same curve DevilRisk used (0.4–1.2x),
       anchored to the bottom so the figure grows up from the ground line baked
       into the art rather than from its center. */
    const t = Math.max(0, Math.min(1, (value || 0) / 100));
    const sc = 0.4 + 0.8 * t;
    return React.createElement("div", { className: "flex flex-col items-center" }
        React.createElement("div", { style: { width: size, height: size, position
            React.createElement("div", { style: { position: "absolute", inset: 0,
                [0, 1, 2, 3, 4].map((n) => React.createElement("img", {
```

```
                    key: n,
                    src: "./" + dir + "-" + (n + 1) + ".png",
                    alt: "", "aria-hidden": "true", draggable: false,
                    onError: () => setFailed((f) => (f[n] ? f : Object.assign({},
                    style: {
                        position: "absolute", inset: 0, width: "100%", height: "1
                        objectFit: "contain", pointerEvents: "none",
                        opacity: n === idx ? 1 : 0, transition: "opacity 0.5s eas
                    },
                })))),
            React.createElement("div", { className: "text-[9px] uppercase tracking-[0
}
function DevilRisk({ risk, size = 58 }) {
    const d = Math.max(0, Math.min(1, (risk || 0) / 100));
    const sc = 0.32 + 0.88 * d, cx = 50, cy = 58;
    const T = (x, y) => [cx + (x - 50) * sc, cy + (y - 50) * sc];
    const col = d < 0.5 ? "#d24a44" : "#b62f2b";
    const tail = [T(59, 64), T(70, 66), T(74, 54), T(70, 46)];
    return (React.createElement("div", { className: "flex flex-col items-center"
        React.createElement("svg", { width: size, height: size, viewBox: "0 0 100
            React.createElement("polyline", { points: pts(tail), fill: "none", st
            React.createElement("polygon", { points: pts([T(70, 46), T(66, 42), T
            React.createElement("polygon", { points: pts([T(41, 45), T(59, 45), T
            React.createElement("polygon", { points: pts([T(41, 47), T(32, 57), T
            React.createElement("polygon", { points: pts([T(59, 47), T(68, 57), T
            React.createElement("polygon", { points: pts([T(43, 75), T(48, 75), T
            React.createElement("polygon", { points: pts([T(57, 75), T(52, 75), T
            React.createElement("circle", { cx: T(50, 33)[0], cy: T(50, 33)[1], r
            React.createElement("polygon", { points: pts([T(43, 27), T(38, 16), T
            React.createElement("polygon", { points: pts([T(57, 27), T(62, 16), T
            React.createElement("circle", { cx: T(46.5, 32)[0], cy: T(46.5, 32)[1
            React.createElement("circle", { cx: T(53.5, 32)[0], cy: T(53.5, 32)[1
            React.createElement("polyline", { points: pts([T(45, 37), T(50, 40),
        React.createElement("div", { className: "text-[9px] uppercase tracking-[0
}
/* ---------- month view ---------- */
function riskTileColor(r) {
    const x = Math.max(0, Math.min(100, r));
    return x <= 50 ? mixHex("#5c8a3c", "#c2701e", x / 50) : mixHex("#c2701e", "#b
}
function vigourTileColor(v) {
    const x = Math.max(0, Math.min(100, v));
    return x <= 50 ? mixHex("#e7dcc4", "#c9962c", x / 50) : mixHex("#c9962c", "#8
}
function MonthView({ data, items, settings, onPick, onClose }) {
    const [mOff, setMOff] = useState(0);
    const now = new Date();
```

```
const base = new Date(now.getFullYear(), now.getMonth() + mOff, 1);
const year = base.getFullYear(), month = base.getMonth();
const daysIn = new Date(year, month + 1, 0).getDate();
const startDow = base.getDay();
const tk = todayKey();
const relByKey = {};
data.relapses.forEach((r) => { relByKey[dateKey(new Date(r.ts))] = r.type ||
const wetKeys = new Set((data.wetDreams || []).map((w) => dateKey(new Date(w.
const t0 = new Date(); t0.setHours(12, 0, 0, 0);
const cells = [];
for (let i = 0; i < startDow; i++)
    cells.push(React.createElement("div", { key: "b" + i }));
for (let n = 1; n <= daysIn; n++) {
    const d = new Date(year, month, n, 12, 0, 0, 0);
    const k = dateKey(d);
    const rec = data.days[k];
    const future = d.getTime() > t0.getTime();
    const isToday = k === tk;
    const relType = relByKey[k];
    const wet = wetKeys.has(k);
    const logged = !!rec && riskLogged(rec, items);
    const uc = data.urges.filter((u) => dateKey(new Date(u.ts)) === k).length
    const rs = logged ? Math.round(riskScore({ ...emptyDay(), ...rec }, items
    const vh = rec ? vigourForDay({ ...emptyDay(), ...rec }, d, items, settin
    const vp = vh && vh.total ? Math.round(pctFrom(vh.done, vh.total)) : null
    const showBand = !future && vp !== null;
    let style = { border: "1px solid rgba(42,36,25,0.10)", background: "trans
    if (future)
        style = { border: "1px solid rgba(42,36,25,0.05)", background: "trans
    else if (relType)
        style = { border: "none", background: relType === "edge" ? "#c9453f"
    else if (rs !== null)
        style = { border: "none", background: riskTileColor(rs), color: "#fff
    if (isToday)
        style.boxShadow = "0 0 0 2px #2a2419";
    if (showBand)
        style.paddingBottom = "30%";
    cells.push(React.createElement("button", {
        key: k, disabled: future,
        onClick: () => { if (!future) { onPick(Math.round((d.getTime() - t0.g
        style: { ...style, borderRadius: 12 },
        className: "aspect-square flex flex-col items-center justify-center r
    },
        React.createElement("span", { className: "text-[11px]" }, n),
        rs !== null && React.createElement("span", { className: "text-[13px]
        relType && React.createElement("span", { className: "absolute top-1 r
        showBand && React.createElement("div", {
```

```
                className: "absolute left-0 right-0 bottom-0 flex items-center ju
                style: { height: "30%", borderRadius: "0 0 11px 11px", background
            }, React.createElement("span", { className: "text-[9px] font-bold" },
            wet && React.createElement("span", { className: "absolute bottom-1 ri
    }
    return (React.createElement("div", { className: "fixed inset-0 z-[60] overflo
        React.createElement("div", { className: "max-w-[430px] mx-auto p-5", styl
            React.createElement("div", { className: "flex items-center justify-be
                React.createElement("button", { onClick: () => setMOff(mOff - 1),
                React.createElement("div", { className: "font-serif text-xl text-
                React.createElement("button", { onClick: () => mOff < 0 && setMOf
            React.createElement("div", { className: "grid grid-cols-7 gap-1.5 mb-
            React.createElement("div", { className: "grid grid-cols-7 gap-1.5" },
            React.createElement("div", { className: "mt-7" },
                React.createElement("div", { className: "text-[9px] uppercase tra
                React.createElement("div", { className: "flex items-center gap-2
                    React.createElement("div", { className: "flex-1 h-3 rounded-f
                React.createElement("div", { className: "flex justify-between tex
                    React.createElement("span", null, "Risk 0"),
                    React.createElement("span", null, "Risk 100")),
                React.createElement("div", { className: "flex items-center gap-2
                    React.createElement("div", { className: "flex-1 h-3 rounded-f
                React.createElement("div", { className: "flex justify-between tex
                    React.createElement("span", null, "Vigour 0"),
                    React.createElement("span", null, "Vigour 100")),
                React.createElement("div", { className: "grid grid-cols-2 gap-y-2
                    [
                        { sw: { background: "#a02623" }, badge: "O", t: "Relapse
                        { sw: { background: "#c9453f" }, badge: "E", t: "Relapse
                        { sw: { background: "transparent", border: "1px solid rgb
                        { sw: { background: "transparent", border: "1px solid rgb
                        { sw: { background: "transparent", border: "1px solid rgb
                    ].map((L, i) => React.createElement("div", { key: i, classNam
                        React.createElement("div", { style: { ...L.sw, width: 18,
                            L.badge && React.createElement("span", { style: { pos
                            L.dot && React.createElement("span", { style: { posit
                        React.createElement("span", { className: "text-[10px] lea
            React.createElement("div", { className: "flex gap-2 mt-7" },
                React.createElement("button", { onClick: () => { onPick(0); onClo
                React.createElement("button", { onClick: onClose, className: "fle
}
/* ---------- Apple Health receiver (Shortcuts opens Bull with query params) ----
function readHealthParams() {
    try {
        const q = new URLSearchParams(window.location.search);
        const out = {};
        [["hrv", "hrv"], ["recovery", "recovery"], ["sleep", "sleep"], ["strain",
```

```
            const raw = q.get(k);
            if (raw !== null && raw !== "" && !isNaN(Number(raw)))
                out[field] = Number(raw);
        });
        const date = q.get("date");
        return Object.keys(out).length ? { values: out, dateKey: date || null } :
    } catch (e) { return null; }
}
/* ---------- gamified vigour tiers ---------- */
/* ---------- colours ---------- */
const TEAL = "#c9962c"; /* gold — primary accent */
const AMBER = "#c9962c"; /* gold — vigour */
const ROSE = "#b62f2b"; /* crimson — danger */
/* ---------- ambient color utilities ---------- */
function hexToRgb(h) { const n = parseInt(h.slice(1), 16); return [(n >> 16) & 25
function lerpN(a, b, t) { return a + (b - a) * t; }
function mixHex(h1, h2, t) {
    const a = hexToRgb(h1), b = hexToRgb(h2);
    const to2 = (n) => Math.round(n).toString(16).padStart(2, "0");
    return "#" + to2(lerpN(a[0], b[0], t)) + to2(lerpN(a[1], b[1], t)) + to2(lerp
}
const CAUTION = "#c2701e";
/* ---------- vigour buckets: group priming actions by the mechanism they act on
const BUCKETS = [
    { id: "test", label: "Testosterone" },
    { id: "heart", label: "Heart Health" },
    { id: "no", label: "Nitric Oxide" },
    { id: "pelvic", label: "Pelvic Floor" },
];
const WEIGHT_OPTS = [{ v: "low", label: "Low" }, { v: "med", label: "Med", tone:
const wLabel = (w) => (w === "vhigh" ? "V.HIGH" : String(w || "med").toUpperCase(
/* an item on list "both" scores on Prevention (weight) and Vigour (vigourWeight)
const isPrev = (i) => i.list === "prev" || i.list === "both";
const isPrime = (i) => i.list === "prime" || i.list === "both";
/* ---------- weights ---------- */
const W_RISK = { vhigh: 30, high: 20, med: 10, low: 5 };
const W_PROT = { vhigh: 11, high: 8, med: 5, low: 2 };
const W_ADH = { vhigh: 4, high: 3, med: 2, low: 1 };
const WEIGHT_RANK = { vhigh: 4, high: 3, med: 2, low: 1 };
const byWeightDesc = (a, b) => (WEIGHT_RANK[b.weight] || 0) - (WEIGHT_RANK[a.weig
const WEIGHT_SCALE = { vhigh: 1.4, high: 1, med: 0.6, low: 0.3 };
/* ---------- default items ---------- */
const DEFAULT_ITEMS = [
    { id: "lonely", label: "Home Alone, Unstructured Time", list: "prev", kind: "
    { id: "junk", label: "Junk Food", list: "both", kind: "risk", weight: "med",
    { id: "coldplunge", label: "Cold Plunge", list: "both", kind: "habit", weight
    { id: "nasalclear", label: "Nasal Rinse", list: "both", kind: "habit", weight
```

```
    { id: "contentAccess", label: "Content Access", sub: "Low / Medium / High, lo
    { id: "checkout", label: "Checking Out Women", sub: "None / A Few / A Lot, lo
    { id: "recoveryLow", label: "Recovery Below 40%", sub: "Auto — from your Reco
    { id: "sleepLow", label: "Sleep Below 65%", sub: "Auto — from your Sleep Scor
    { id: "purposeLow", label: "Low-Purpose Day (1–2)", sub: "Auto — from your Ev
    { id: "purposeHigh", label: "High-Purpose Day (4–5)", sub: "Auto — protective
    { id: "accountabilityGap", label: "Accountability Not On Track", sub: "Auto —
    { id: "urgeSurvivalBonus", label: "Urges Survived Today", sub: "Auto — protec
    { id: "sickFlag", label: "Sick Day", sub: "Auto — from the Sick flag on Today
    { id: "travelFlag", label: "Travelling Day", sub: "Auto — from the Travelling
    { id: "kegels", label: "Kegels", list: "prime", kind: "habit", weight: "high"
    { id: "stretches", label: "Pelvic Floor Stretches", list: "prime", kind: "hab
    { id: "cardio", label: "Cardio / Boxing", list: "prime", kind: "habit", weigh
    { id: "strength", label: "Strength Training", list: "prime", kind: "habit", w
    { id: "breathwork", label: "Breathwork Before Isha", list: "prime", kind: "ha
    { id: "fasting", label: "Fasting", list: "prime", kind: "habit", weight: "med
];
const DEFAULT_PURPOSE = "I am preparing for her before I have met her. Every clea
const DEFAULT_SETTINGS = {
    purposeText: DEFAULT_PURPOSE,
    supplements: ["Zinc", "Magnesium", "Vitamin D"],
    therapistEveryWeeks: 2,
    nextCheckin: null,
    fastMode: "both",
    sleepWeight: 2,
    morningReminderTime: "08:00",
    eveningReminderTime: "21:30",
};
const emptyDay = () => ({
    checks: {}, access: null, checkout: null,
    intentionText: "", intentionSet: false, purposeRating: null,
    recovery: null, sleep: null, hrv: null, strain: null,
    supplementsTaken: {},
    sick: false, travelling: false,
});
/* ---------- migration ---------- */
function migrate(old) {
    if (!old)
        return null;
    if (old.version === 6)
        return old;
    const base = (old.version && old.version >= 2) ? old : (() => {
        const items = DEFAULT_ITEMS.map((it) => {
            const c = { ...it, freq: Array.isArray(it.freq) ? [...it.freq] : it.f
            if (["kegels", "stretches", "cardio"].includes(it.id) && Array.isArra
                c.freq = [...old.settings.stackDays];
            if (it.id === "strength" && Array.isArray(old.settings?.strengthDays)
```

```
            c.freq = [...old.settings.strengthDays];
        return c;
    });
    const days = {};
    Object.entries(old.days || {}).forEach(([k, d]) => {
        const checks = {};
        ["lonely", "junk", "caffeine"].forEach((f) => { if (d[f] !== null &&
            checks[f] = d[f]; });
        if (d.lateScreen !== null && d.lateScreen !== undefined)
            checks.latescreen = d.lateScreen;
        ["kegels", "stretches", "cardio", "strength"].forEach((f) => { if (d[
            checks[f] = true; });
        if (d.breathing)
            checks.breathwork = true;
        if (d.mouthTape) {
            checks.mouthtape = true;
            checks.nasalclear = true;
        }
        if (d.fasted)
            checks.fasting = true;
        days[k] = {
            checks, access: d.access ?? null, checkout: d.checkout ?? null,
            intentionText: d.intentionText || "", intentionSet: !!d.intention
            purposeRating: d.purposeRating ?? null,
            recovery: d.recovery ?? null, sleep: d.sleep ?? null, steps: d.st
            supplementsTaken: d.supplementsTaken || {},
        };
    });
    return {
        settings: {
            purposeText: old.settings?.purposeText || DEFAULT_PURPOSE,
            supplements: old.settings?.supplements || [...DEFAULT_SETTINGS.su
            therapistEveryWeeks: old.settings?.therapistEveryWeeks || 2,
            nextCheckin: null,
        },
        items, days, urges: old.urges || [], relapses: old.relapses || [], fi
    };
})();
if (base.settings && "lastTherapistCheckin" in base.settings) {
    const { lastTherapistCheckin, ...rest } = base.settings;
    base.settings = { ...rest, nextCheckin: base.settings.nextCheckin ?? null
}
base.settings = { fastMode: "both", sleepWeight: 2, morningReminderTime: "08:
base.wetDreams = base.wetDreams || [];
base.items = (base.items || []).filter((i) => i.id !== "latescreen");
const NEW_BUILTIN_IDS = ["contentAccess", "checkout", "recoveryLow", "sleepLo
NEW_BUILTIN_IDS.forEach((id) => {
```

```
        if (!base.items.some((i) => i.id === id)) {
            const def = DEFAULT_ITEMS.find((i) => i.id === id);
            if (def)
                base.items.push({ ...def });
        }
    });
    /* backfill excusable defaults onto existing saved items that predate the fla
    base.items = base.items.map((i) => {
        if (i.excusable !== undefined)
            return i;
        const def = DEFAULT_ITEMS.find((x) => x.id === i.id);
        return def && def.excusable ? { ...i, excusable: true } : i;
    });
    /* items retired on scientific grounds — drop them from saved data too */
    const RETIRED_IDS = ["mouthtape", "caffeine"];
    base.items = base.items.filter((i) => !RETIRED_IDS.includes(i.id));
    /* fasting moved from a lunar-only boolean to a three-way mode. Keyed off the
       flag, not off fastMode — the defaults line above already gave fastMode a v
    if (base.settings && base.settings.fastLunarOnly !== undefined) {
        base.settings.fastMode = base.settings.fastLunarOnly ? "lunar" : "both";
        delete base.settings.fastLunarOnly;
    }
    /* backfill bucket + dual-list scoring onto saved items that predate the buck
    base.items = base.items.map((i) => {
        const def = DEFAULT_ITEMS.find((x) => x.id === i.id);
        if (!def)
            return i;
        const patch = {};
        if (i.bucket === undefined && def.bucket !== undefined)
            patch.bucket = def.bucket;
        if (def.list === "both" && i.list !== "both")
            patch.list = "both";
        if (i.vigourWeight === undefined && def.vigourWeight !== undefined)
            patch.vigourWeight = def.vigourWeight;
        return Object.keys(patch).length ? { ...i, ...patch } : i;
    });
    return { ...base, version: 7 };
}
/* ---------- scheduling ---------- */
function scheduledOn(item, date) {
    if (item.freq === "daily")
        return true;
    if (Array.isArray(item.freq))
        return item.freq.length === 0 ? true : item.freq.includes(date.getDay());
    return true;
}
function adherenceExpected(item, date, settings) {
```

```
    if (item.fastingAuto)
        return fastingSuggested(date, settings && settings.fastMode);
    return scheduledOn(item, date);
}
/* ---------- scoring ---------- */
function riskScore(day, items, urgesSurvived, hadRelapse, accountabilityPenalty =
    const d = day || emptyDay();
    const wOf = (id, fallback) => (items.find((i) => i.id === id) || {}).weight |
    const scaleOf = (id, fallback) => WEIGHT_SCALE[wOf(id, fallback)] || WEIGHT_S
    let r = 15;
    const flaggedDay = d.sick === true || d.travelling === true;
    items.filter((i) => isPrev(i) && (i.kind === "risk" || i.kind === "habit")).f
        const v = d.checks ? d.checks[it.id] : undefined;
        /* excusable items are neutral on a sick/travelling day — neither earned
           so the flag's own weight carries the environmental risk without double
        if (flaggedDay && it.excusable === true)
            return;
        if (it.kind === "risk") {
            if (v === true)
                r += W_RISK[it.weight] || W_RISK.med;
        }
        else {
            if (v === true)
                r -= W_PROT[it.weight] || W_PROT.med;
        }
    });
    if (d.sick === true)
        r += W_RISK[wOf("sickFlag", "med")] || W_RISK.med;
    if (d.travelling === true)
        r += W_RISK[wOf("travelFlag", "high")] || W_RISK.high;
    const hasContentAccess = items.some((i) => i.id === "contentAccess");
    if (hasContentAccess) {
        const accessScale = scaleOf("contentAccess", "high");
        if (d.access === "high")
            r += Math.round(25 * accessScale);
        else if (d.access === "med")
            r += Math.round(12 * accessScale);
    }
    const hasCheckout = items.some((i) => i.id === "checkout");
    if (hasCheckout) {
        const checkoutScale = scaleOf("checkout", "high");
        if (d.checkout === "lot")
            r += Math.round(12 * checkoutScale);
        else if (d.checkout === "few")
            r += Math.round(4 * checkoutScale);
    }
    if (d.recovery !== null && d.recovery !== undefined && d.recovery !== "" && N
```

```
        r += Math.round(10 * scaleOf("recoveryLow", "med"));
    }
    /* sleep scores on both sides: it already feeds Vigour proportionally, and a
       night is a genuine risk factor in its own right */
    if (d.sleep !== null && d.sleep !== undefined && d.sleep !== "" && Number(d.s
        r += Math.round(10 * scaleOf("sleepLow", "med"));
    }
    if (d.purposeRating !== null && d.purposeRating !== undefined) {
        if (d.purposeRating <= 2)
            r += Math.round(10 * scaleOf("purposeLow", "med"));
        else if (d.purposeRating >= 4)
            r -= Math.round(5 * scaleOf("purposeHigh", "med"));
    }
    const urgeScale = scaleOf("urgeSurvivalBonus", "med");
    r -= Math.min((urgesSurvived || 0) * Math.round(4 * urgeScale), Math.round(12
    r += Math.round(accountabilityPenalty * scaleOf("accountabilityGap", "high"))
    if (hadRelapse)
        r = Math.max(r, 85);
    return Math.max(0, Math.min(100, r));
}
function riskLogged(day, items) {
    if (!day)
        return false;
    const anyRisk = items.some((i) => isPrev(i) && day.checks && day.checks[i.id]
    return anyRisk || day.access != null || day.checkout != null || day.purposeRa
}
function pctFrom(done, total) {
    return total ? Math.max(0, Math.min(100, (done / total) * 100)) : 0;
}
function vigourForDay(day, date, items, settings) {
    const d = day || emptyDay();
    let total = 0, done = 0;
    const flaggedDay = d.sick === true || d.travelling === true;
    items.filter((i) => isPrime(i) && (i.kind === "habit" || i.kind === "risk")).
        if (!adherenceExpected(it, date, settings))
            return;
        if (flaggedDay && it.excusable === true)
            return;
        /* dual items carry their own vigour weight, independent of their prevent
        const w = W_ADH[it.vigourWeight || it.weight] || 2;
        const v = d.checks ? d.checks[it.id] : undefined;
        total += w;
        /* Risk-kind items earn Vigour by being avoided (v===false) and now genui
           COST it by happening (v===true) — not just withhold the credit. Not lo
           it at all stays neutral, sitting between the two. Symmetric ±w around
           neutral point, using the same weight already exposed in Settings. */
        if (it.kind === "risk") {
```

```
            if (v === false)
                done += w;
            else if (v === true)
                done -= w;
        }
        else if (v === true) {
            done += w;
        }
    });
    const sups = settings.supplements || [];
    if (sups.length) {
        total += 2;
        const taken = sups.filter((s) => d.supplementsTaken && d.supplementsTaken
        done += 2 * (taken / sups.length);
    }
    /* sleep score contributes proportionally once logged */
    const sw = settings.sleepWeight === undefined ? 2 : settings.sleepWeight;
    if (sw > 0 && d.sleep !== null && d.sleep !== undefined && d.sleep !== "") {
        total += sw;
        done += sw * Math.max(0, Math.min(1, Number(d.sleep) / 100));
    }
    return { done, total };
}
function riskColor(r) { return r <= 25 ? TEAL : r <= 55 ? CAUTION : ROSE; }
/* ---------- UI atoms ---------- */
function Card({ children, className = "" }) {
    return React.createElement("div", { className: "rounded-2xl p-4 " + className
}
function Rows({ children, className = "" }) {
    return React.createElement("div", { className: className }, children);
}
function GroupHeader({ icon: Icon, color, children }) {
    return (React.createElement("div", { className: "flex items-center gap-2.5 mt
        React.createElement(Icon, { size: 17, style: { color, opacity: 0.8 } }),
        React.createElement("div", { className: "font-serif text-[15px] tracking-
}
const Horns = (p) => React.createElement(IconBase, { ...p },
    React.createElement("path", { d: "M4 4c0 5 1.5 8 5 9.5" }),
    React.createElement("path", { d: "M20 4c0 5-1.5 8-5 9.5" }),
    React.createElement("path", { d: "M9 13.5a3 3 0 0 0 6 0" }));
function EvChip({ ev }) {
    const map = {
        strong: ["Strong", "rgba(92,138,60,0.16)", "#456a2c"],
        moderate: ["Moderate", "rgba(194,112,30,0.16)", "#8f5312"],
        weak: ["Weak", "rgba(182,47,43,0.14)", "#8f2320"],
    };
    const m = map[ev];
```

```
    if (!m)
        return null;
    return React.createElement("span", { className: "text-[8px] uppercase trackin
}
function SectionLabel({ children }) {
    return React.createElement("div", { className: "text-[10px] uppercase trackin
}
function Seg({ value, options, onChange, allowClear = true }) {
    return (React.createElement("div", { className: "flex flex-wrap gap-1.5" }, o
        const active = value === o.v;
        const tone = o.tone || "neutral";
        let style = { border: "1px solid rgba(255,255,255,0.09)", background: "tr
        if (active) {
            if (tone === "teal" || tone === "amber")
                style = { border: "1px solid var(--accent, #e0b040)", background:
            else if (tone === "warn")
                style = { border: "1px solid " + CAUTION, background: CAUTION, co
            else if (tone === "risk")
                style = { border: "1px solid " + ROSE, background: ROSE, color: "
            else
                style = { border: "1px solid #2a2622", background: "#2a2622", col
        }
        return (React.createElement("button", { key: String(o.v), style: style, o
    })));
}
function Tile({ label, sub, value, onChange, mode = "risk" }) {
    /* mode "risk": tri-state null -> true(happened) -> false(avoided) -> null
       other modes: binary not-done / done */
    const isRisk = mode === "risk";
    const v = value === undefined ? null : value;
    const next = () => onChange(isRisk ? (v === null ? true : v === true ? false
    let style, stateText;
    if (isRisk) {
        if (v === true) {
            style = { background: "linear-gradient(150deg,#d24a44,#b62f2b)", bord
            stateText = "Happened";
        } else if (v === false) {
            style = { background: "rgba(201,150,44,0.10)", borderColor: "rgba(201
            stateText = "Avoided";
        } else {
            style = { background: "rgba(200,50,47,0.045)", borderColor: "rgba(200
            stateText = "Not logged";
        }
    } else {
        if (v === true) {
            style = { background: "linear-gradient(150deg,#e6b53f,#c9962c)", bord
            stateText = "Done";
```

```
        } else {
            style = { background: "rgba(42,36,25,0.035)", borderColor: "rgba(42,3
            stateText = "Not done";
        }
    }
    return (React.createElement("button", { onClick: next, style: { ...style, bor
        React.createElement("span", { className: "text-[12.5px] leading-snug trac
        React.createElement("span", { className: "text-[9.5px] uppercase tracking
}
function TileGrid({ children }) {
    return React.createElement("div", { className: "grid grid-cols-2 gap-2.5" },
}
function NumField({ label, value, onChange, max = 100, suffix }) {
    return (React.createElement("div", { className: "flex-1" },
        React.createElement("div", { className: "text-xs uppercase tracking-wide
        React.createElement("div", { className: "flex items-center gap-1 rounded-
            React.createElement("input", { inputMode: "numeric", value: value ===
                    const raw = e.target.value.replace(/[^0-9]/g, "");
                    if (raw === "")
                        return onChange(null);
                    onChange(Math.min(max, parseInt(raw, 10)));
                }, placeholder: "\u2014", className: "w-full bg-transparent text-
            suffix && React.createElement("span", { className: "text-xs text-[#8a
}
function Ring({ pct, size = 68, stroke = 6, color, label, invertFill = false }) {
    const r = (size - stroke) / 2;
    const c = 2 * Math.PI * r;
    const fillPct = invertFill ? 100 - Math.max(0, Math.min(100, pct)) : Math.max
    const off = c - (fillPct / 100) * c;
    return (React.createElement("div", { className: "flex flex-col items-center"
        React.createElement("svg", { width: size, height: size },
            React.createElement("circle", { cx: size / 2, cy: size / 2, r: r, str
            React.createElement("circle", { cx: size / 2, cy: size / 2, r: r, str
            React.createElement("text", { x: "50%", y: "52%", dominantBaseline: "
        label && React.createElement("div", { className: "text-[10px] uppercase t
}
/* ---------- score visuals: shield (risk) + fruit (vigour) ---------- */
function ShieldRisk({ risk, size = 68 }) {
    const protection = 100 - Math.max(0, Math.min(100, risk));
    const top = 92 - (82 * protection) / 100;
    const color = riskColor(risk);
    const crackOpacity = Math.max(0, Math.min(1, (risk - 60) / 30));
    const cid = "shieldClip" + size;
    return (React.createElement("div", { className: "flex flex-col items-center"
        React.createElement("svg", { width: size, height: size, viewBox: "0 0 100
            React.createElement("defs", null,
                React.createElement("clipPath", { id: cid },
```

```
                    React.createElement("path", { d: "M50 10 L84 21 C84 50, 75 76
            React.createElement("path", { d: "M50 10 L84 21 C84 50, 75 76, 50 92
            React.createElement("g", { clipPath: `url(#${cid})` },
                React.createElement("rect", { x: 0, y: top, width: 100, height: 1
                React.createElement("rect", { x: 0, y: top, width: 100, height: 1
            React.createElement("circle", { cx: 50, cy: 44, r: 5.5, fill: "#05040
            React.createElement("g", { stroke: "#050403", strokeWidth: "1.6", fil
                React.createElement("path", { d: "M36 26 L42 36 L38 44" }),
                React.createElement("path", { d: "M64 58 L58 66 L62 76" })),
            React.createElement("path", { d: "M50 10 L84 21 C84 50, 75 76, 50 92
        React.createElement("div", { className: "text-[10px] uppercase tracking-w
}
const SPLASH_CSS = `
.bull-splash{position:relative;width:100%;max-width:430px;height:100dvh;margin:0
.bull-splash .glow{position:absolute;inset:-20%;background:radial-gradient(circle
.bull-splash.on .glow{opacity:1;}
.bull-splash .pulse{position:absolute;top:42%;left:50%;width:min(72vw,300px);heig
.bull-splash.on .pulse{opacity:1;animation:bsBreathe 2.4s ease-in-out 4.4s infini
@keyframes bsBreathe{0%,100%{transform:translate(-50%,-50%) scale(0.92);opacity:.
.bull-splash .mark{position:relative;width:min(66vw,260px);aspect-ratio:1;margin-
.bull-splash.on .mark{animation:bsJolt .16s linear 3.1s 2;}
@keyframes bsJolt{0%,100%{transform:translate(0,0);}25%{transform:translate(1.5px
.bull-splash .mark svg{position:absolute;inset:0;width:100%;height:100%;display:b
.bull-splash .ring-track{fill:none;stroke:rgba(42,36,25,0.10);stroke-width:3;}
.bull-splash .ring-fill{fill:none;stroke:url(#bsGoldGrad);stroke-width:3;stroke-l
.bull-splash .shockwave{position:absolute;inset:0;border-radius:50%;border:2px so
.bull-splash.on .shockwave{animation:bsShock .7s ease-out 2.95s;}
@keyframes bsShock{0%{opacity:0;transform:scale(.96);}18%{opacity:.55;}100%{opaci
.bull-splash .riser,.bull-splash .grow,.bull-splash .beat{position:absolute;inset
.bull-splash .grow{opacity:0;transform:scale(.88,.94);}
.bull-splash.on .grow{animation:bsEngorge 4.4s forwards;}
@keyframes bsEngorge{0%{opacity:0;transform:scale(.88,.94);}10%{opacity:1;transfo
.bull-splash.on .beat{animation:bsThrob 2.4s ease-in-out 4.4s infinite;}
@keyframes bsThrob{0%,100%{transform:scale(1,1);}14%{transform:scale(1.08,1.045);
.bull-splash .flush-intro{opacity:0;}
.bull-splash.on .flush-intro{animation:bsFlushIntro 4.4s forwards;}
@keyframes bsFlushIntro{0%{opacity:0;}20%{opacity:0;}34%{opacity:.16;}52%{opacity
.bull-splash .flush-beat{opacity:0;}
.bull-splash.on .flush-beat{animation:bsFlushBeat 2.4s ease-in-out 4.4s infinite;
@keyframes bsFlushBeat{0%,100%{opacity:0;}14%{opacity:.16;}38%{opacity:.22;}58%{o
.bull-splash .vp{stroke:#ffe9b0;fill:none;stroke-linecap:round;stroke-dasharray:1
.bull-splash.on .vp{animation:bsTravel .9s linear 2 forwards;}
@keyframes bsTravel{0%{stroke-dashoffset:116;opacity:0;}12%{opacity:.95;}88%{opac
.bull-splash.on .vp.d1{animation-delay:.75s;}
.bull-splash.on .vp.d2{animation-delay:1.0s;}
.bull-splash.on .vp.d3{animation-delay:1.27s;}
.bull-splash.on .vp.d4{animation-delay:1.48s;}
```

```
.bull-splash.on .vp.d5{animation-delay:1.66s;}
.bull-splash.on .vp.d6{animation-delay:1.84s;}
.bull-splash.on .vp.d7{animation-delay:1.98s;}
.bull-splash .vc{stroke:#ffe9b0;fill:none;stroke-linecap:round;stroke-dasharray:1
.bull-splash.on .vc{animation:bsCirculate 2.4s linear infinite;}
@keyframes bsCirculate{0%{stroke-dashoffset:112;opacity:0;}10%{opacity:.32;}90%{o
.bull-splash.on .vc.c1{animation-delay:4.4s;}
.bull-splash.on .vc.c2{animation-delay:4.85s;}
.bull-splash.on .vc.c3{animation-delay:5.3s;}
.bull-splash .word{margin-top:22px;font-family:'Bodoni Moda',serif;text-transform
.bull-splash.on .word{opacity:1;transform:translateY(0);}
.bull-splash .line{font-size:0.72rem;letter-spacing:0.18em;text-transform:upperca
.bull-splash.on .line{opacity:1;}
.bull-splash .stats{display:flex;gap:34px;margin-top:30px;opacity:0;transform:tra
.bull-splash.on .stats{opacity:1;transform:translateY(0);}
.bull-splash .stat{text-align:center;}
.bull-splash .stat .num{font-family:'Bodoni Moda',serif;font-weight:700;font-size
.bull-splash .stat .lbl{font-size:0.6rem;letter-spacing:0.14em;text-transform:upp
.bull-splash .bsdivider{width:1px;background:rgba(42,36,25,0.14);align-self:stret
.bull-splash .hype{position:absolute;bottom:15%;left:0;right:0;text-align:center;
.bull-splash.on .hype{opacity:1;}
@media (prefers-reduced-motion: reduce){
  .bull-splash *{animation:none !important;transition:none !important;}
  .bull-splash .grow{opacity:1 !important;transform:scale(1,1) !important;}
  .bull-splash .beat{transform:scale(1,1) !important;}
  .bull-splash .glow,.bull-splash .word,.bull-splash .line,.bull-splash .stats,.b
}
`;
const SPLASH_LINES = [
    "Discipline is rehearsal for the man you're becoming",
    "No one is coming. Show up anyway.",
    "The bull doesn't ask if it feels like charging",
];
/* ---------- arc bend ----------
   Rotates every point of a path about a pivot by an angle proportional to how fa
   ABOVE the pivot it sits, so the outline deforms as one connected piece and can
   never split (the old clip-and-rotate is what cracked). Pass refY to rotate a p
   RIGIDLY instead — used for the stem, which otherwise smears into a long streak
   because it sits furthest from the pivot and gets the biggest angle spread. */
const BEND_PIVOT = { x: 50, y: 74 };
const BEND_SPAN = 64;
const _tokCache = {};
function _tokens(d) {
    if (!_tokCache[d])
        _tokCache[d] = d.match(/[MLCZ]|-?\d+\.?\d*/g) || [];
    return _tokCache[d];
}
```

```
function bendPath(d, deg, refY, fat) {
    const toks = _tokens(d), out = [];
    const f = fat === undefined ? 1 : fat;
    const rad = (deg * Math.PI) / 180;
    const N = { M: 1, L: 1, C: 3 };
    let i = 0;
    while (i < toks.length) {
        const t = toks[i];
        if (N[t]) {
            out.push(t);
            i++;
            for (let n = 0; n < N[t]; n++) {
                const x0 = parseFloat(toks[i]), y = parseFloat(toks[i + 1]);
                i += 2;
                /* widen about the centreline first — pre-bend the axis is vertic
                   this thickens the girth rather than stretching the length */
                const x = BEND_PIVOT.x + (x0 - BEND_PIVOT.x) * f;
                const h = Math.max(0, BEND_PIVOT.y - (refY === undefined ? y : re
                const th = rad * (h / BEND_SPAN);
                const dx = x - BEND_PIVOT.x, dy = y - BEND_PIVOT.y;
                const c = Math.cos(th), s = Math.sin(th);
                out.push((BEND_PIVOT.x + dx * c - dy * s).toFixed(2) + " " + (BEN
            }
        }
        else if (t === "Z") { out.push("Z"); i++; }
        else i++;
    }
    return out.join(" ");
}
/* Rest angle is deliberately non-zero: erect isn't a straight rod, so the final
   state keeps a slight curve and throbs around it rather than snapping to 0. */
const BEND_LIMP = 142;
/* negative = anticlockwise: the resting curve leans back toward the body, not fo
const BEND_REST = -13;
const BEND_THROB = 5;
/* fully limp is this much thicker across the girth, tapering off as it fills */
const BEND_FAT = 0.24;
/* The limp swing is far wider than the resting silhouette, so one fixed scale ei
   clips the droop or leaves the resting mark tiny inside the ring. These are the
   scale + centre for each end; the driver interpolates between them, which also
   as the mark growing into the ring as it rises. Verified: no frame clips. */
const FIT_LIMP = { s: 0.8765, cx: 72.17, cy: 75.99 };
const FIT_REST = { s: 0.9002, cx: 48.04, cy: 46.67 };
const STEM_REF_Y = 26;
const FRUIT_BODY_D = "M46 24 C40 30, 38 40, 39 50 C40 60, 34 64, 33 72 C32 82, 40
function SplashFruit({ sfx, reg, greg }) {
    return (React.createElement("svg", { viewBox: "0 0 100 100" },
```

```
                                React.createElement("defs", null,
                                    React.createElement("linearGradient", { id: "
                                        React.createElement("stop", { offset: "0%
                                        React.createElement("stop", { offset: "10
                                    /* veins are clipped to the body: a vessel si
                                       it doesn't leave the shape and stop in mid
                                    React.createElement("clipPath", { id: "bsBody
                                        React.createElement("path", { ref: (e) =>
                                React.createElement("g", { ref: greg, transform:
                                    React.createElement("path", { ref: (e) => reg
                                    React.createElement("path", { ref: (e) => reg
                                    React.createElement("path", { ref: (e) => reg
                                    React.createElement("path", { ref: (e) => reg
                                    React.createElement("path", { ref: (e) => reg
                                    React.createElement("g", { clipPath: `url(#bs
                                    React.createElement("g", { fill: "none", stro
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                        React.createElement("path", { ref: (e) =>
                                    React.createElement("g", null,
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                    React.createElement("g", null,
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                        React.createElement("path", { className:
                                    React.createElement("ellipse", { cx: 60, cy:
                                    React.createElement("ellipse", { cx: 43, cy:
}
function Splash({ vigour, risk, cleanPct, streak, onDone }) {
    const [on, setOn] = useState(false);
    const [exiting, setExiting] = useState(false);
    const exitRef = useRef(false);
    /* The outline is bent per frame directly on the DOM nodes rather than throug
       React state — re-rendering the whole splash at 60fps to move a path would
```

```
   wasteful and janky. */
const partsRef = useRef([]);
const groupRef = useRef(null);
const greg = (el) => { groupRef.current = el; };
const reg = (el, d, refY, isVein) => {
    if (el && !partsRef.current.some((p) => p.el === el))
        partsRef.current.push({ el, d, refY, isVein });
};
useEffect(() => {
    let raf = 0;
    const t0 = performance.now();
    const RISE = 4400;
    const ease = (p) => 1 - Math.pow(1 - p, 3);
    const tick = (now) => {
        const dt = now - t0;
        const deg = dt < RISE
            ? BEND_LIMP + (BEND_REST - BEND_LIMP) * ease(dt / RISE)
            /* settled: each beat pulls it briefly straighter, in step with t
            : BEND_REST + BEND_THROB * 0.5 * (1 - Math.cos(((dt - RISE) / 240
        const erect = Math.max(0, Math.min(1, (BEND_LIMP - deg) / (BEND_LIMP
        const fat = 1 + BEND_FAT * (1 - erect);
        if (groupRef.current) {
            const s = FIT_LIMP.s + (FIT_REST.s - FIT_LIMP.s) * erect;
            const cx = FIT_LIMP.cx + (FIT_REST.cx - FIT_LIMP.cx) * erect;
            const cy = FIT_LIMP.cy + (FIT_REST.cy - FIT_LIMP.cy) * erect;
            groupRef.current.setAttribute("transform", `translate(50 50) scal
        }
        partsRef.current.forEach((p) => {
            p.el.setAttribute("d", bendPath(p.d, deg, p.refY, fat));
            /* veins barely read when limp, swelling in as blood arrives */
            if (p.isVein)
                p.el.style.opacity = String(0.05 + 0.85 * erect * erect);
        });
        raf = requestAnimationFrame(tick);
    };
    raf = requestAnimationFrame(tick);
    return () => cancelAnimationFrame(raf);
}, []);
const finish = () => {
    if (exitRef.current)
        return;
    exitRef.current = true;
    setExiting(true);
    setTimeout(onDone, 480);
};
const [hype] = useState(() => SPLASH_LINES[Math.floor(Math.random() * SPLASH_
const [vigDisp, setVigDisp] = useState(0);
```

```
const [riskDisp, setRiskDisp] = useState(0);
const [cleanDisp, setCleanDisp] = useState(0);
useEffect(() => {
    const raf1 = requestAnimationFrame(() => requestAnimationFrame(() => setO
    const countStart = setTimeout(() => {
        const dur = 1900, t0 = performance.now();
        const tick = (t) => {
            const p = Math.min(1, (t - t0) / dur);
            const eased = 1 - Math.pow(1 - p, 3);
            setVigDisp(Math.round(eased * vigour));
            setRiskDisp(Math.round(eased * risk));
            setCleanDisp(Math.round(eased * cleanPct));
            if (p < 1)
                requestAnimationFrame(tick);
        };
        requestAnimationFrame(tick);
    }, 4700);
    /* long hold once the numbers land — they were gone before they could be
    const done = setTimeout(finish, 10800);
    return () => { cancelAnimationFrame(raf1); clearTimeout(countStart); clea
}, []);
const c = 2 * Math.PI * 48;
const offset = c - (Math.max(0, Math.min(100, vigour)) / 100) * c;
return (React.createElement("div", { className: "fixed inset-0 z-[70]", style
    React.createElement("style", { dangerouslySetInnerHTML: { __html: SPLASH_
    React.createElement("div", { className: "bull-splash" + (on ? " on" : "")
        React.createElement("div", { className: "glow" }),
        React.createElement("div", { className: "pulse" }),
        React.createElement("div", { className: "mark" },
            React.createElement("svg", { viewBox: "0 0 100 100" },
                React.createElement("defs", null,
                    React.createElement("linearGradient", { id: "bsGoldGrad",
                        React.createElement("stop", { offset: "0%", stopColor
                        React.createElement("stop", { offset: "100%", stopCol
                React.createElement("circle", { className: "ring-track", cx:
                React.createElement("circle", { className: "ring-fill", cx: 5
            React.createElement("div", { className: "shockwave" }),
            React.createElement("div", { className: "riser" },
                React.createElement("div", { className: "grow" },
                    React.createElement("div", { className: "beat" },
                        React.createElement(SplashFruit, { sfx: "a", reg: reg
        React.createElement("div", { className: "word" }, "Bull"),
        React.createElement("div", { className: "stats" },
            React.createElement("div", { className: "stat" }, React.createEle
            React.createElement("div", { className: "bsdivider" }),
            React.createElement("div", { className: "stat" }, React.createEle
            React.createElement("div", { className: "bsdivider" }),
```

```
                React.createElement("div", { className: "stat" }, React.createEle
            React.createElement("div", { className: "hype" }, hype))));
}
/* ---------- breathe overlay ---------- */
function Breathe({ purposeText, onClose }) {
    const [started, setStarted] = useState(false);
    const [elapsed, setElapsed] = useState(0);
    const TOTAL = 180;
    useEffect(() => {
        if (!started)
            return;
        const t0 = Date.now();
        const iv = setInterval(() => {
            const e = (Date.now() - t0) / 1000;
            setElapsed(e >= TOTAL ? TOTAL : e);
            if (e >= TOTAL)
                clearInterval(iv);
        }, 100);
        return () => clearInterval(iv);
    }, [started]);
    const inCycle = elapsed % 14;
    let phase, scale, dur;
    if (inCycle < 3.5) {
        phase = "Inhale Through The Nose";
        scale = 1.14;
        dur = "3.5s";
    }
    else if (inCycle < 5.5) {
        phase = "Sip In A Little More";
        scale = 1.3;
        dur = "2s";
    }
    else {
        phase = "Long Slow Exhale Through The Mouth";
        scale = 0.7;
        dur = "8.5s";
    }
    const remaining = Math.ceil(TOTAL - elapsed);
    const mm = Math.floor(remaining / 60), ss = pad(remaining % 60);
    const doneAll = elapsed >= TOTAL;
    return (React.createElement("div", { className: "fixed inset-0 z-50 flex flex
        React.createElement("div", { className: "w-full max-w-md pt-4" },
            React.createElement("div", { className: "text-xs uppercase tracking-w
            /* purpose text is a personal sentence, not a heading — Bodoni-upperc
React.createElement("p", { className: "italic text-[#332d20] text-lg leading-rela
        !started ? (React.createElement("button", { onClick: () => setStarted(tru
            React.createElement("div", { className: "relative w-52 h-52 flex item
```

```
                React.createElement("div", { className: "absolute inset-0 rounded
                React.createElement("div", { className: "w-36 h-36 rounded-full o
                React.createElement("div", { className: "absolute w-36 h-36 round
            React.createElement("div", { className: "text-[#332d20] mt-6 text-sm
            React.createElement("div", { className: "font-mono text-[#8a8172] mt-
        React.createElement("div", { className: "w-full max-w-md pb-4" },
            React.createElement("button", { onClick: onClose, className: "w-full
}
/* ---------- guide ---------- */
const GUIDE = [
    { g: "In The Moment", items: [
            { t: "The Urge Protocol", ev: "strong", lead: "Urges peak and fall wi
                rows: [["Do", "Tap Urge the moment it hits. Purpose card, then th
            { t: "Physiological Sigh", ev: "strong", lead: "The fastest evidenced
                rows: [["Do", "Two nasal inhales \u2014 one full, one short sip o
            { t: "After A Slip", ev: "strong", lead: "The slip doesn't cause the
                rows: [["Why", "The abstinence violation effect is one of the bes
        ] },
    { g: "Prevention", items: [
            { t: "Content Access", ev: "strong", lead: "The strongest lever here,
                rows: [["Why", "Opportunity predicts behaviour better than motiva
            { t: "Checking Out Women", ev: "moderate", lead: "Repeated deliberate
                rows: [["Why", "The loop doesn't settle if it's topped up hourly.
            { t: "Home Alone, Unstructured Time", ev: "moderate", lead: "Situatio
                rows: [["Why", "Across self-report studies, unstructured solitude
            { t: "Junk Food", ev: "moderate", lead: "Scores on both lists, for tw
                rows: [["Prevention", "Blood-sugar swings degrade impulse control
            { t: "Cold Plunge", ev: "weak", lead: "Real benefits, but not the hor
                rows: [["Not true", "Cold exposure does not raise testosterone. T
            { t: "Nasal Rinse", ev: "moderate", lead: "Scores on both. Airway on
                rows: [["Prevention", "A clear airway means better sleep, and poo
            { t: "Morning Intention", ev: "strong", lead: "One concrete purposefu
                rows: [["Why", "Implementation intentions \u2014 deciding in adva
            { t: "Evening Review \u2014 Purpose", ev: "moderate", lead: "Rated 1\
                rows: [["Why", "Meaninglessness and boredom are consistently repo
            { t: "Accountability Check-In", ev: "strong", lead: "Booked and dated
                rows: [["Why", "Accountability decays with distance."], ["Scoring
            { t: "Urges Survived", ev: "strong", lead: "The only item that reward
                rows: [["Scoring", "Each logged urge you ride out lowers Risk, up
            { t: "Recovery Below 40%", ev: "moderate", lead: "Automatic, from you
                rows: [["Why", "Low recovery means depleted self-regulation \u201
            { t: "Sick / Travelling Flags", ev: "moderate", lead: "Two independen
                rows: [["Why", "Disrupted routine and unfamiliar environments are
        ] },
    { g: "Vigour \u00B7 Testosterone", items: [
            { t: "Sleep", ev: "strong", lead: "The highest-yield item in this buc
                rows: [["Why", "The large majority of daily testosterone release
```

```
            { t: "Strength Training", ev: "moderate", lead: "Weighted high \u2014
                rows: [["Oversold", "The acute post-session testosterone spike is
            { t: "Fasting", ev: "weak", lead: "Keep it \u2014 but not on hormonal
                rows: [["Not true", "The testosterone case is weak. Some time-res
            { t: "Supplements", ev: "weak", lead: "Grouped here, but scored as on
                rows: [["Note", "Evidence varies sharply by compound. Zinc and vi
        ] },
    { g: "Vigour \u00B7 Heart Health", items: [
            { t: "Cardio / Boxing", ev: "strong", lead: "The best-evidenced item
                rows: [["Why", "Erectile tissue depends on endothelial health, an
            { t: "Junk Food (avoided)", ev: "moderate", lead: "Counted here too \
                rows: [["Why", "The dietary pattern that predicts cardiovascular
            { t: "Cold Plunge", ev: "weak", lead: "Counted here for the acute res
                rows: [["Why", "Circulatory and mood effects on the day."], ["Wei
        ] },
    { g: "Vigour \u00B7 Nitric Oxide", items: [
            { t: "Why This Bucket Exists", ev: "strong", lead: "Nitric oxide is t
                rows: [["Mechanism", "It relaxes smooth muscle in the penile arte
            { t: "Breathwork Before Isha", ev: "moderate", lead: "Five minutes di
                rows: [["Do", "Hand on the belly, nasal inhale so the belly rises
            { t: "Nasal Breathing", ev: "strong", lead: "The mechanism the whole
                rows: [["Why", "Nitric oxide is produced continuously in the para
        ] },
    { g: "Vigour \u00B7 Pelvic Floor", items: [
            { t: "Kegels", ev: "strong", lead: "The best-supported non-drug inter
                rows: [["Evidence", "Trial evidence shows pelvic floor training i
            { t: "Pelvic Floor Stretches", ev: "moderate", lead: "The other half,
                rows: [["Why", "A chronically tight floor produces the same sympt
        ] },
    { g: "How Scoring Works", items: [
            { t: "Relapse Risk", ev: null, lead: "Lower is safer.",
                rows: [["Rises with", "Active risk factors."], ["Falls with", "Pr
            { t: "Sexual Vigour", ev: null, lead: "Weighted completion of what wa
                rows: [["Scoring", "Expressed as a percentage of what was availab
            { t: "Items That Score On Both", ev: null, lead: "Some things genuine
                rows: [["Which", "Junk food, cold plunge, nasal rinse."], ["How",
            { t: "Weights", ev: null, lead: "Every item is Low / Med / High / V.H
                rows: [["Note", "Defaults are a starting point, not a recommendat
            { t: "Patterns", ev: null, lead: "A hypothesis generator, not a verdi
                rows: [["How", "Compares how often each factor appears on relapse
        ] },
];
/* ---------- main ---------- */
function App() {
    const [data, setData] = useState(null);
    const [view, setView] = useState("today");
    const [breathing, setBreathing] = useState(false);
```

```
const [confirmRelapse, setConfirmRelapse] = useState(false);
const [confirmWetDream, setConfirmWetDream] = useState(false);
const [justRelapsed, setJustRelapsed] = useState(false);
const [resetStep, setResetStep] = useState(0);
const [openGuide, setOpenGuide] = useState(null);
const [period, setPeriod] = useState("W");
const [newSup, setNewSup] = useState("");
const [expandedItem, setExpandedItem] = useState(null);
const [showAdd, setShowAdd] = useState(false);
const [viewOffset, setViewOffset] = useState(0);
const [showSplash, setShowSplash] = useState(true);
const [healthImported, setHealthImported] = useState(null);
const [showMonth, setShowMonth] = useState(false);
const [addForm, setAddForm] = useState({ label: "", list: "prev", kind: "risk
const saveTimer = useRef(null);
useEffect(() => {
    (async () => {
        let loaded = migrate(await storageGet());
        if (!loaded)
            loaded = {
                version: 6, settings: { ...DEFAULT_SETTINGS },
                items: DEFAULT_ITEMS.map((i) => ({ ...i, freq: Array.isArray(
                days: {}, urges: [], relapses: [], wetDreams: [], firstUse: D
            };
        /* Apple Health handoff: Shortcuts opens Bull with ?hrv=..&recovery=.
        const incoming = readHealthParams();
        if (incoming) {
            const k = incoming.dateKey || todayKey();
            loaded = { ...loaded, days: { ...loaded.days, [k]: { ...emptyDay(
            setHealthImported(Object.keys(incoming.values));
            storageSet(loaded);
            try { window.history.replaceState({}, "", window.location.pathnam
        }
        setData(loaded);
    })();
}, []);
const persist = (next) => {
    setData(next);
    if (saveTimer.current)
        clearTimeout(saveTimer.current);
    saveTimer.current = setTimeout(() => storageSet(next), 500);
};
if (!data) {
    return (React.createElement("div", { className: "min-h-screen flex items-
        React.createElement("div", { className: "text-[#8a8172] text-sm upper
}
const items = data.items || [];
```

```
const tk = todayKey();
const vk = dateKey(new Date(Date.now() + viewOffset * DAY_MS));
const isToday = vk === tk;
const today = { ...emptyDay(), ...(data.days[vk] || {}) };
const setDay = (k, v) => persist({ ...data, days: { ...data.days, [vk]: { ...
const setCheck = (id, v) => setDay("checks", { ...today.checks, [id]: v });
const urgesToday = data.urges.filter((u) => dateKey(new Date(u.ts)) === vk).l
const relapseToday = data.relapses.some((r) => dateKey(new Date(r.ts)) === vk
const existingRelapseIdx = data.relapses.findIndex((r) => dateKey(new Date(r.
const existingRelapse = existingRelapseIdx !== -1 ? data.relapses[existingRel
const therapistStatus = (() => {
    const next = data.settings.nextCheckin;
    if (!next)
        return "setup";
    if (next < Date.now())
        return "overdue";
    const windowMs = (data.settings.therapistEveryWeeks || 2) * 7 * DAY_MS;
    return next - Date.now() > windowMs ? "outside" : "scheduled";
})();
const accountabilityPenalty = therapistStatus === "setup" || therapistStatus
    : therapistStatus === "outside" ? 8 : 0;
const risk = riskScore(today, items, urgesToday, relapseToday, accountability
const h = vigourForDay(today, new Date(), items, data.settings);
const vigourPct = pctFrom(h.done, h.total);
const loggedRelapse = data.relapses.length ? Math.max(...data.relapses.map((r
const lastRelapse = loggedRelapse || null;
const streak = Math.max(0, Math.floor((Date.now() - (lastRelapse || data.firs
const windowDays = Math.min(90, Math.max(1, Math.floor((Date.now() - data.fir
const relDaySet = new Set(data.relapses.filter((r) => r.ts >= Date.now() - wi
const cleanPct = Math.round((100 * (windowDays - relDaySet.size)) / windowDay
/* ---------- ambient mood: driven by 30-day rolling averages, flagged days e
const ambient = (() => {
    const from = Date.now() - 30 * DAY_MS;
    const relKeySet = new Set(data.relapses.map((r) => dateKey(new Date(r.ts)
    const isFlagged = (k) => { const d = data.days[k]; return d && (d.sick ==
    let rSum = 0, rN = 0, hd = 0, ht = 0;
    Object.keys(data.days).forEach((k) => {
        const t = new Date(k + "T12:00:00");
        if (t.getTime() < from)
            return;
        if (riskLogged(data.days[k], items)) {
            const uc = data.urges.filter((u) => dateKey(new Date(u.ts)) === k
            rSum += riskScore({ ...emptyDay(), ...data.days[k] }, items, uc,
            rN++;
        }
        if (!isFlagged(k)) {
            const r = vigourForDay({ ...emptyDay(), ...data.days[k] }, t, ite
```

```
                hd += r.done;
                ht += r.total;
            }
        });
        const vigAvg = ht ? (hd / ht) : 0.6;
        const protAvg = rN ? 1 - (rSum / rN) / 100 : 0.85;
        const vt = Number.isFinite(vigAvg) ? Math.max(0, Math.min(1, vigAvg)) : 0
        const dgr = Number.isFinite(protAvg) ? Math.pow(Math.max(0, Math.min(1, 1
        return {
            vt, dgr, tense: protAvg <= 0.33,
            accent: mixHex("#a9946a", "#c9962c", Math.min(1, vt * 1.25)),
            vars: {
                "--vig": vt.toFixed(3),
                "--accent": mixHex("#a9946a", "#c9962c", Math.min(1, vt * 1.25)),
                "--energyOp": (0.12 + 0.5 * vt).toFixed(3),
                "--energyCol": `rgba(214,164,52,${(0.12 + 0.22 * vt).toFixed(3)})
                "--breatheA": (0.015 + 0.06 * vt).toFixed(3),
                "--dgrOp": (dgr * 0.30).toFixed(3),
                "--dgrLine": (dgr * 0.9).toFixed(3),
                "--bg": mixHex(mixHex("#faf6ef", "#f7eed6", vt), "#f4e3e0", dgr *
                "--ink": mixHex("#2a2419", "#3a1e1c", dgr * 0.6),
            },
        };
    })();
    /* splash shows 30-day averages, not today's live numbers — one bad morning s
       define the number you're greeted with. Flagged days excluded, same as the
    const splashAvgs = (() => {
        const from = Date.now() - 30 * DAY_MS;
        const relKeys = new Set(data.relapses.map((r) => dateKey(new Date(r.ts)))
        const flagged = (k) => { const d = data.days[k]; return d && (d.sick ===
        let rSum = 0, rN = 0, hd = 0, ht = 0;
        Object.keys(data.days).forEach((k) => {
            const t = new Date(k + "T12:00:00");
            if (t.getTime() < from)
                return;
            if (riskLogged(data.days[k], items)) {
                const uc = data.urges.filter((u) => dateKey(new Date(u.ts)) === k
                rSum += riskScore({ ...emptyDay(), ...data.days[k] }, items, uc,
                rN++;
            }
            if (!flagged(k)) {
                const v = vigourForDay({ ...emptyDay(), ...data.days[k] }, t, ite
                hd += v.done;
                ht += v.total;
            }
        });
        const spanDays = Math.min(30, Math.max(1, Math.floor((Date.now() - data.f
```

```
    const relIn30 = new Set(data.relapses.filter((r) => r.ts >= from).map((r)
    return {
        vigour: ht ? Math.round(pctFrom(hd, ht)) : Math.round(vigourPct),
        risk: rN ? Math.round(rSum / rN) : Math.round(risk),
        clean: Math.round((100 * (spanDays - relIn30.size)) / spanDays),
    };
})();
const logUrge = () => { persist({ ...data, urges: [...data.urges, { ts: Date.
const logRelapse = (type) => {
    const ts = isToday ? Date.now() : new Date(vk + "T12:00:00").getTime();
    persist({ ...data, relapses: [...data.relapses, { ts, type: type || "orga
    setConfirmRelapse(false);
    if (isToday)
        setJustRelapsed(true);
};
const editRelapseType = (type) => {
    if (existingRelapseIdx === -1)
        return;
    const next = [...data.relapses];
    next[existingRelapseIdx] = { ...next[existingRelapseIdx], type };
    persist({ ...data, relapses: next });
};
const removeRelapse = () => {
    if (existingRelapseIdx === -1)
        return;
    persist({ ...data, relapses: data.relapses.filter((_, i) => i !== existin
};
const logWetDream = () => {
    persist({ ...data, wetDreams: [...(data.wetDreams || []), { ts: Date.now(
    setConfirmWetDream(false);
};
const now = new Date(Date.now() + viewOffset * DAY_MS);
const prevRisks = items.filter((i) => i.list === "prev" && i.kind === "risk"
const prevHabits = items.filter((i) => i.list === "prev" && i.kind === "habit
const fastToday = fastingSuggested(now, data.settings.fastMode);
const primeToday = items.filter((i) => i.list === "prime" && (i.kind === "hab
/* Double Horns: items that score on both sides. Shown once, in their own sec
   rather than duplicated into Prevention and Vigour. */
const dualToday = items.filter((i) => i.list === "both" && (i.fastingAuto ? f
const primeByBucket = BUCKETS.map((b) => ({ ...b, items: primeToday.filter((i
/* ---- stats ---- */
const statsFor = () => {
    const nowTs = Date.now();
    let from = 0;
    if (period === "D")
        from = nowTs - DAY_MS;
    else if (period === "W")
```

```
        from = nowTs - 7 * DAY_MS;
    else if (period === "M")
        from = nowTs - 30 * DAY_MS;
    else if (period === "Y")
        from = nowTs - 365 * DAY_MS;
    const relKeySet = new Set(data.relapses.map((r) => dateKey(new Date(r.ts)
    const flagged = (k) => { const d = data.days[k]; return d && (d.sick ===
    const keys = Object.keys(data.days).filter((k) => {
        const t = new Date(k + "T12:00:00").getTime();
        return t >= from && riskLogged(data.days[k], items);
    });
    let sum = 0;
    keys.forEach((k) => {
        const uc = data.urges.filter((u) => dateKey(new Date(u.ts)) === k).le
        sum += riskScore({ ...emptyDay(), ...data.days[k] }, items, uc, relKe
    });
    let hd = 0, ht = 0;
    Object.keys(data.days).forEach((k) => {
        const t = new Date(k + "T12:00:00");
        if (t.getTime() < from)
            return;
        if (flagged(k))
            return;
        const r = vigourForDay({ ...emptyDay(), ...data.days[k] }, t, items,
        hd += r.done;
        ht += r.total;
    });
    return {
        avgRisk: keys.length ? sum / keys.length : null,
        vigour: ht ? pctFrom(hd, ht) : null,
        urges: data.urges.filter((u) => u.ts >= from).length,
        relapses: data.relapses.filter((r) => r.ts >= from).length,
        orgasms: data.relapses.filter((r) => r.ts >= from && (r.type || "orga
        edges: data.relapses.filter((r) => r.ts >= from && r.type === "edge")
        wetDreams: (data.wetDreams || []).filter((w) => w.ts >= from).length,
    };
};
const bestStreak = (() => {
    const relapseTs = data.relapses.map((r) => r.ts);
    const pts = [data.firstUse, ...relapseTs.sort((a, b) => a - b), Date.now(
    let best = 0;
    for (let i = 1; i < pts.length; i++)
        best = Math.max(best, Math.floor((pts[i] - pts[i - 1]) / DAY_MS));
    return best;
})();
const CORRELATION_FACTORS = [
    ...items.filter((i) => isPrev(i) && i.kind === "risk").map((i) => ({ labe
```

```
    ...items.filter((i) => isPrev(i) && i.kind === "habit").map((i) => ({ lab
    items.some((i) => i.id === "contentAccess") && { label: "Med/High Content
    items.some((i) => i.id === "checkout") && { label: "Heavy Visual Triggers
    { label: "Recovery Below 40%", test: (d) => d.recovery !== null && d.reco
    { label: "Low-Purpose Day (1-2)", test: (d) => d.purposeRating !== null &
    { label: "HRV 10%+ Below Baseline", test: (d, ctx) => d.hrv !== null && d
    { label: "Flagged Sick", test: (d) => d.sick === true },
    { label: "Flagged Travelling", test: (d) => d.travelling === true },
].filter(Boolean);
const hrvBaseline = (() => {
    const vals = Object.keys(data.days).map((k) => data.days[k] && data.days[
    return vals.length >= 7 ? vals.reduce((a, b) => a + b, 0) / vals.length :
})();
const corrCtx = { hrvBaseline };
const correlationsFor = (eventTimestamps) => {
    const eventKeys = [...new Set(eventTimestamps.map((ts) => dateKey(new Dat
    const allKeys = Object.keys(data.days).filter((k) => riskLogged(data.days
    if (!eventKeys.length || !allKeys.length)
        return null;
    return CORRELATION_FACTORS.map((f) => {
        const rel = eventKeys.filter((k) => f.test({ ...emptyDay(), ...data.d
        const base = allKeys.filter((k) => f.test({ ...emptyDay(), ...data.da
        return { label: f.label, rel: Math.round(rel * 100), base: Math.round
    }).filter((x) => x.rel > 0).sort((a, b) => (b.rel - b.base) - (a.rel - a.
};
const correlations = data.relapses.length < 3 ? null : correlationsFor(data.r
const wetDreamCorrelations = (data.wetDreams || []).length < 3 ? null : corre
const edgeEvents = data.relapses.filter((r) => r.type === "edge");
const edgeCorrelations = edgeEvents.length < 3 ? null : correlationsFor(edgeE
const last14 = (() => {
    const out = [];
    for (let i = 13; i >= 0; i--) {
        const d = new Date(Date.now() - i * DAY_MS);
        const k = dateKey(d);
        const day = data.days[k];
        const uc = data.urges.filter((u) => dateKey(new Date(u.ts)) === k).le
        const rel = data.relapses.some((r) => dateKey(new Date(r.ts)) === k);
        out.push({ k, logged: riskLogged(day, items) || rel, rel, score: risk
    }
    return out;
})();
const st = view === "stats" ? statsFor() : null;
/* ---- settings / item helpers ---- */
const setSetting = (k, v) => persist({ ...data, settings: { ...data.settings,
const updateItem = (id, patch) => persist({ ...data, items: items.map((i) =>
const deleteItem = (id) => persist({ ...data, items: items.filter((i) => i.id
const toggleItemDay = (item, dow) => {
```

```
    const cur = Array.isArray(item.freq) ? item.freq : [];
    updateItem(item.id, { freq: cur.includes(dow) ? cur.filter((d) => d !== d
};
const addItem = () => {
    const label = addForm.label.trim();
    if (!label)
        return;
    const id = "c" + Date.now().toString(36);
    const freq = addForm.daily ? "daily" : (addForm.days.length ? [...addForm
    persist({ ...data, items: [...items, { id, label, list: addForm.list, kin
    setAddForm({ label: "", list: "prev", kind: "risk", weight: "med", vigour
    setShowAdd(false);
};
const freqSummary = (item) => item.fastingAuto ? ("AUTO (" + (data.settings.f
    item.freq === "daily" ? "DAILY" :
        Array.isArray(item.freq) && item.freq.length ? item.freq.map((d) => W
const NavBtn = ({ id, icon: Icon, label }) => (React.createElement("button",
    React.createElement(Icon, { size: 20 }),
    React.createElement("span", { className: "text-[10px] uppercase tracking-
const ItemEditorRow = ({ item, side }) => {
    const dual = item.list === "both";
    const kindLabel = dual ? "BOTH"
        : item.kind === "tier" ? "TIERED"
            : item.kind === "derived" ? "AUTO"
                : item.list === "prime" ? "VIGOUR"
                    : item.kind === "risk" ? "RISK" : "PROTECTIVE";
    const editable = item.kind === "risk" || item.kind === "habit";
    const deletable = editable || item.kind === "tier";
    return (React.createElement("div", { key: item.id, className: "py-2.5 bor
        React.createElement("button", { onClick: () => setExpandedItem(expand
            React.createElement("div", { className: "pr-2" },
                React.createElement("div", { className: "text-sm text-[#332d2
                React.createElement("div", { className: "text-xs text-[#8a817
                item.sub && item.list !== "prime" && React.createElement("div
            React.createElement(Pencil, { size: 14, className: "text-[#9a9285
        expandedItem === item.id && (React.createElement("div", { className:
            React.createElement("div", null,
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement("input", { type: "text", value: item.labe
            item.list === "prev" && editable && (React.createElement("div", n
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement(Seg, { value: item.kind, allowClear: fals
            React.createElement("div", null,
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement(Seg, { value: item.weight, allowClear: fa
            dual && (React.createElement("div", null,
                React.createElement("div", { className: "text-xs uppercase tr
```

```
                React.createElement(Seg, { value: item.vigourWeight || item.w
                React.createElement("div", { className: "text-[10px] text-[#9
                    ? "Scores on both. Avoiding it earns Vigour; doing it rai
                    : "Scores on both, at a different weight on each side."))
            editable && (React.createElement("div", null,
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement(Seg, { value: item.list, allowClear: fals
            editable && isPrime(item) && (React.createElement("div", null,
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement(Seg, { value: item.bucket || "test", allo
            editable && (React.createElement("div", null,
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement(Seg, { value: item.excusable === true ? "
                React.createElement("div", { className: "text-[10px] text-[#9
            editable && !item.fastingAuto && (React.createElement("div", null
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement("button", { onClick: () => updateItem(ite
                React.createElement("div", { className: "flex gap-1" }, WD.ma
                    const on = Array.isArray(item.freq) && item.freq.includes
                    return (React.createElement("button", { key: w, onClick:
                })))),
            item.fastingAuto && (React.createElement("div", null,
                React.createElement("div", { className: "text-xs uppercase tr
                React.createElement(Seg, { value: data.settings.fastMode || "
            deletable && (React.createElement("button", { onClick: () => { de
                React.createElement(Trash2, { size: 13 }),
                " Remove Item"))))));
};
return (React.createElement("div", { className: "min-h-screen pb-24 overflow-
    React.createElement("style", { dangerouslySetInnerHTML: { __html: "@keyfr
                + ".bull-energy{position:fixed;top:-16%;left:50%;width:150%;a
                + "@keyframes bullEnergyBreathe{0%,100%{transform:translateX(
                + ".bull-danger{position:fixed;inset:0;pointer-events:none;z-
                + ".bull-danger.tense{animation:bullTension 2.4s ease-in-out
                + "@keyframes bullTension{0%,100%{opacity:1;}50%{opacity:.82;
                + ".bull-forceline{height:2px;border-radius:2px;margin:16px 0
                + ".bull-field{background:rgba(42,36,25,0.05);}"
                + ".bull-urge{position:relative;overflow:hidden;border:none;p
                + ".bull-urge-inner{display:flex;align-items:center;justify-c
                + ".bull-urge-ring{display:flex;align-items:center;justify-co
                + ".bull-urge-copy{display:flex;flex-direction:column;align-i
                + ".bull-urge-main{font-family:\'Bodoni Moda\',serif;text-tra
                + ".bull-urge-sub{font-size:0.6rem;letter-spacing:0.15em;text
                + ".bull-urge-sheen{position:absolute;top:0;bottom:0;width:38
                + "@keyframes bullUrgeSheen{0%,72%{left:-45%;}92%,100%{left:1
                + ".bull-nav{background:rgba(250,246,239,0.92);backdrop-filte
                + "@media (prefers-reduced-motion: reduce){.bull-energy,.bull
```

```
React.createElement("div", { className: "bull-energy" }),
React.createElement("div", { className: "bull-danger" + (ambient.tense ?
showMonth && React.createElement(MonthView, { data: data, items: items, s
showSplash && data && React.createElement(Splash, { vigour: splashAvgs.vi
breathing && React.createElement(Breathe, { purposeText: data.settings.pu
React.createElement("div", { className: "max-w-md mx-auto px-4", style: {
    view === "today" && (React.createElement(React.Fragment, null,
        React.createElement("div", { className: "flex items-center gap-1.
            React.createElement("div", { className: "w-6 h-6 rounded-md",
            React.createElement("span", { className: "text-xs font-bold t
        React.createElement("div", { className: "flex items-start justify
            React.createElement("div", { className: "min-w-0 flex-1" },
                React.createElement("div", { className: "flex items-cente
                    React.createElement("button", { onClick: () => setVie
                    React.createElement("div", { className: "font-serif t
                    React.createElement("button", { onClick: () => viewOf
                    ),
                !isToday && React.createElement("div", { className: "text
                React.createElement("button", { onClick: () => setShowMon
                    React.createElement("span", { style: { borderBottom:
                    React.createElement(CalIcon, { size: 12, style: { opa
                    fastToday && React.createElement("span", { style: { c
                React.createElement("div", { className: "flex items-cente
                    React.createElement(Flame, { size: 16 }),
                    React.createElement("span", { className: "font-mono t
                        cleanPct,
                        "% CLEAN \u00B7 ",
                        windowDays,
                        "D"))),
            React.createElement("div", { className: "flex gap-3 shrink-0"
                React.createElement(BandArt, { value: risk, dir: "devil",
                React.createElement(BandArt, { value: vigourPct, dir: "ph
        React.createElement("div", { className: "bull-forceline" }),
        healthImported && isToday && (React.createElement("div", { classN
            "Imported from Health: " + healthImported.join(", "))),
        justRelapsed && (React.createElement(Card, { className: "mt-4 bor
            React.createElement("div", { className: "text-sm text-[#4a433
            React.createElement("button", { onClick: () => setJustRelapse
        React.createElement(GroupHeader, { icon: Shield, color: TEAL }, "
        isToday ? (React.createElement(React.Fragment, null,
            React.createElement("button", { onClick: logUrge, className:
                React.createElement("span", { className: "bull-urge-sheen
                React.createElement("span", { className: "bull-urge-inner
                    React.createElement("span", { className: "bull-urge-r
                    React.createElement("span", { className: "bull-urge-c
                        React.createElement("span", { className: "bull-ur
                        React.createElement("span", { className: "bull-ur
```

```
    React.createElement("div", { className: "text-center text-xs
        data.urges.length,
        " urge",
        data.urges.length === 1 ? "" : "s",
        " survived all-time"))) : (React.createElement("div", { c
React.createElement(SectionLabel, null, "Morning Intention"),
React.createElement(Card, null, today.intentionSet ? (React.creat
    React.createElement(Check, { size: 18, style: { color: TEAL }
    React.createElement("div", { className: "text-sm text-[#4a433
    React.createElement("input", { value: today.intentionText, on
    React.createElement("button", { onClick: () => setDay("intent
React.createElement(SectionLabel, null, "Accountability"),
React.createElement(Card, { className: therapistStatus !== "sched
    React.createElement("div", { className: "text-xs uppercase tr
        : therapistStatus === "overdue" ? "Overdue"
            : therapistStatus === "outside" ? "Beyond Window"
                : "Booked · " + new Date(data.settings.nextChecki
    React.createElement("div", { className: "flex gap-2" },
        React.createElement("input", { type: "datetime-local", va
                const v = e.target.value;
                setSetting("nextCheckin", v ? new Date(v).getTime
            }, className: "flex-1 rounded-xl bull-field px-3 py-2
        data.settings.nextCheckin && (React.createElement("button
React.createElement(SectionLabel, null, "Risk Factors Today"),
React.createElement(TileGrid, null, prevRisks.map((it) => (React.
React.createElement(Rows, null,
    (() => { const it = items.find((i) => i.id === "contentAccess
        React.createElement("div", { className: "text-[13.5px] te
        React.createElement(Seg, { value: today.access, onChange:
    (() => { const it = items.find((i) => i.id === "checkout"); r
        React.createElement("div", { className: "text-[13.5px] te
        React.createElement(Seg, { value: today.checkout, onChang
prevHabits.length > 0 && (React.createElement(React.Fragment, nul
    React.createElement(SectionLabel, null, "Protective Habits"),
    React.createElement(TileGrid, null, prevHabits.map((it) => (R
React.createElement(SectionLabel, null, "Recovery"),
React.createElement(Card, null,
    React.createElement(NumField, { label: "Recovery Score", valu
    (() => {
        if (!hrvBaseline || today.hrv === null || today.hrv === u
            return null;
        const pct = Math.round((Number(today.hrv) / hrvBaseline -
        const low = pct <= -10;
        return React.createElement("div", { className: "text-[10p
            "HRV " + (pct >= 0 ? "+" : "") + pct + "% vs your " +
    })()),
React.createElement(SectionLabel, null, "Day Flags"),
```

```
React.createElement(Card, null,
    React.createElement("div", { className: "flex gap-2" },
        React.createElement("button", { onClick: () => setDay("si
        React.createElement("button", { onClick: () => setDay("tr
React.createElement(SectionLabel, null, "Evening Review"),
React.createElement(Card, null,
    React.createElement("div", { className: "text-xs uppercase tr
    React.createElement("div", { className: "flex gap-2" }, [1, 2
            (today.purposeRating === n ? "bg-[#2a2419] text-white
React.createElement(GroupHeader, { icon: Zap, color: AMBER }, "Se
primeByBucket.map((b) => React.createElement(React.Fragment, { ke
    React.createElement(SectionLabel, null, b.label),
    React.createElement(TileGrid, null, b.items.map((it) => (it.k
        ? React.createElement(Tile, { key: it.id, mode: "risk", l
        : React.createElement(Tile, { key: it.id, mode: "vigour",
    /* supplements sit under Testosterone \u2014 they're scored a
    b.id === "test" && React.createElement(Card, { className: "mt
        React.createElement("div", { className: "flex flex-wrap g
            const on = !!(today.supplementsTaken && today.supplem
            return (React.createElement("button", { key: s, onCli
                    (on ? "text-neutral-950 font-bold" : "border-
        }))))),
React.createElement(GroupHeader, { icon: Horns, color: AMBER }, "
React.createElement("div", { className: "text-[10px] text-[#9a928
dualToday.length > 0 && React.createElement(TileGrid, null, dualT
    ? React.createElement(Tile, { key: it.id, mode: "risk", label
    : React.createElement(Tile, { key: it.id, mode: "vigour", lab
React.createElement(SectionLabel, null, "Sleep"),
React.createElement(Card, null,
    React.createElement(NumField, { label: "Sleep Score", value:
React.createElement("div", { className: "mt-8 text-center flex it
    !confirmRelapse && !existingRelapse && React.createElement("b
    isToday && !confirmWetDream && React.createElement("button",
confirmRelapse && !existingRelapse && (React.createElement(Card,
    React.createElement("div", { className: "text-sm text-[#4a433
    React.createElement("div", { className: "flex gap-2 mb-2" },
        React.createElement("button", { onClick: () => logRelapse
        React.createElement("button", { onClick: () => logRelapse
    React.createElement("button", { onClick: () => setConfirmRela
existingRelapse && (React.createElement(Card, { className: "mt-3"
    React.createElement("div", { className: "text-xs uppercase tr
    React.createElement("div", { className: "flex gap-2 mb-2" },
        React.createElement("button", { onClick: () => editRelaps
        React.createElement("button", { onClick: () => editRelaps
    React.createElement("button", { onClick: removeRelapse, class
isToday && confirmWetDream && (React.createElement(Card, { classN
    React.createElement("div", { className: "text-sm text-[#4a433
```

```
        React.createElement("div", { className: "flex gap-2" },
            React.createElement("button", { onClick: logWetDream, cla
            React.createElement("button", { onClick: () => setConfirm
view === "stats" && st && (React.createElement(React.Fragment, null,
    React.createElement("div", { className: "font-serif text-2xl text
    React.createElement(Seg, { value: period, allowClear: false, onCh
    React.createElement("div", { className: "grid grid-cols-2 gap-3 m
        React.createElement(Card, null,
            React.createElement("div", { className: "text-xs uppercas
            React.createElement("div", { className: "font-mono text-2
        React.createElement(Card, null,
            React.createElement("div", { className: "text-xs uppercas
            React.createElement("div", { className: "font-mono text-2
        React.createElement(Card, null,
            React.createElement("div", { className: "text-xs uppercas
            React.createElement("div", { className: "font-mono text-2
        React.createElement(Card, null,
            React.createElement("div", { className: "text-xs uppercas
            React.createElement("div", { className: "font-mono text-2
            React.createElement("div", { className: "text-[10px] text
        React.createElement(Card, null,
            React.createElement("div", { className: "text-xs uppercas
            React.createElement("div", { className: "font-mono text-2
        React.createElement(Card, null,
            React.createElement("div", { className: "text-xs uppercas
            React.createElement("div", { className: "font-mono text-2
                cleanPct,
                "%")),
        React.createElement(Card, null,
            React.createElement("div", { className: "text-xs uppercas
            React.createElement("div", { className: "font-mono text-2
                bestStreak,
                "D"))),
    React.createElement(SectionLabel, null, "Last 14 Days"),
    React.createElement(Card, null,
        React.createElement("div", { className: "flex gap-1.5 justify
        React.createElement("div", { className: "text-xs text-[#8a817
    React.createElement(SectionLabel, null, "Relapse Patterns"),
    React.createElement(Card, null, correlations === null ? (React.cr
        React.createElement("div", { className: "text-sm text-[#332d2
        React.createElement("div", { className: "text-xs text-[#8a817
            "Present on ",
            c.rel,
            "% of relapse days \u00B7 ",
            c.base,
            "% of all days")))))),
    React.createElement(SectionLabel, null, "Edging Patterns"),
```

```
    React.createElement(Card, null, edgeCorrelations === null ? (Reac
        React.createElement("div", { className: "text-sm text-[#332d2
        React.createElement("div", { className: "text-xs text-[#8a817
            "Present on ",
            c.rel,
            "% of edging days \u00B7 ",
            c.base,
            "% of all days")))))),
    React.createElement(SectionLabel, null, "Wet Dream Patterns"),
    React.createElement(Card, null, wetDreamCorrelations === null ? (
        React.createElement("div", { className: "text-sm text-[#332d2
        React.createElement("div", { className: "text-xs text-[#8a817
            "Present on ",
            c.rel,
            "% of wet dream days \u00B7 ",
            c.base,
            "% of all days")))))))),
view === "guide" && (React.createElement(React.Fragment, null,
    React.createElement("div", { className: "font-serif text-2xl text
    GUIDE.map((grp) => React.createElement(React.Fragment, { key: grp
        React.createElement(SectionLabel, null, grp.g),
        React.createElement(Card, null, grp.items.map((g) => {
            const key = grp.g + "/" + g.t;
            const open = openGuide === key;
            return React.createElement("div", { key: key, className:
                React.createElement("button", { onClick: () => setOpe
                    React.createElement("span", { className: "font-se
                    React.createElement("span", { className: "flex it
                        g.ev && React.createElement(EvChip, { ev: g.e
                        React.createElement(ChevronDown, { size: 15,
                open && React.createElement("div", { className: "pb-3
                    React.createElement("div", { className: "text-[13
                    g.rows.map(([k, v], n) => React.createElement("di
                        React.createElement("div", { className: "text
                        React.createElement("div", { className: "text
        })))))),
view === "settings" && (React.createElement(React.Fragment, null,
    React.createElement("div", { className: "font-serif text-2xl text
    React.createElement(SectionLabel, null, "Your Purpose Card"),
    React.createElement(Card, null,
        React.createElement("textarea", { value: data.settings.purpos
        React.createElement("div", { className: "text-xs text-[#8a817
    React.createElement(SectionLabel, null, "Prevention Checklist Ite
    React.createElement(Card, null, items.filter((i) => i.list === "p
    (() => {
        const rows = items.filter((i) => i.list === "both").sort(byWe
        if (!rows.length)
```

```
        return null;
    return React.createElement(React.Fragment, null,
        React.createElement(SectionLabel, null, "Double Horns \u0
        React.createElement(Card, null, rows.map((it) => ItemEdit
})(),
BUCKETS.map((b) => {
    const rows = items.filter((i) => i.list === "prime" && (i.buc
    if (!rows.length)
        return null;
    return React.createElement(React.Fragment, { key: b.id },
        React.createElement(SectionLabel, null, "Vigour \u00B7 "
        React.createElement(Card, null, rows.map((it) => ItemEdit
}),
React.createElement("div", { className: "mt-3" }, !showAdd ? (Rea
    React.createElement(Plus, { size: 16 }),
    " Add An Item")) : (React.createElement(Card, null,
    React.createElement("input", { value: addForm.label, onChange
    React.createElement("div", { className: "text-xs uppercase tr
    React.createElement(Seg, { value: addForm.list, allowClear: f
    addForm.list !== "prev" && (React.createElement(React.Fragmen
        React.createElement("div", { className: "text-xs uppercas
        React.createElement(Seg, { value: addForm.bucket, allowCl
    addForm.list === "both" && (React.createElement(React.Fragmen
        React.createElement("div", { className: "text-xs uppercas
        React.createElement(Seg, { value: addForm.kind, allowClea
        React.createElement("div", { className: "text-xs uppercas
        React.createElement(Seg, { value: addForm.vigourWeight, a
    addForm.list === "prev" && (React.createElement(React.Fragmen
        React.createElement("div", { className: "text-xs uppercas
        React.createElement(Seg, { value: addForm.kind, allowClea
    React.createElement("div", { className: "text-xs uppercase tr
    React.createElement(Seg, { value: addForm.weight, allowClear:
    React.createElement("div", { className: "text-xs uppercase tr
    React.createElement("div", { className: "flex gap-1 mb-1.5" }
        React.createElement("button", { onClick: () => setAddForm
        React.createElement("button", { onClick: () => setAddForm
    !addForm.daily && (React.createElement("div", { className: "f
        const on = addForm.days.includes(i);
        return (React.createElement("button", { key: w, onClick:
    }))),
    React.createElement("div", { className: "flex gap-2 mt-4" },
        React.createElement("button", { onClick: addItem, classNa
        React.createElement("button", { onClick: () => setShowAdd
React.createElement(SectionLabel, null, "Supplements"),
React.createElement(Card, null,
    data.settings.supplements.map((s) => (React.createElement("di
        React.createElement("span", { className: "text-sm text-[#
```

```
            React.createElement("button", { onClick: () => setSetting
                React.createElement(Trash2, { size: 15, className: "t
        React.createElement("div", { className: "flex gap-2 mt-3" },
            React.createElement("input", { value: newSup, onChange: (
            React.createElement("button", { onClick: () => { const v
                    setSetting("supplements", [...data.settings.suppl
                React.createElement(Plus, { size: 16 })))),
    React.createElement(SectionLabel, null, "Accountability Frequency
    React.createElement(Card, null,
        React.createElement(Seg, { value: data.settings.therapistEver
    React.createElement(SectionLabel, null, "Data"),
    React.createElement(Card, null,
        React.createElement("div", { className: "flex gap-2 mb-3" },
            React.createElement("button", { onClick: () => {
                    const blob = new Blob([JSON.stringify(data, null,
                    const url = URL.createObjectURL(blob);
                    const a = document.createElement("a");
                    a.href = url;
                    a.download = "bull-backup-" + todayKey() + ".json
                    a.click();
                    setTimeout(() => URL.revokeObjectURL(url), 5000);
                }, className: "flex-1 py-2.5 rounded-xl text-black te
            React.createElement("label", { className: "flex-1 py-2.5
                "Import",
                React.createElement("input", { type: "file", accept:
                        const f = e.target.files && e.target.files[0]
                        if (!f)
                            return;
                        const reader = new FileReader();
                        reader.onload = () => {
                            try {
                                const parsed = migrate(JSON.parse(Str
                                if (parsed && parsed.days && parsed.i
                                    persist(parsed);
                            }
                            catch (err) {
                                console.error("import failed", err);
                            }
                        };
                        reader.readAsText(f);
                    } })))),
        resetStep === 0 && React.createElement("button", { onClick: (
        resetStep === 1 && (React.createElement("div", null,
            React.createElement("div", { className: "text-sm text-[#4
            React.createElement("div", { className: "flex gap-2" },
                React.createElement("button", { onClick: async () =>
                        await storageClear();
```

```
                                    setResetStep(0);
                                    persist({ version: 6, settings: { ...DEFAULT_
                                }, className: "flex-1 py-2 rounded-xl bg-rose-500
                            React.createElement("button", { onClick: () => setRes
                    React.createElement("div", { className: "text-xs text-[#9a928
        React.createElement("div", { className: "fixed bottom-0 inset-x-0 z-[45]
            React.createElement("div", { className: "max-w-md mx-auto flex" },
                React.createElement(NavBtn, { id: "today", icon: Shield, label: "
                React.createElement(NavBtn, { id: "stats", icon: BarChart3, label
                React.createElement(NavBtn, { id: "guide", icon: BookOpen, label:
                React.createElement(NavBtn, { id: "settings", icon: SettingsIcon,
}
import { createRoot } from "https://esm.sh/react-dom@18.3.1/client";
createRoot(document.getElementById("root")).render(React.createElement(App, null)
```