

# Cookie scan report

### Summary

Scan date: 16/05/2023 Domain name: www.ip138.com Server location: Ukraine Cookies, in total: 35



#### Scan result

35 cookies were identified.

25 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, create a Cookiebot subscription for your domain.

#### Category: Necessary (1)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

COOKIE NAME	PROVIDER	ТҮРЕ	EXPIRY		
cookietest	meituan.com	HTTP	Session		
First found URL: https://www.ip138.com/jb.htm					
Cookie purpose description: This cookie is used to determine if the visitor has accepted the cookie consent box.					
Initiator: Script tag, page source line number 61  Source: https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0 via https://appsec-mobile.meituan.com/h5guard/H5guard.js					

#### Category: Marketing (9)

Data is sent to: China (not adequate)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
Hm_ck_#	ip138.com	HTTP	Session
First found URL: https://www.ip138.c	om/sj/		
<b>Cookie purpose description:</b> Used to arketing channels.	send data to Baidu about the visitor's devi	ce and behavior. Tracks	the visitor across devices and m
Initiator: Script tag, page source line Source: https://hm.baidu.com/hm.js?e			
Data is sent to: Hong Kong (not adeq	uate)		
Blocked until accepted by user: No			
Hm_lpvt_#	hm.baidu.com	HTML	Session
First found URL: https://www.ip138.c	om/		
Cookie purpose description: Used to	send data to Baidu about the visitor's devi	ce and behavior. Tracks	the visitor across devices and

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and

marketing channels.

Initiator: Page source line number 472

**Source:** Inline script

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

Hm_lpvt_#	ip138.com	HTTP S	Session
-----------	-----------	--------	---------

First found URL: https://www.ip138.com/sj/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and m arketing channels.

Initiator: Script tag, page source line number 126
Source: https://hm.baidu.com/hm.js?ecdd6f3afaa488ece3938bcdbb89e8da

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

Hm lvt # hm.baidu.com HTML Persistent

First found URL: https://www.ip138.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels

Initiator: Page source line number 472

Source: Inline script

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

HTTP Hm lvt # ip138.com 1 year

First found URL: https://www.ip138.com/sj/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and m arketing channels.

Initiator: Script tag, page source line number 126

Source: https://hm.baidu.com/hm.js?ecdd6f3afaa488ece3938bcdbb89e8da

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

**HMACCOUNT** hm.baidu.com HTTP 5361 days

First found URL: https://www.ip138.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and

marketing channels

Initiator: Page source line number 472

Source: Inline script

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

HMACCOUNT\_BFESS hm.baidu.com HTTP 5361 days

First found URL: https://www.ip138.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and m

arketing channels.

Initiator: Page source line number 472

Source: Inline script

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

uuid HTTP 11 days meituan.com

First found URL: https://www.ip138.com/jb.htm

Cookie purpose description: This cookie is used to optimize ad relevance by collecting visitor data from multiple websites - this

exchange of visitor data is normally provided by a third-party data-center or ad-exchange.

Initiator: Script tag, page source line number 61

Source: https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

HTTP uuid 11 days sankuai.com

First found URL: https://www.ip138.com/jb.htm

Cookie purpose description: This cookie is used to optimize ad relevance by collecting visitor data from multiple websites – this exchan ge of visitor data is normally provided by a third-party data-center or ad-exchange.

Initiator: Script tag, page source line number 61

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

## Category: Unclassified (25)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual

cookies.

COOKIE NAME PROVIDER TYPE EXPIRY

\_ds\_storage\_search\_isblock cpro.baidustatic.com HTML Persistent

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 567
Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

**\_\_bid\_n** ip138.com HTTP 10 years

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 567
Source: https://cpro.baidustatic.com/cpro/ui/cm.js
via https://sofire.bdstatic.com/js/dfxaf3-635b4cd6.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

\_bid\_n sofire.bdstatic.com HTML Persistent

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

**\_\_csd** sofire.bdstatic.com HTML Persistent

First found URL: https://www.ip138.com/sj/ Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

\_lxsdk\_lxsdk\_cuid analytics.meituan.net HTML Persistent

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

Source: https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

**\_mta** meituan.com HTTP 2 years

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

**Source:** https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0

via https://s0.meituan.net/bs/js/?f=mta-js:mta.min.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

\_\_mta\_visit\_id s0.meituan.net HTML Session

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

**\_\_rrt** sofire.bdstatic.com HTML Persistent

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

нтмі sofire bdstatic com Persistent \_xaf\_fpstarttimer\_

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

\_lxsdk HTTP 3 years com

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

 $\textbf{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 a side = 0 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/flight/?fromid = Kip 138 - S1470711 - T1317691width = 950sbox = 1 \\ \text{Source:} \ https://www.meituan.com/f$ 

via https://analytics.meituan.net/analytics.js Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

lxsdk HTTP 3 years meituan.com

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified Initiator: Script tag, page source line number 61

 $\textbf{Source:} \ \text{https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0}$ 

via https://analytics.meituan.net/analytics.js Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

HTML lxsdk cuid analytics.meituan.net Session

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified Initiator: Script tag, page source line number 61

Source: https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

\_lxsdk\_cuid com HTTP 3 years

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified Initiator: Script tag, page source line number 61

Source: https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0

via https://analytics.meituan.net/analytics.js Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

HTTP \_lxsdk\_cuid meituan.com 3 years

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61 Source: https://www.meituan.com/flight/?fromid = Kip138-S1470711-T1317691width = 950sbox = 1aside = 0 via https://analytics.meituan.net/analytics.js

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

lxsdk db#cache meituan.com IndexedDB Persistent

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

 $\textbf{Source:} \ \text{https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0} \\ \textbf{Source:} \ \textbf{S$ 

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

com HTTP lxsdk s 1 day

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

Source: https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0 via https://analytics.meituan.net/analytics.js

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

lxsdk s HTTP 1 day meituan.com

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

via https://analytics.meituan.net/analytics.js Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

lxsdk test meituan com HTTP Session

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified Initiator: Script tag, page source line number 61

**Source:** https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0

 $\pmb{via} \ https://analytics.meituan.net/analytics.js$ Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

before sofire.bdstatic.com HTML Persistent

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

HTML dfpld appsec-mobile.meituan.com Persistent

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61  $\textbf{Source:} \ https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0. \\$ 

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

FEID sofire.bdstatic.com HTML Persistent

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

idb\_xaf#\_bid ip138.com IndexedDB Persistent

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

localId HTML Persistent appsec-mobile.meituan.com

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 61

**Source:** https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0

Data is sent to: Singapore (not adequate)

Blocked until accepted by user: No

s sofire.bdstatic.com HTML Persistent

First found URL: https://www.ip138.com/weizhang.htm

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 567 Source: https://cpro.baidustatic.com/cpro/ui/cm.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

WEBDFPID HTTP 10 years meituan.com

First found URL: https://www.ip138.com/jb.htm Cookie purpose description: Unclassified Initiator: Script tag, page source line number 61

Source: https://www.meituan.com/flight/?fromid=Kip138-S1470711-T1317691width=950sbox=1aside=0 via https://appsec-mobile.meituan.com/h5guard/H5guard.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

© 2023 Usercentrics A/S