Cookie scan report

Summary

Scan date: 17/05/2023
Domain name: www.500.com
Server location: China
Cookies, in total: 46

Scan result

46 cookies were identified.
21 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, create a Cookiebot subscription for your domain.

Category: Necessary (2)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
__cf_bm	onesignal.com	HTTP	1 day

First found URL: https://www.500.com/

Cookie purpose description: This cookie is used to distinguish between humans and bots. This is beneficial for the website, in order to make valid reports on the use of their website.

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

COOKIE NAME	PROVIDER	TYPE	EXPIRY
v	mediav.com	HTTP	27928 days

First found URL: https://www.500.com/

Cookie purpose description: Detects whether the user should be presented with a notification-bar upon entry on the website.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js

Data is sent to: China (not adequate)

Category: Preferences (3)

Preference cookies enable a website to remember information that changes the way the website behaves or looks, like your preferred language or the region that you are in.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
isOptedOut	cdn.onesignal.com	HTML	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Determines whether the user has made any subscriptions on the website, so that the website does not show subscription forms to the user, which already have been filled out.

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

COOKIE NAME	PROVIDER	TYPE	EXPIRY
isPushNotificationsEnabled	cdn.onesignal.com	HTML	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Used by the website to determine which support notifications the user has been shown.

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

ONE_SIGNAL_SDK_DB#Ids	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Detects whether the user should be presented with a notification-bar upon entry on the website.

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

Category: Statistics (10)

Statistic cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
__utma	500.com	HTTP	2 years

First found URL: https://www.500.com/

Cookie purpose description: Collects data on the number of times a user has visited the website as well as dates for the first and most recent visit. Used by Google Analytics.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://ssl.google-analytics.com/ga.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

__utmb	500.com	HTTP	1 day

First found URL: https://www.500.com/

Cookie purpose description: Registers a timestamp with the exact time of when the user accessed the website. Used by Google Analytics to calculate the duration of a website visit.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://ssl.google-analytics.com/ga.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

__utmc	500.com	HTTP	Session

First found URL: https://www.500.com/

Cookie purpose description: Registers a timestamp with the exact time of when the user leaves the website. Used by Google Analytics t o calculate the duration of a website visit.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://ssl.google-analytics.com/ga.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

__utmt	500.com	HTTP	1 day

First found URL: https://www.500.com/

Cookie purpose description: Used to throttle the speed of requests to the server.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://ssl.google-analytics.com/ga.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

__utmv	500.com	HTTP	Session

First found URL: https://www.500.com/

Cookie purpose description: Saves user-defined tracking parameters for use in Google Analytics.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://ssl.google-analytics.com/ga.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

__utmz 500.com HTTP 6 months

First found URL: https://www.500.com/

Cookie purpose description: Collects data on where the user came from, what search engine was used, what link was clicked and what search term was used. Used by Google Analytics.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://ssl.google-analytics.com/ga.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

BAIDUID_BFESS baidu.com HTTP 1 year

First found URL: https://www.500.com/

Cookie purpose description: Collects data on the user's navigation and behavior on the website. This is used to compile statistical reports and heatmaps for the website owner.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

onesignal-pageview-count cdn.onesignal.com HTML Session

First found URL: https://www.500.com/

Cookie purpose description: Contains data on the visitor's interaction and navigation on the website - This statistics service is provided by Onesignal.com.

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

os_pageViews cdn.onesignal.com HTML Persistent

First found URL: https://www.500.com/

Cookie purpose description: Used to assess user's visits to the website, such as which pages have been visited or the frequency of visits.

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

WT_# 500.com HTTP 10 years

First found URL: https://www.500.com/

Cookie purpose description: Used for gathering technical information regarding the user's browser, operating system, IP address and screen resolution as well as the user's navigation on the website.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://www.500cache.com/public/js/500_log.js?_v=201504161520

Data is sent to: China (not adequate)

Blocked until accepted by user: No

Category: Marketing (10)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

COOKIE NAME	PROVIDER	TYPE	EXPIRY

BAIDUID baidu.com HTTP 1 year

First found URL: https://www.500.com/

Cookie purpose description: This cookie is used in context with the Baidu -Map integration on the website. The cookie is necessary for some map-features.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

Hm_ck_# 500.com HTTP Session

First found URL: https://www.500.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://hm.baidu.com/hm.js?4f816d475bb0b9ed640ae412d6b42cab

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

Hm_lpvt_#	500.com	HTTP	Session

First found URL: https://www.500.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://hm.baidu.com/hm.js?4f816d475bb0b9ed640ae412d6b42cab

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

Hm_lpvt_#	hm.baidu.com	HTML	Session

First found URL: https://www.500.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

Hm_lvt_#	500.com	HTTP	1 year

First found URL: https://www.500.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://hm.baidu.com/hm.js?4f816d475bb0b9ed640ae412d6b42cab

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

Hm_lvt_#	hm.baidu.com	HTML	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

HMACCOUNT	hm.baidu.com	HTTP	5360 days

First found URL: https://www.500.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

HMACCOUNT_BFESS	hm.baidu.com	HTTP	5360 days

First found URL: https://www.500.com/

Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

ONE_SIGNAL_SDK_DB#Options	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.

Initiator: Script tag, page source line number 36

Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

r/collect doubleclick.net Pixel Session

First found URL: https://www.500.com/

Cookie purpose description: This cookie is used to send data to Google Analytics about the visitor's device and behavior. It tracks the visitor across devices and marketing channels.

Initiator: Webserver
Source: doubleclick.net

Data is sent to: United States (not adequate)

Category: Unclassified (21)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
_jzqa	500.com	HTTP	2 years

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://static-ssl.mediav.com/mv.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

_jzqb 500.com HTTP 1 day

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://static-ssl.mediav.com/mv.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

_jzqc 500.com HTTP Session

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://static-ssl.mediav.com/mv.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

_jzqckmp 500.com HTTP 1 day

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://static-ssl.mediav.com/mv.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

_qzja 500.com HTTP 2 years

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://material-ssl.mediav.com/bjjs/mba.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

_qzjb 500.com HTTP 1 day

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://material-ssl.mediav.com/bjjs/mba.js

Data is sent to: United States (not adequate)

Blocked until accepted by user: No

_qzjc	500.com	HTTP	Session

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://material-ssl.mediav.com/bjjs/mba.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

_qzjto	500.com	HTTP	1 day

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://material-ssl.mediav.com/bjjs/mba.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

CLICKSTRN_ID	500.com	HTTP	2785 days

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Webserver
Source: 500.com

Data is sent to: China (not adequate)

Blocked until accepted by user: No

CLICKSTRN_ID	500.com	HTML	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Webserver
Source: 500.com

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

idb_deepcookie#deepcookie	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Webserver
Source: 500.com

Data is sent to: China (not adequate)

Blocked until accepted by user: No

ONE_SIGNAL_SDK_DB#NotificationClicked	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

ONE_SIGNAL_SDK_DB#NotificationOpened	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

ONE_SIGNAL_SDK_DB#NotificationReceived	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

ONE_SIGNAL_SDK_DB#SentUniqueOutcome	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

ONE_SIGNAL_SDK_DB#Sessions	500.com	IndexedDB	Persistent

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 36
Source: https://cdn.onesignal.com/sdks/OneSignalSDK.js

Data is sent to: Unknown (not adequate)

Blocked until accepted by user: No

sdc_session	500.com	HTTP	Session

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://www.500cache.com/public/js/500_log.js?_v=201504161520

Data is sent to: China (not adequate)

Blocked until accepted by user: No

sdc_userflag	500.com	HTTP	1 day

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2185
Source: https://www.500cache.com/public/js/stats.js
via https://www.500cache.com/public/js/500_log.js?_v=201504161520

Data is sent to: China (not adequate)

Blocked until accepted by user: No

tgw_l7_route	ews.500.com	HTTP	1 day

First found URL: https://www.500.com/wap/index.php

Cookie purpose description: Unclassified

Initiator: Page source line number 566
Source: Inline script

Data is sent to: China (not adequate)

Blocked until accepted by user: No

tgw_l7_route	500.com	HTTP	1 day

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Webserver
Source: 500.com

Data is sent to: China (not adequate)

Blocked until accepted by user: No

tgw_l7_route	500cache.com	HTTP	1 day

First found URL: https://www.500.com/

Cookie purpose description: Unclassified

Initiator: Page source line number 2134
Source: Inline script

Data is sent to: China (not adequate)

Blocked until accepted by user: No

©2023 Usercentrics A/S