

# Cookie scan report

## Summary

Scan date: 17/05/2023  
Domain name: www.zhenai.com  
Server location: China  
Cookies, in total: 26



## Scan result

26 cookies were identified.  
18 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, [create a Cookiebot subscription for your domain](#).

## Category: Necessary (1)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
<b>sid</b>	zhenai.com	HTTP	1 year
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a> <b>Cookie purpose description:</b> Preserves users states across page requests. <b>Initiator:</b> Script tag, page source line number 17 <b>Source:</b> <a href="https://i.zhenai.com/common/m/base/js/zhenai-2.0.2.min.js">https://i.zhenai.com/common/m/base/js/zhenai-2.0.2.min.js</a> <b>Data is sent to:</b> Hong Kong (not adequate)			

## Category: Marketing (7)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
<b>Hm_ck_#</b>	zhenai.com	HTTP	Session
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Script tag, page source line number 45 <b>Source:</b> <a href="https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js">https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js</a> <b>via</b> <a href="https://hm.baidu.com/hm.js?2c8ad67df9e787ad29dbd54ee608f5d2">https://hm.baidu.com/hm.js?2c8ad67df9e787ad29dbd54ee608f5d2</a> <b>Data is sent to:</b> Hong Kong (not adequate)			
<b>Blocked until accepted by user:</b> No			
<b>Hm_lpvt_#</b>	hm.baidu.com	HTML	Session
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Script tag, page source line number 45 <b>Source:</b> <a href="https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js">https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js</a> <b>Data is sent to:</b> Mexico (not adequate)			
<b>Blocked until accepted by user:</b> No			
<b>Hm_lpvt_#</b>	zhenai.com	HTTP	Session

**First found URL:** <https://www.zhenai.com/zhenghun/beijing>

**Cookie purpose description:** Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

**Initiator:** Script tag, page source line number 45

**Source:** <https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js>  
**via** <https://hm.baidu.com/hm.js?2c8ad67df9e787ad29dbd54ee608f5d2>

**Data is sent to:** Hong Kong (not adequate)

**Blocked until accepted by user:** No

Hm_lvt_#	hm.baidu.com	HTML	Persistent
----------	--------------	------	------------

**First found URL:** <https://www.zhenai.com/zhenghun/beijing>

**Cookie purpose description:** Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

**Initiator:** Script tag, page source line number 45

**Source:** <https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js>

**Data is sent to:** Hong Kong (not adequate)

**Blocked until accepted by user:** No

Hm_lvt_#	zhenai.com	HTTP	1 year
----------	------------	------	--------

**First found URL:** <https://www.zhenai.com/zhenghun/beijing>

**Cookie purpose description:** Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

**Initiator:** Script tag, page source line number 45

**Source:** <https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js>  
**via** <https://hm.baidu.com/hm.js?2c8ad67df9e787ad29dbd54ee608f5d2>

**Data is sent to:** Hong Kong (not adequate)

**Blocked until accepted by user:** No

HMACCOUNT	hm.baidu.com	HTTP	5360 days
-----------	--------------	------	-----------

**First found URL:** <https://www.zhenai.com/zhenghun/beijing>

**Cookie purpose description:** Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

**Initiator:** Script tag, page source line number 45

**Source:** <https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js>

**Data is sent to:** Mexico (not adequate)

**Blocked until accepted by user:** No

HMACCOUNT_BFESS	hm.baidu.com	HTTP	5360 days
-----------------	--------------	------	-----------

**First found URL:** <https://www.zhenai.com/zhenghun/beijing>

**Cookie purpose description:** Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.

**Initiator:** Script tag, page source line number 45

**Source:** <https://i.zhenai.com/pc/seo/zhDetail/static/js/zhDetail.176c74afbbb473be2d4b.js>

**Data is sent to:** Indonesia (not adequate)

**Blocked until accepted by user:** No

## Category: Unclassified (18)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
_channelId	zhenai.com	HTTP	Session

**First found URL:** <https://www.zhenai.com/>

**Cookie purpose description:** Unclassified

**Initiator:** Script tag, page source line number 17

**Source:** <https://i.zhenai.com/common/m/base/js/zhenai-2.0.2.min.js>

**Data is sent to:** Philippines (not adequate)

**Blocked until accepted by user:** No

_AMap_AMap.CitySearch	webapi.amap.com	HTML	Persistent
-----------------------	-----------------	------	------------

**First found URL:** <https://www.zhenai.com/zhenghun/beijing>

**Cookie purpose description:** Unclassified

**Initiator:** Script tag, page source line number 3

**Source:** <https://webapi.amap.com/maps?v=1.4.15&key=5453f47bcc9edb857b93e3aed91ed530>

**Data is sent to:** United States (not adequate)

Blocked until accepted by user: No

<b>_Amap_cgl</b>	webapi.amap.com	HTML	Persistent
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 3			
<b>Source:</b> <a href="https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530">https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530</a>			
<b>Data is sent to:</b> United States (not adequate)			
Blocked until accepted by user: No			

<b>_Amap_mouse</b>	webapi.amap.com	HTML	Persistent
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 3			
<b>Source:</b> <a href="https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530">https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530</a>			
<b>Data is sent to:</b> United States (not adequate)			

Blocked until accepted by user: No

<b>_Amap_overlay</b>	webapi.amap.com	HTML	Persistent
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 3			
<b>Source:</b> <a href="https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530">https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530</a>			
<b>Data is sent to:</b> United States (not adequate)			
Blocked until accepted by user: No			

<b>_Amap_sync</b>	webapi.amap.com	HTML	Persistent
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 3			
<b>Source:</b> <a href="https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530">https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530</a>			
<b>Data is sent to:</b> United States (not adequate)			

Blocked until accepted by user: No

<b>_Amap_vectorlayer</b>	webapi.amap.com	HTML	Persistent
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 3			
<b>Source:</b> <a href="https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530">https://webapi.amap.com/maps?v=1.4.15key=5453f47bcc9edb857b93e3aed91ed530</a>			
<b>Data is sent to:</b> United States (not adequate)			
Blocked until accepted by user: No			

<b>_efmdata</b>	secdfinger.zhenai.com	HTTP	1 year
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 17			
<b>Source:</b> <a href="https://i.zhenai.com/pc/portal/home/js/home.4dae65ac51afe716ade6_s.js">https://i.zhenai.com/pc/portal/home/js/home.4dae65ac51afe716ade6_s.js</a>			
<b>Data is sent to:</b> Mexico (not adequate)			

Blocked until accepted by user: No

<b>_efmdata</b>	zhenai.com	HTML	Session
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> zhenai.com			
<b>Data is sent to:</b> Unknown (not adequate)			
Blocked until accepted by user: No			

<b>_efmdata</b>	zhenai.com	HTTP	1 year
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> zhenai.com			
<b>Data is sent to:</b> China (not adequate)			

Blocked until accepted by user: No

_exid	secdfinger.zhenai.com	HTTP	1 year
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 17			
<b>Source:</b> <a href="https://i.zhenai.com/pc/portal/home/js/home.4dae65ac51afe716ade6_s.js">https://i.zhenai.com/pc/portal/home/js/home.4dae65ac51afe716ade6_s.js</a>			
<b>Data is sent to:</b> Philippines (not adequate)			
Blocked until accepted by user: No			

_exid	zhenai.com	HTML	Session
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> zhenai.com			
<b>Data is sent to:</b> Unknown (not adequate)			

Blocked until accepted by user: No

_exid	zhenai.com	HTTP	1 year
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> zhenai.com			
<b>Data is sent to:</b> China (not adequate)			
Blocked until accepted by user: No			

amap-jsapi#tile	zhenai.com	IndexedDB	Persistent
<b>First found URL:</b> <a href="https://www.zhenai.com/zhenghun/beijing">https://www.zhenai.com/zhenghun/beijing</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 3			
<b>Source:</b> <a href="https://webapi.amap.com/maps?v=1.4.15&amp;key=5453f47bcc9edb857b93e3aed91ed530">https://webapi.amap.com/maps?v=1.4.15&amp;key=5453f47bcc9edb857b93e3aed91ed530</a>			
<b>Data is sent to:</b> United States (not adequate)			

Blocked until accepted by user: No

ec	zhenai.com	HTML	Session
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> zhenai.com			
<b>Data is sent to:</b> Unknown (not adequate)			
Blocked until accepted by user: No			

ec	zhenai.com	HTTP	1 year
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> zhenai.com			
<b>Data is sent to:</b> China (not adequate)			

Blocked until accepted by user: No

GeeTestUser	api.geetest.com	HTTP	1 year
<b>First found URL:</b> <a href="https://www.zhenai.com/n/registerInfo">https://www.zhenai.com/n/registerInfo</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 17			
<b>Source:</b> <a href="https://i.zhenai.com/common/m/base/js/zhenai-2.0.2.min.js">https://i.zhenai.com/common/m/base/js/zhenai-2.0.2.min.js</a>			
<b>Data is sent to:</b> Philippines (not adequate)			
Blocked until accepted by user: No			

screenPrint	i.zhenai.com	HTML	Session
<b>First found URL:</b> <a href="https://www.zhenai.com/">https://www.zhenai.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 17			
<b>Source:</b> <a href="https://i.zhenai.com/pc/portal/home/js/home.4dae65ac51afe716ade6_s.js">https://i.zhenai.com/pc/portal/home/js/home.4dae65ac51afe716ade6_s.js</a>			
<b>Data is sent to:</b> Japan (adequate)			
Adequate country under GDPR (EU)			
Blocked until accepted by user: No			

