

Cookie scan report

Summary

Scan date: 16/05/2023
Domain name: mail.qq.com
Server location: Hong Kong
Cookies, in total: 20



Scan result

20 cookies were identified.
18 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, [create a Cookiebot subscription for your domain](#).

Category: Necessary (2)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
cookietest	mail.qq.com	HTTP	Session
First found URL: https://mail.qq.com/ Cookie purpose description: This cookie is used to determine if the visitor has accepted the cookie consent box. Initiator: Script tag, page source line number 40 Source: https://rescdn.qqmail.com/qqmail/assets/deviceString.js Data is sent to: Hong Kong (not adequate)			
cookietest	xui.ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/ Cookie purpose description: This cookie is used to determine if the visitor has accepted the cookie consent box. Initiator: Script tag, page source line number 40 Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js via https://qq-web-other.cdn-go.cn/biz-libs/latest/any.ptlogin2.qq.com/fingerprintjs/index.umd.js Data is sent to: Hong Kong (not adequate)			

Category: Unclassified (18)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
__aegis_uid	xui.ptlogin2.qq.com	HTTP	2 days
First found URL: https://mail.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 40 Source: https://xui.ptlogin2.qq.com/cgi-bin/xlogin?appid=716027609daid=383style=33login_text=%E7%99%BB%E5%BD%95hide_title_bar=1hide_border=1target=selfs_url=https%3A%2F%2Fgraph.qq.com%2Foauth2.0%2Flogin_jumppt_3rd_aid=102013353pt_feedback_link=https%3A%2F%2Fsupport.qq.com%2Fproducts%2F77942%3FcustomInfo%3D.appid102013353theme=10verify_theme= Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No			
_qpsvr_localtk	qq.com	HTTP	Session
First found URL: https://mail.qq.com/			

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 40

Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js

via https://qq-web-legacy.cdn-go.cn/any.ptlogin2.qq.com/17ca813a/ptlogin/js/c_login_2.js

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

AEGIS_ID	xui.ptlogin2.qq.com	HTML	Persistent
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

log_db#log	xui.ptlogin2.qq.com	IndexedDB	Persistent
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

pt_clientip	ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

pt_guid_sig	ptlogin2.qq.com	HTTP	30 days
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

pt_local_token	ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

pt_login_sig	ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

pt_serverip	ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

pt_user_id	ui.ptlogin2.qq.com	HTTP	10 years
First found URL: https://mail.qq.com/			

Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 40
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

ptui_identifier	ui.ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

qrsig	ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

test0.5693333830756928test	mail.qq.com	HTTP	2902447 days
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 114			
Source: https://mail.qq.com/			
Data is sent to: Hong Kong (not adequate)			

test0.7981272926093692test	mail.qq.com	HTTP	2902447 days
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 114			
Source: https://mail.qq.com/			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

test0.9851831344457946test	mail.qq.com	HTTP	2902447 days
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 114			
Source: https://mail.qq.com/			
Data is sent to: Hong Kong (not adequate)			

ui	graph.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js via https://imgcache.qq.com/c=/open/connect/widget/pc/login/pt_adapt.js,qlogin_v2.js?v=20181229			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

uikey	ptlogin2.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 40			
Source: https://rescdn.qqmail.com/qqmail/assets/qqmail_sdk_1.0.51.js			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

xm_pstate	mail.qq.com	HTTP	Session
First found URL: https://mail.qq.com/			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 161			
Source: https://mail.qq.com/			

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

© 2023 Usercentrics A/S