

# Cookie scan report

## Summary

Scan date: 16/05/2023  
Domain name: qidian.com  
Server location: Netherlands  
Cookies, in total: 19



## Scan result

19 cookies were identified.  
6 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, [create a Cookiebot subscription for your domain](#).

## Category: Necessary (1)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

| COOKIE NAME  | PROVIDER   | TYPE | EXPIRY |
|--|------------|------|--------|
| _csrfToken   | qidian.com | HTTP | 1 year |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Ensures visitor browsing-security by preventing cross-site request forgery. This cookie is essential for the security of the website and visitor.<br><b>Initiator:</b> Script tag, page source line number 1<br><b>Source:</b> <a href="https://qdfepccdn.qidian.com/www.qidian.com/js/vendors.b3357.bundle.js">https://qdfepccdn.qidian.com/www.qidian.com/js/vendors.b3357.bundle.js</a><br><b>Data is sent to:</b> China (not adequate) |            |      |        |

## Category: Statistics (4)

Statistic cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

| COOKIE NAME  | PROVIDER   | TYPE | EXPIRY  |
|--|------------|------|---------|
| _ga  | qidian.com | HTTP | 2 years |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Registers a unique ID that is used to generate statistical data on how the visitor uses the website.<br><b>Initiator:</b> Script tag, page source line number 1<br><b>Source:</b> <a href="https://www.google-analytics.com/analytics.js">https://www.google-analytics.com/analytics.js</a><br><b>Data is sent to:</b> United States (not adequate)<br><br><b>Blocked until accepted by user:</b> No   |            |      |         |
| _ga_#  | qidian.com | HTTP | 2 years |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Used by Google Analytics to collect data on the number of times a user has visited the website as well as dates for the first and most recent visit.<br><b>Initiator:</b> Script tag, page source line number 1<br><b>Source:</b> <a href="https://www.googletagmanager.com/gtag/js?id=G-FZMMH98S83l=dataLayercx=c">https://www.googletagmanager.com/gtag/js?id=G-FZMMH98S83l=dataLayercx=c</a><br><b>Data is sent to:</b> United States (not adequate)<br><br><b>Blocked until accepted by user:</b> No |            |      |         |
| _gat   | qidian.com | HTTP | 1 day   |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a>  |            |      |         |

**Cookie purpose description:** Used by Google Analytics to throttle request rate

**Initiator:** Script tag, page source line number 1

**Source:** https://www.google-analytics.com/analytics.js

**Data is sent to:** United States (not adequate)

**Blocked until accepted by user:** No

\_gid

qidian.com

HTTP

1 day

**First found URL:** https://www.qidian.com/dushi/

**Cookie purpose description:** Registers a unique ID that is used to generate statistical data on how the visitor uses the website.

**Initiator:** Script tag, page source line number 1

**Source:** https://www.google-analytics.com/analytics.js

**Data is sent to:** United States (not adequate)

**Blocked until accepted by user:** No

Category: Marketing (8)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

| COOKIE NAME  | PROVIDER     | TYPE | EXPIRY     |
|--|--------------|------|------------|
| <b>Hm_ck_#</b>   | qidian.com   | HTTP | Session    |
| <b>First found URL:</b> https://www.qidian.com/dushi/  |              |      |            |
| <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. |              |      |            |
| <b>Initiator:</b> Script tag, page source line number 1  |              |      |            |
| <b>Source:</b> https://hm.baidu.com/hm.js?f00f67093ce2f38f215010b699629083   |              |      |            |
| <b>Data is sent to:</b> Hong Kong (not adequate)   |              |      |            |
| <b>Blocked until accepted by user:</b> No  |              |      |            |
| <b>Hm_lpv #</b>  | hm.baidu.com | HTML | Session    |
| <b>First found URL:</b> https://www.qidian.com/dushi/  |              |      |            |
| <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. |              |      |            |
| <b>Initiator:</b> Page source line number 1  |              |      |            |
| <b>Source:</b> Inline script   |              |      |            |
| <b>Data is sent to:</b> Hong Kong (not adequate)   |              |      |            |
| <b>Blocked until accepted by user:</b> No  |              |      |            |
| <b>Hm_lpv #</b>  | qidian.com   | HTTP | Session    |
| <b>First found URL:</b> https://www.qidian.com/dushi/  |              |      |            |
| <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. |              |      |            |
| <b>Initiator:</b> Script tag, page source line number 1  |              |      |            |
| <b>Source:</b> https://hm.baidu.com/hm.js?f00f67093ce2f38f215010b699629083   |              |      |            |
| <b>Data is sent to:</b> Hong Kong (not adequate)   |              |      |            |
| <b>Blocked until accepted by user:</b> No  |              |      |            |
| <b>Hm_lvt #</b>  | hm.baidu.com | HTML | Persistent |
| <b>First found URL:</b> https://www.qidian.com/dushi/  |              |      |            |
| <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. |              |      |            |
| <b>Initiator:</b> Page source line number 1  |              |      |            |
| <b>Source:</b> Inline script   |              |      |            |
| <b>Data is sent to:</b> Hong Kong (not adequate)   |              |      |            |
| <b>Blocked until accepted by user:</b> No  |              |      |            |
| <b>Hm_lvt #</b>  | qidian.com   | HTTP | 1 year     |
| <b>First found URL:</b> https://www.qidian.com/dushi/  |              |      |            |
| <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. |              |      |            |
| <b>Initiator:</b> Script tag, page source line number 1  |              |      |            |
| <b>Source:</b> https://hm.baidu.com/hm.js?f00f67093ce2f38f215010b699629083   |              |      |            |
| <b>Data is sent to:</b> Hong Kong (not adequate)   |              |      |            |
| <b>Blocked until accepted by user:</b> No  |              |      |            |

|   |              |      |           |
|---|--------------|------|-----------|
| <b>Hm_unsent_#</b>  | hm.baidu.com | HTML | Session   |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.<br><b>Initiator:</b> Page source line number 1<br><b>Source:</b> Inline script<br><b>Data is sent to:</b> Hong Kong (not adequate)<br><br><b>Blocked until accepted by user:</b> No |              |      |           |
| <b>HMACCOUNT</b>  | hm.baidu.com | HTTP | 5361 days |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.<br><b>Initiator:</b> Page source line number 1<br><b>Source:</b> Inline script<br><b>Data is sent to:</b> Hong Kong (not adequate)<br><br><b>Blocked until accepted by user:</b> No |              |      |           |
| <b>HMACCOUNT_BFESS</b>  | hm.baidu.com | HTTP | 5361 days |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.<br><b>Initiator:</b> Page source line number 1<br><b>Source:</b> Inline script<br><b>Data is sent to:</b> Hong Kong (not adequate)<br><br><b>Blocked until accepted by user:</b> No |              |      |           |

## Category: Unclassified (6)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

| COOKIE NAME  | PROVIDER   | TYPE | EXPIRY  |
|--|------------|------|---------|
| <b>_yep_uuid</b>   | qidian.com | HTTP | Session |
| <b>First found URL:</b> <a href="https://www.qidian.com/lishi/">https://www.qidian.com/lishi/</a><br><b>Cookie purpose description:</b> Unclassified<br><b>Initiator:</b> Script tag, page source line number 1<br><b>Source:</b> <a href="https://noah2-1252317822.file.myqcloud.com/npm/@noah-common/yep@0.0.46/dist/yep.js">https://noah2-1252317822.file.myqcloud.com/npm/@noah-common/yep@0.0.46/dist/yep.js</a><br><b>Data is sent to:</b> China (not adequate)<br><br><b>Blocked until accepted by user:</b> No |            |      |         |
| <b>fu</b>  | qidian.com | HTTP | 2 years |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Unclassified<br><b>Initiator:</b> Script tag, page source line number 1<br><b>Source:</b> <a href="https://qdfepccdn.qidian.com/www.qidian.com/js/vendors.b3357.bundle.js">https://qdfepccdn.qidian.com/www.qidian.com/js/vendors.b3357.bundle.js</a><br><b>Data is sent to:</b> China (not adequate)<br><br><b>Blocked until accepted by user:</b> No                         |            |      |         |
| <b>newstatisticUUID</b>  | qidian.com | HTTP | 1 year  |
| <b>First found URL:</b> <a href="https://www.qidian.com/dushi/">https://www.qidian.com/dushi/</a><br><b>Cookie purpose description:</b> Unclassified<br><b>Initiator:</b> Webserver<br><b>Source:</b> qidian.com<br><b>Data is sent to:</b> Hong Kong (not adequate)<br><br><b>Blocked until accepted by user:</b> No  |            |      |         |
| <b>supportwebp</b>   | qidian.com | HTTP | 1 year  |
| <b>First found URL:</b> <a href="https://www.qidian.com/">https://www.qidian.com/</a><br><b>Cookie purpose description:</b> Unclassified<br><b>Initiator:</b> Webserver<br><b>Source:</b> qidian.com<br><b>Data is sent to:</b> Hong Kong (not adequate)   |            |      |         |

Blocked until accepted by user: No

traffic\_utm\_referer

qidian.com

HTTP

1 day

First found URL: <https://www.qidian.com/dushi/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: <https://qdfepccdn.qidian.com/www.qidian.com/js/views/www.qidian.com/dushi/index.43324.bundle.js>

Data is sent to: China (not adequate)

Blocked until accepted by user: No

yux-project#yux-store

qidian.com

IndexedDB

Persistent

First found URL: <https://www.qidian.com/dushi/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: <https://qdfepccdn.qidian.com/www.qidian.com/fock/e1669345466848.js>

Data is sent to: China (not adequate)

Blocked until accepted by user: No