

Cookie scan report

Summary

Scan date: 17/05/2023
Domain name: cf.qq.com
Server location: China
Cookies, in total: 102



Scan result

102 cookies were identified.
95 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, [create a Cookiebot subscription for your domain](#).

Category: Necessary (6)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

| COOKIE NAME | PROVIDER | TYPE | EXPIRY |
|---|------------------|------|---------|
| access_token | apps.game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: This cookie is used to identify the visitor through an application. This allows the visitor to login to a website through their Facebook application for example. Initiator: Script tag, page source line number 2356 Source: https://game.gtimg.cn/images/js/milo-next/latest/milo.min.js via https://apps.game.qq.com/ams/logout_bridge.html Data is sent to: China (not adequate) | | | |
| access_token | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: This cookie is used to identify the visitor through an application. This allows the visitor to login to a website through their Facebook application for example. Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| access_token | game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: This cookie is used to identify the visitor through an application. This allows the visitor to login to a website through their Facebook application for example. Initiator: Script tag, page source line number 116 Source: https://apps.game.qq.com/ams/asyncCookie.html Data is sent to: China (not adequate) | | | |
| access_token | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: This cookie is used to identify the visitor through an application. This allows the visitor to login to a website through their Facebook application for example. Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| hex (32) | cf.qq.com | HTTP | 1 day |
| First found URL: https://cf.qq.com/ | | | |

Cookie purpose description: Used to manage server calls to the website's backend systems.

Initiator: Script tag, page source line number 1583

Source: <https://cf.qq.com/cp/a20230421maysecond/COMMON.js>

via <https://ossweb-img.qq.com/images/ams/atm/reporting.js?action=548707>

Data is sent to: Hong Kong (not adequate)

| | | | |
|-----|--------|------|---------|
| sid | qq.com | HTTP | Session |
|-----|--------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Preserves users states across page requests.

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>

via https://game.qq.com/comm-hdocs/login/logout_bridge.html

Data is sent to: China (not adequate)

Category: Statistics (1)

Statistic cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

| COOKIE NAME | PROVIDER | TYPE | EXPIRY |
|-------------|----------|------|--------|
|-------------|----------|------|--------|

| | | | |
|---------|-----------|------|---------|
| newuser | cf.qq.com | HTTP | Session |
|---------|-----------|------|---------|

First found URL: <https://cf.qq.com/>

Cookie purpose description: Assigns a specific ID to the visitor. This allows the website to determine the number of specific user-visits for analysis and statistics.

Initiator: Script tag, page source line number 1583

Source: <https://cf.qq.com/cp/a20230421maysecond/COMMON.js>

via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js

Data is sent to: China (not adequate)

Category: Unclassified (95)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

| COOKIE NAME | PROVIDER | TYPE | EXPIRY |
|-------------|----------|------|--------|
|-------------|----------|------|--------|

| | | | |
|------------|---------------------|------|--------|
| _aegis_uid | xui.ptlogin2.qq.com | HTTP | 2 days |
|------------|---------------------|------|--------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>

via https://xui.ptlogin2.qq.com/cgi-bin/xlogin?proxy_url=https://game.qq.com/comm-hdocs/milo/proxy.htmlappid=21000501target=s&elfs_url=https%3A%2F%2Fcf.qq.com%2Fcomm-hdocs%2Flogin%2Flogincallback.htmstyle=20daid=8

Data is sent to: Hong Kong (not adequate)

| | | | |
|----------------|--------|------|---------|
| _qpsvr_localsk | qq.com | HTTP | Session |
|----------------|--------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>

via https://qq-web-legacy.cdn-go.cn/any.ptlogin2.qq.com/17ca813a/ptlogin/js/c_login_2.js

Data is sent to: Hong Kong (not adequate)

| | | | |
|---------|------------------|------|---------|
| acctype | apps.game.qq.com | HTTP | Session |
|---------|------------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>

via https://apps.game.qq.com/ams/logout_bridge.html

Data is sent to: China (not adequate)

| | | | |
|---------|-----------|------|---------|
| acctype | cf.qq.com | HTTP | Session |
|---------|-----------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gtimg.cn/images/js/milo-next/latest/milo.min.js>

Data is sent to: Hong Kong (not adequate)

| | | | |
|---------|-------------|------|---------|
| acctype | game.qq.com | HTTP | Session |
|---------|-------------|------|---------|

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 116

Source: <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

Blocked until accepted by user: No

| | | | |
|---------|--------|------|---------|
| acctype | qq.com | HTTP | Session |
|---------|--------|------|---------|

First found URL: <https://cf.qq.com/act/10178/a20230414qx/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 4797

Source: <https://ulink.qq.com/ulinksdk/dist/js/ulink.2.0.18.js>

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

| | | | |
|----------|-----------|------|------------|
| AEGIS_ID | cdn-go.cn | HTML | Persistent |
|----------|-----------|------|------------|

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 114

Source: https://osweb-img.qq.com/images/js/milo_bundle/milo.js

Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

| | | | |
|-------|------------------|------|---------|
| appid | apps.game.qq.com | HTTP | Session |
|-------|------------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gtimg.cn/images/js/milo-next/latest/milo.min.js>

via https://apps.game.qq.com/ams/logout_bridge.html

Data is sent to: China (not adequate)

| | | | |
|-------|-----------|------|---------|
| appid | cf.qq.com | HTTP | Session |
|-------|-----------|------|---------|

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1583

Source: <https://cf.qq.com/cp/a20230421maysecond/COMMON.js>

via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js

Data is sent to: China (not adequate)

| | | | |
|-------|-------------|------|---------|
| appid | game.qq.com | HTTP | Session |
|-------|-------------|------|---------|

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 116

Source: <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

Blocked until accepted by user: No

| | | | |
|-------|--------|------|---------|
| appid | qq.com | HTTP | Session |
|-------|--------|------|---------|

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1583

Source: <https://cf.qq.com/cp/a20230421maysecond/COMMON.js>

via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js

Data is sent to: China (not adequate)

Blocked until accepted by user: No

| | | | |
|------------------|--------|------|---------|
| cfqqcomrouteLine | qq.com | HTTP | Session |
|------------------|--------|------|---------|

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

| | | | |
|--|--------|------|--------|
| eas_sid | qq.com | HTTP | 1 year |
| First found URL: https://cf.qq.com/ | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 114 | | | |
| Source: https://ossweb-img.qq.com/images/js/milo_bundle/milo.js via https://ossweb-img.qq.com/images/js/eas/eas.js | | | |
| Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |

| | | | |
|--|-----------|------|-------|
| gpmtips_cfg | cf.qq.com | HTTP | 1 day |
| First found URL: https://cf.qq.com/ | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 1583 | | | |
| Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://ossweb-img.qq.com/images/clientpop/js/gpmtips.js | | | |
| Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |

| | | | |
|---|-----------|------|---------|
| IED_LOG_INFO_NEW | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 2356 | | | |
| Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://ossweb-img.qq.com/images/js/milo-next/latest/milo.min.js | | | |
| Data is sent to: Hong Kong (not adequate) | | | |

| | | | |
|---|------------------|------|---------|
| IED_LOG_INFO2 | apps.game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 2356 | | | |
| Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://apps.game.qq.com/ams/logout_bridge.html | | | |
| Data is sent to: China (not adequate) | | | |

| | | | |
|---|-------------|------|---------|
| IED_LOG_INFO2 | game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 2356 | | | |
| Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://game.qq.com/comm-htdocs/login/logout_bridge.html | | | |
| Data is sent to: China (not adequate) | | | |

| | | | |
|---|--------|------|---------|
| IED_LOG_INFO2 | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 114 | | | |
| Source: https://ossweb-img.qq.com/images/js/milo_bundle/milo.js | | | |
| Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |

| | | | |
|---|-----------|------|---------|
| ieg_ams_session_token | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 2356 | | | |
| Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js | | | |
| Data is sent to: Hong Kong (not adequate) | | | |

| | | | |
|---|-------------|------|---------|
| ieg_ams_session_token | game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 2356 | | | |
| Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://apps.game.qq.com/ams/asyncCookie.html | | | |

Data is sent to: China (not adequate)

Blocked until accepted by user: No

| | | | |
|---------------|-----------|------|---------|
| ieg_ams_token | cf.qq.com | HTTP | Session |
|---------------|-----------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>

Data is sent to: Hong Kong (not adequate)

| | | | |
|---------------|-------------|------|---------|
| ieg_ams_token | game.qq.com | HTTP | Session |
|---------------|-------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

Blocked until accepted by user: No

| | | | |
|--------------------|-----------|------|---------|
| ieg_ams_token_time | cf.qq.com | HTTP | Session |
|--------------------|-----------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>

Data is sent to: Hong Kong (not adequate)

| | | | |
|--------------------|-------------|------|---------|
| ieg_ams_token_time | game.qq.com | HTTP | Session |
|--------------------|-------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

Blocked until accepted by user: No

| | | | |
|---------------------------|-------------|------|---------|
| iegams_milo_proxylogin_ks | game.qq.com | HTTP | Session |
|---------------------------|-------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

| | | | |
|---------------------------|-------------|------|---------|
| iegams_milo_proxylogin_qc | game.qq.com | HTTP | Session |
|---------------------------|-------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

| | | | |
|---------------------------|-------------|------|---------|
| iegams_milo_proxylogin_wg | game.qq.com | HTTP | Session |
|---------------------------|-------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

| | | | |
|---------------------------|-------------|------|---------|
| iegams_milo_proxylogin_wx | game.qq.com | HTTP | Session |
|---------------------------|-------------|------|---------|

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356

Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via <https://apps.game.qq.com/ams/asyncCookie.html>

Data is sent to: China (not adequate)

| | | | |
|--|----------------|-------|---------|
| isActDate | cf.qq.com | HTTP | 1 year |
| First found URL: https://cf.qq.com/act/10178/a20230414qx/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossw eb-img.qq.com/images/js/PTT/ping_tc ss_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No | | | |
| isHostDate | cf.qq.com | HTTP | 1 year |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossw eb-img.qq.com/images/js/PTT/ping_tc ss_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No | | | |
| isOsDate | cf.qq.com | HTTP | 1 year |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossw eb-img.qq.com/images/js/PTT/ping_tc ss_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No | | | |
| isOsSysDate | cf.qq.com | HTTP | 1 year |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossw eb-img.qq.com/images/js/PTT/ping_tc ss_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No | | | |
| kv | h.trace.qq.com | Pixel | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js Data is sent to: Hong Kong (not adequate) | | | |
| login_origin | cf.qq.com | HTTP | 1 day |
| First found URL: https://cf.qq.com/act/10178/a20230414qx/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 4797 Source: https://ulink.qq.com/ulink sdk/dist/js/ulink.2.0.18.js Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No | | | |
| lw_nick | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtim g.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) Blocked until accepted by user: No | | | |
| main_login | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtim g.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |

| | | | |
|--|------------------|------|---------|
| main_login | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) Blocked until accepted by user: No | | | |
| openid | apps.game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://apps.game.qq.com/ams/logout_bridge.html Data is sent to: China (not adequate) | | | |
| openid | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| openid | game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 116 Source: https://apps.game.qq.com/ams/asyncCookie.html Data is sent to: China (not adequate) Blocked until accepted by user: No | | | |
| openid | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) Blocked until accepted by user: No | | | |
| p_skey | apps.game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://apps.game.qq.com/ams/logout_bridge.html Data is sent to: China (not adequate) | | | |
| p_skey | game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://game.qq.com/comm-htdocs/login/logout_bridge.html Data is sent to: China (not adequate) | | | |
| p_uin | apps.game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://apps.game.qq.com/ams/logout_bridge.html Data is sent to: China (not adequate) | | | |

| | | | |
|--|-------------------|------|------------|
| p_uin | game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://game.qq.com/comm-hdocs/login/logout_bridge.html Data is sent to: China (not adequate) | | | |
| pgv_info | ossweb-img.qq.com | HTML | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| pgv_info | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| pgv_pvid | ossweb-img.qq.com | HTML | Persistent |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| pgv_pvid | qq.com | HTTP | 5360 days |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| pt_clientip | ptlogin2.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js Data is sent to: Hong Kong (not adequate) | | | |
| pt_guid_sig | ptlogin2.qq.com | HTTP | 30 days |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js Data is sent to: Hong Kong (not adequate) | | | |
| pt_local_token | ptlogin2.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js Data is sent to: Hong Kong (not adequate) | | | |
| pt_login_sig | ptlogin2.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified | | | |

Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
Data is sent to: Hong Kong (not adequate)

pt_serverip ptlogin2.qq.com HTTP Session

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
Data is sent to: Hong Kong (not adequate)

pt_user_id ui.ptlogin2.qq.com HTTP 10 years

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
Data is sent to: Hong Kong (not adequate)

pt4_token game.qq.com HTTP Session

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via https://game.qq.com/comm-hdocs/login/logout_bridge.html
Data is sent to: China (not adequate)

ptag cf.qq.com HTTP Session

First found URL: <https://cf.qq.com/?ADTAG=EventBlackTop.button.logo>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1583
Source: <https://cf.qq.com/cp/a20230421maysecond/COMMON.js>
via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js
Data is sent to: China (not adequate)

PTTactFirstTime cf.qq.com HTTP 1 year

First found URL: <https://cf.qq.com/act/10178/a20230414qx/index.shtml>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

PTTosFirstTime cf.qq.com HTTP 1 year

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

PTTosSysFirstTime cf.qq.com HTTP 1 year

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

PTTuserFirstTime cf.qq.com HTTP 1 year

First found URL: <https://cf.qq.com/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcass_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

| | | | |
|--|--------------------|------|----------|
| Blocked until accepted by user: No | | | |
| ptui_identifier | ui.ptlogin2.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js Data is sent to: Hong Kong (not adequate) | | | |
| qq_domain_video_guid_verify | qq.com | HTTP | 10 years |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| qq_head | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| qq_nick | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gting.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| refresh_token | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js Data is sent to: Hong Kong (not adequate) | | | |
| refresh_token | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js Data is sent to: Hong Kong (not adequate) | | | |
| skey | apps.game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://apps.game.qq.com/ams/logout_bridge.html Data is sent to: China (not adequate) | | | |
| skey | game.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/cp/a20230407rlr/lr/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 2356 Source: https://game.gting.cn/images/js/milo-next/latest/milo.min.js via https://game.qq.com/comm-hdocs/login/logout_bridge.html Data is sent to: China (not adequate) | | | |
| skey | qq.com | HTTP | Session |

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
Data is sent to: Hong Kong (not adequate)

tokenParams

qq.com

HTTP

Session

First found URL: <https://cf.qq.com/?ADTAG=EventBlackTop.button.logo>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcoss_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

ts_last

cf.qq.com

HTTP

1 day

First found URL: <https://cf.qq.com/>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcoss_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

ts_refer

cf.qq.com

HTTP

180 days

First found URL: <https://cf.qq.com/?ADTAG=EventBlackTop.button.logo>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcoss_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

ts_uid

cf.qq.com

HTTP

2 years

First found URL: <https://cf.qq.com/>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 1717
Source: https://ossweb-img.qq.com/images/js/PTT/ping_tcoss_tgideas_https_min.js
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

uikey

ptlogin2.qq.com

HTTP

Session

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
Data is sent to: Hong Kong (not adequate)

uin

apps.game.qq.com

HTTP

Session

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via https://apps.game.qq.com/ams/logout_bridge.html
Data is sent to: China (not adequate)

uin

game.qq.com

HTTP

Session

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
via https://game.qq.com/comm-htdocs/login/logout_bridge.html
Data is sent to: China (not adequate)

uin

qq.com

HTTP

Session

First found URL: <https://cf.qq.com/cp/a20230407rlr/lr/index.shtml>
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 2356
Source: <https://game.gting.cn/images/js/milo-next/latest/milo.min.js>
Data is sent to: Hong Kong (not adequate)

| | | | |
|---|--------------|------|----------|
| ulink_pvid | cf.qq.com | HTTP | 20 years |
| First found URL: https://cf.qq.com/act/10178/a20230414qx/index.shtml Cookie purpose description: Unclassified Initiator: Script tag, page source line number 4797 Source: https://ulink.qq.com/ulinksdk/dist/js/ulink.2.0.18.js Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No | | | |
| video_guid | cf.qq.com | HTTP | 10 years |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) Blocked until accepted by user: No | | | |
| video_guid | video.qq.com | HTTP | 10 years |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://video.qq.com/getcookie/1.0.0/cookie.html?v=2023 Data is sent to: Hong Kong (not adequate) | | | |
| video_platform | cf.qq.com | HTTP | 30 days |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| video_platform | video.qq.com | HTTP | 10 years |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://video.qq.com/getcookie/1.0.0/cookie.html?v=2023 Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No | | | |
| vqq_access_token | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| vqq_appid | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| vqq_openid | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |

| | | | |
|--|-----------|------|---------|
| vqq_vuserid | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| vqq_vusession | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| vuserid | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| vuserid | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| vusession | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| vusession | qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| weekloop | cf.qq.com | HTTP | 1 year |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1717 Source: https://ossw eb-img.qq.com/images/js/PTT/ping_tc ss_tgideas_https_min.js Data is sent to: Hong Kong (not adequate) | | | |
| Blocked until accepted by user: No | | | |
| wx_head | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 1583 Source: https://cf.qq.com/cp/a20230421maysecond/COMMON.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js Data is sent to: China (not adequate) | | | |

Blocked until accepted by user: No

| | | | |
|--|-----------|------|---------|
| wx_nick | cf.qq.com | HTTP | Session |
| First found URL: https://cf.qq.com/ | | | |
| Cookie purpose description: Unclassified | | | |
| Initiator: Script tag, page source line number 1583 | | | |
| Source: https://cf.qq.com/cp/a20230421maysecond/Common.js via https://vm.gtimg.cn/tencentvideo_v1/script/txv.core.js | | | |
| Data is sent to: China (not adequate) | | | |
| Blocked until accepted by user: No | | | |