

# Cookie scan report

## Summary

Scan date: 17/05/2023  
 Domain name: search.jd.com  
 Server location: Ireland  
 Cookies, in total: 32



## Scan result

32 cookies were identified.  
 32 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, [create a Cookiebot subscription for your domain](#).

## Category: Unclassified (32)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
<b>_jda</b> First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a> Cookie purpose description: Unclassified Initiator: Script tag, page source line number 75 Source: <a href="https://cscssl.jd.com/wl.js">https://cscssl.jd.com/wl.js</a> Data is sent to: Ukraine (not adequate) Blocked until accepted by user: No	jd.com	HTTP	180 days
<b>_jdb</b> First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a> Cookie purpose description: Unclassified Initiator: Script tag, page source line number 75 Source: <a href="https://cscssl.jd.com/wl.js">https://cscssl.jd.com/wl.js</a> Data is sent to: Ukraine (not adequate) Blocked until accepted by user: No	jd.com	HTTP	1 day
<b>_jdc</b> First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a> Cookie purpose description: Unclassified Initiator: Script tag, page source line number 75 Source: <a href="https://cscssl.jd.com/wl.js">https://cscssl.jd.com/wl.js</a> Data is sent to: Ukraine (not adequate) Blocked until accepted by user: No	jd.com	HTTP	Session
<b>_jdu</b> First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a> Cookie purpose description: Unclassified Initiator: Page source line number 75 Source: Inline script Data is sent to: China (not adequate) Blocked until accepted by user: No	jd.com	HTTP	180 days
<b>_jdv</b> First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a> Cookie purpose description: Unclassified	jd.com	HTTP	15 days

<b>Initiator:</b> Script tag, page source line number 75 <b>Source:</b> https://cscssl.jd.com/wl.js <b>Data is sent to:</b> Ukraine (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>_gia_d</b>	jd.com	HTTP	1 day
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> jd.com <b>Data is sent to:</b> China (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>3AB9D23F7A4B3C9B</b>	jd.com	HTTP	1 year
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> jd.com <b>Data is sent to:</b> China (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>3AB9D23F7A4B3C9B</b>	search.jd.com	HTML	Persistent
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> search.jd.com <b>Data is sent to:</b> Unknown (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>3AB9D23F7A4B3CSS</b>	jd.com	HTTP	1 year
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> jd.com <b>Data is sent to:</b> China (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>3AB9D23F7A4B3CSS</b>	search.jd.com	HTML	Persistent
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> search.jd.com <b>Data is sent to:</b> Unknown (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>asn</b>	mercury.jd.com	HTTP	Session
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Page source line number 75 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>aud</b>	mercury.jd.com	HTTP	Session
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Page source line number 75 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>avt</b>	mercury.jd.com	HTTP	Session
<b>First found URL:</b> https://search.jd.com/ <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Page source line number 75			

<b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>bsn</b>	mercury.jd.com	HTTP	Session
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Page source line number 75 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>bud</b>	mercury.jd.com	HTTP	Session
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Page source line number 75 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>bvt</b>	mercury.jd.com	HTTP	Session
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Page source line number 75 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>CA1AN5BV0CA8DS2EPC</b>	search.jd.com	HTML	Persistent
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> search.jd.com <b>Data is sent to:</b> Unknown (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>cfjrrval</b>	search.jd.com	HTML	Persistent
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> search.jd.com <b>Data is sent to:</b> Unknown (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>cfvalmdjrr</b>	search.jd.com	HTML	Persistent
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver <b>Source:</b> search.jd.com <b>Data is sent to:</b> Unknown (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>clickid</b>	jd.com	HTTP	Session
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 75 <b>Source:</b> <a href="https://cscssl.jd.com/wl.js">https://cscssl.jd.com/wl.js</a> <b>Data is sent to:</b> Ukraine (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>csn</b>	mercury.jd.com	HTTP	1 day
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Page source line number 75 <b>Source:</b> Inline script			

Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			
<b>cud</b>	mercury.jd.com	HTTP	180 days
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Page source line number 75			
Source: Inline script			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			
<b>cvt</b>	mercury.jd.com	HTTP	180 days
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Page source line number 75			
Source: Inline script			
Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			
<b>HMF_CI</b>	storage.360buyimg.com	HTTP	30 days
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Script tag, page source line number 47			
Source: <a href="https://storage.360buyimg.com/jsresource/risk/handler.js">https://storage.360buyimg.com/jsresource/risk/handler.js</a>			
Data is sent to: Ukraine (not adequate)			
Blocked until accepted by user: No			
<b>idb_jdtstorage#jdtstorage</b>	search.jd.com	IndexedDB	Persistent
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Webserver			
Source: search.jd.com			
Data is sent to: Ireland (adequate)			
Adequate country under GDPR (EU)			
Blocked until accepted by user: No			
<b>jrrwebglv</b>	search.jd.com	HTML	Persistent
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Webserver			
Source: search.jd.com			
Data is sent to: Unknown (not adequate)			
Blocked until accepted by user: No			
<b>PCA9D23F7A4B3CSS</b>	search.jd.com	HTML	Persistent
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Webserver			
Source: search.jd.com			
Data is sent to: Unknown (not adequate)			
Blocked until accepted by user: No			
<b>PCTSD23F7A4B3CSS</b>	search.jd.com	HTML	Persistent
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Webserver			
Source: search.jd.com			
Data is sent to: Unknown (not adequate)			
Blocked until accepted by user: No			
<b>timecfjrr</b>	search.jd.com	HTML	Persistent
First found URL: <a href="https://search.jd.com/">https://search.jd.com/</a>			
Cookie purpose description: Unclassified			
Initiator: Webserver			
Source: search.jd.com			

<b>Data is sent to:</b> Unknown (not adequate)			
<b>Blocked until accepted by user:</b> No			
<b>timejrrwg</b>	search.jd.com	HTML	Persistent
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> search.jd.com			
<b>Data is sent to:</b> Unknown (not adequate)			
<b>Blocked until accepted by user:</b> No			
<b>webglvmdjrr</b>	search.jd.com	HTML	Persistent
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Webserver			
<b>Source:</b> search.jd.com			
<b>Data is sent to:</b> Unknown (not adequate)			
<b>Blocked until accepted by user:</b> No			
<b>xapieid</b>	search.jd.com	HTTP	1 year
<b>First found URL:</b> <a href="https://search.jd.com/">https://search.jd.com/</a>			
<b>Cookie purpose description:</b> Unclassified			
<b>Initiator:</b> Script tag, page source line number 135			
<b>Source:</b> <a href="https://search.jd.com/">https://search.jd.com/</a>			
<b>Data is sent to:</b> Ireland (adequate)			
Adequate country under GDPR (EU)			