

# Cookie scan report

## Summary

Scan date: 18/05/2023  
Domain name: autotimes.com.cn  
Server location: China  
Cookies, in total: 27



## Scan result

27 cookies were identified.  
18 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, [create a Cookiebot subscription for your domain](#).

## Category: Statistics (1)

Statistic cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
<b>BAIDUID_BFESS</b>	baidu.com	HTTP	31 years
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Collects data on the user's navigation and behavior on the website. This is used to compile statistical reports and heatmaps for the website owner. <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate) <b>Blocked until accepted by user:</b> No			

## Category: Marketing (8)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
<b>BAIDUID</b>	baidu.com	HTTP	Session
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> This cookie is used in context with the Baidu -Map integration on the website. The cookie is necessary for some map-features. <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate) <b>Blocked until accepted by user:</b> No			
<b>Hm_ck_#</b>	autotimes.com.cn	HTTP	Session
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://hm.baidu.com/hm.js?421489316ef91122c0ccb7bcb1c0d760">https://hm.baidu.com/hm.js?421489316ef91122c0ccb7bcb1c0d760</a> <b>Data is sent to:</b> Hong Kong (not adequate) <b>Blocked until accepted by user:</b> No			
<b>Hm_lpv#</b>	autotimes.com.cn	HTTP	Session

<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://hm.baidu.com/hm.js?421489316ef91122c0ccb7bcf1c0d760">https://hm.baidu.com/hm.js?421489316ef91122c0ccb7bcf1c0d760</a> <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>Hm_lpv_t_#</b>	hm.baidu.com	HTML	Session
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Page source line number 1 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>Hm_lvt_#</b>	autotimes.com.cn	HTTP	1 year
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://hm.baidu.com/hm.js?421489316ef91122c0ccb7bcf1c0d760">https://hm.baidu.com/hm.js?421489316ef91122c0ccb7bcf1c0d760</a> <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>Hm_lvt_#</b>	hm.baidu.com	HTML	Persistent
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Page source line number 1 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>HMACCOUNT</b>	hm.baidu.com	HTTP	176 months
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Page source line number 1 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			
<b>HMACCOUNT_BFESS</b>	hm.baidu.com	HTTP	176 months
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. <b>Initiator:</b> Page source line number 1 <b>Source:</b> Inline script <b>Data is sent to:</b> Hong Kong (not adequate)  <b>Blocked until accepted by user:</b> No			

Category: Unclassified (18)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
<b>__ds_storage_isblock</b>	cpro.baidustatic.com	HTML	Persistent
<b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate)			

Blocked until accepted by user: No

**\_\_ds\_storage\_search\_isblock** uba.autotimes.com.cn HTML Persistent

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

Data is sent to: China (not adequate)

Blocked until accepted by user: No

**\_\_bid\_n** sofire.bdstatic.com HTML Persistent

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

Data is sent to: China (not adequate)

Blocked until accepted by user: No

**\_\_bid\_n** undefinedcom.cn HTTP 10 years

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)  
via <https://sofire.bdstatic.com/js/dfxf3-635b4cd6.js>

Data is sent to: China (not adequate)

Blocked until accepted by user: No

**\_\_rrt** sofire.bdstatic.com HTML Persistent

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

Data is sent to: China (not adequate)

Blocked until accepted by user: No

**\_\_s** sofire.bdstatic.com HTML Persistent

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

Data is sent to: China (not adequate)

**\_\_t** sofire.bdstatic.com HTML Persistent

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

Data is sent to: China (not adequate)

**\_\_xaf\_fpstarttimer\_\_** sofire.bdstatic.com HTML Persistent

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

Data is sent to: China (not adequate)

Blocked until accepted by user: No

**\_\_xaf\_fptokentimer\_\_** sofire.bdstatic.com HTML Persistent

First found URL: <https://autotimes.com.cn/>

Cookie purpose description: Unclassified

Initiator: Script tag, page source line number 1

Source: [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

Data is sent to: China (not adequate)

**\_\_xaf\_ths\_\_** sofire.bdstatic.com HTML Persistent

**First found URL:** <https://autotimes.com.cn/>

**Cookie purpose description:** Unclassified

**Initiator:** Script tag, page source line number 1

**Source:** [https://uba.autotimes.com.cn/common/cx/wyzz\\_f/y/production/t.js](https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js)

**Data is sent to:** China (not adequate)

<b>__xaf_thstime__</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate)	sofire.bdstatic.com	HTML	Persistent
<b>abot/api/v1/tpl/re/8800</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate)	sofire.baidu.com	Pixel	Session
<b>before</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate)  <b>Blocked until accepted by user:</b> No	sofire.bdstatic.com	HTML	Persistent
<b>FEID</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate)  <b>Blocked until accepted by user:</b> No	sofire.bdstatic.com	HTML	Persistent
<b>FPTOKEN</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> via <a href="https://sofire.bdstatic.com/js/dxfaf3-635b4cd6.js">https://sofire.bdstatic.com/js/dxfaf3-635b4cd6.js</a> <b>Data is sent to:</b> China (not adequate)	undefinedcom.cn	HTTP	10000 days
<b>idb_xaf#_bid</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate)  <b>Blocked until accepted by user:</b> No	autotimes.com.cn	IndexedDB	Persistent
<b>s</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Script tag, page source line number 1 <b>Source:</b> <a href="https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js">https://uba.autotimes.com.cn/common/cx/wyzz_f/y/production/t.js</a> <b>Data is sent to:</b> China (not adequate)  <b>Blocked until accepted by user:</b> No	sofire.bdstatic.com	HTML	Persistent
<b>X_CACHE_KEY</b> <b>First found URL:</b> <a href="https://autotimes.com.cn/">https://autotimes.com.cn/</a> <b>Cookie purpose description:</b> Unclassified <b>Initiator:</b> Webserver	autotimes.com.cn	HTTP	2913402 days

**Source:** autotimes.com.cn

**Data is sent to:** China (not adequate)

**Blocked until accepted by user:** No

---

© 2023 Usercentrics A/S