

Cookie scan report

Summary

Scan date: 16/05/2023
Domain name: m.jia.com
Server location: China
Cookies, in total: 29



Scan result

29 cookies were identified.
19 cookies are unclassified and need manual classification and a purpose description.

The result is based on a scan of up to 5 website pages and therefore not complete. To perform a complete scan, [create a Cookiebot subscription for your domain](#).

Category: Necessary (1)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
PHPSESSID	m.jia.com	HTTP	Session
First found URL: https://m.jia.com/page/zxjzj.html Cookie purpose description: Preserves user session state across page requests. Initiator: Script tag, page source line number 323 Source: https://m.jia.com/newzx/codelmg Data is sent to: China (not adequate)			

Category: Statistics (1)

Statistic cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
BAIDUID_BFESS	baidu.com	HTTP	1 year
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Collects data on the user's navigation and behavior on the website. This is used to compile statistical reports and heatmaps for the website owner. Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No			

Category: Marketing (8)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
BAIDUID	baidu.com	HTTP	1 year
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: This cookie is used in context with the Baidu -Map integration on the website. The cookie is necessary for			

some map-features.			
Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			
Hm_ck_#	m.jia.com	HTTP	Session
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js via https://hm.baidu.com/hm.js?b2efe7088c9aa5d667e94de594ef0fb0 Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			
Hm_lpv#	hm.baidu.com	HTML	Session
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate)			
Blocked until accepted by user: No			
Hm_lpv#	m.jia.com	HTTP	Session
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js via https://hm.baidu.com/hm.js?b2efe7088c9aa5d667e94de594ef0fb0 Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			
Hm_lvt_#	hm.baidu.com	HTML	Persistent
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate)			
Blocked until accepted by user: No			
Hm_lvt_#	m.jia.com	HTTP	1 year
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js via https://hm.baidu.com/hm.js?b2efe7088c9aa5d667e94de594ef0fb0 Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			
HMACCOUNT	hm.baidu.com	HTTP	5361 days
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate)			
Blocked until accepted by user: No			
HMACCOUNT_BFESS	hm.baidu.com	HTTP	5361 days
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Used to send data to Baidu about the visitor's device and behavior. Tracks the visitor across devices and marketing channels. Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js			

Data is sent to: China (not adequate)

Blocked until accepted by user: No

Category: Unclassified (19)

Unclassified cookies are cookies that we are in the process of classifying, together with the providers of individual cookies.

COOKIE NAME	PROVIDER	TYPE	EXPIRY
_AMap_AMap.Geolocation First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No	webapi.amap.com	HTML	Persistent
_AMap_cgl First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No	webapi.amap.com	HTML	Persistent
_AMap_mouse First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No	webapi.amap.com	HTML	Persistent
_AMap_overlay First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No	webapi.amap.com	HTML	Persistent
_AMap_sync First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No	webapi.amap.com	HTML	Persistent
_AMap_vectorlayer First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No	webapi.amap.com	HTML	Persistent
ab_bid First found URL: https://m.jia.com/zx/other//?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94	miao.baidu.com	HTTP	Session

Data is sent to: Hong Kong (not adequate)			
ab_jid	miao.baidu.com	HTTP	Session
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate)			
ab_jid_BFESS	miao.baidu.com	HTTP	Session
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate)			
ab_sr	baidu.com	HTTP	Session
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate)			
amap-jsapi#tile	m.jia.com	IndexedDB	Persistent
First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No			
BMap_othersearch_5122ms	api.map.baidu.com	HTML	Persistent
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No			
BMap_scommon_ykaa4t	api.map.baidu.com	HTML	Persistent
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate) Blocked until accepted by user: No			
BMAP_SECKEY	m.jia.com	HTTP	30 days
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 via https://api.map.baidu.com/getscript?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94services=t=20230321100542 Data is sent to: Hong Kong (not adequate)			
LOGIN_AREAFLAG	jia.com	HTTP	1 day
First found URL: https://m.jia.com/zx/freesheji/ Cookie purpose description: Unclassified Initiator: Script tag, page source line number 6 Source: https://mued2.jia.com/js/mobile/wapCommon.js Data is sent to: China (not adequate) Blocked until accepted by user: No			
MIAO_CS	dlsnbr.baidu.com	HTML	Persistent

First found URL: https://m.jia.com/zx/other/?source=m_index
Cookie purpose description: Unclassified
Initiator: Script tag, page source line number 16
Source: <https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94>
Data is sent to: Hong Kong (not adequate)

Blocked until accepted by user: No

MIAO_LID	dlsnbr.baidu.com	HTML	Persistent
First found URL: https://m.jia.com/zx/other/?source=m_index Cookie purpose description: Unclassified Initiator: Script tag, page source line number 16 Source: https://api.map.baidu.com/api?v=2.0ak=243f68afdbfe0aa70ca23117c4606b94 Data is sent to: Hong Kong (not adequate)			
Blocked until accepted by user: No			

TJJID2	jia.com	HTTP	1 year
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Unclassified Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js via https://mued2.jia.com/js/tjj.min.js Data is sent to: China (not adequate)			
Blocked until accepted by user: No			

TJJS3	jia.com	HTTP	Session
First found URL: https://m.jia.com/page/brand_join.html Cookie purpose description: Unclassified Initiator: Script tag, page source line number 740 Source: https://mued2.jia.com/js/mobile/wapCommon.js via https://mued2.jia.com/js/tjj.min.js Data is sent to: China (not adequate)			
Blocked until accepted by user: No			