Column C	TRESPORT (NTR) PLAIN AGGIT No. 171625 PROPERTY (NTR) PLAIN AGGIT No. 171625 PROPERTY (NTR) PLAIN AGGIT No. 171625 PROPERTY (NTR) PROPERTY (NTR)	AHA AHA						The Contract of the Contract o
Color Colo	PRINCEST CHTRIX NACSTEEL, WHITTE PLAIN NACTI No. 171625		adin accordance	ive been deliver	meréoned materials h	sby certify, that the above I terms of order.	201/202/203 We hen	*
Control Cont	PRINCESSESSESSESSESSESSESSESSESSESSESSESSESS	735 09811-03			240,00000			
Color Contribution Contribution Color	T21596-14,11.70 T21596-14,	735 09811-02			240,00000			
Continue	T21596-14.11.70 T21596-14.	735 09811-01			240,00000			The Later of
Contribution Cont	Parl Processor Parl Processor Parl Processor Parl Processor Parl Processor Parl Parl Processor Parl Parl Parl Parl Parl Parl Parl Parl			31120				4
Color Contribution	PREPURSE NACSTEEL, NHITE PLAIN NOVI No. 171625	735 09813-02		7780	240,00000			1 2 7
Color Contribution of part 800 0000 Contribution Contribut	Trailrendow PARCSTEEL, WHITE PLAIN ADT No. 171625	735 09813-01		7780	240,00000			_
Accordance Contribution of the product First State Contribution Contrib	PRESTRET NATES NACCSTEEL, WHITE PLAIN ADDIT No. 171625	735 09812-02		7780	240,00000			1
Act Interest Control	PRESTRET NATE NACCSTEEL, WHITE PLAIN ADDIT No. 171625	735 09812-01		7780	240,00000			1
Accordance Contribution Contri	PRESIDENT (NTR) PLAIN NOT! No. 171625 PROJECTION PROJECTIO			26673				w
Accordance Constitution Accordance National Constitution Accordance Acc	Professor Part Pa	09837-03		1588	240,00000			_
Act Interest Act Interest Act	Professor Part Pa	09837-02		1588	240,00000			
Act Inspectation Constitution Act	T21596-14.11.20 T21596-14.	09837-01		1688	240,00000			_
Act	T21596-14.11.20 T21596-14.			66690				10
Act Interest Interest Act Interest Int	T21596-14.11.20 T21596-14.	12067-04		6669	240,00000			H
According Acco	721596-14.11.20 721596-14.11.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.120 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721	737 12067-03		6669	240,00000			
Constitution of the product Constitution as per 150 DOT	T21596-14.11.20	12067-02		6669	240,00000			H
Column Continue	721596-14.11.20 721596-14.	737 12067-01		6669	240,00000			-
Column C	T21596-14.11.20	737 09864-02		6669	240,00000			1
Acceptable Contribution Acceptable A	T21596-14.11.20	737 09864-01		6669	240,00000			,
Accordance Constitute Con	T21596-14.11.70 AGS Purphaser NACSTEEL, WHITE PLAIN A07.1 No. 171625 T21596-14.11.70 AGS Purphaser NACSTEEL, WHITE PLAIN A07.1 No. 171625 T21596-14.11.70 AGS Purphaser NACSTEEL, WHITE PLAIN A07.1 No. 171625 T21596-14.11.70 T	733 09773-04		6669	240,00000			L
Color Systems: Cardiffication as par 180 1001 And Free Ent 10204:2004 And Free Ent 10204:2003 And Free Ent 10204:2	721596-14.11.70 721596-14.	733 09773-03		6669	240,00000			
Accomplation Continued as part 201 0001 Accomplation Continued as a continued as a continue of the product Product as a continued as a continue of the product Respective of the product of the pro	AGS Purphaser NACSTEEL, WHITE PLAIN ADT. No. 171625 Final reconver B11 B12 B12 B14 Width Largth Final reconver Final reconver Final reconver B17 B17 Final reconver B18 B18 B19 B19 B19 B19 B19 B19	09773-02		6669	240,00000			1
Coll-Bysissen: Christmeston as per 1807 8001 AND INSPECTATION CERTIFICATE 3.1 AS PER EN 10204:2004 INSPECTATION CERTIFICATE 3.1 AS PER ISO 10474:2013 HATERIAL TEST REPORT (NTR) OS Fundament Inspecting body Additional Association (NTR) DH Find receiver NACSTEEL, WHITE PLAIN AD7.1 No. 171625 Production of the product Requirements B01-B99 Description of the product Heal No. Religion Nach Response Width Langth Research Resea	AGEPORT (MTR) AGEPORT (MTR) AGEPORT (MTR) RECONSTRUCT, WHITE PLAIN ADT. No. 171625 Find reconver Find reconver RECONSTRUCT, WHITE PLAIN ADT. No. 171625 Find reconver RECONSTRUCT, WHITE PLAIN ADT. No. 171625 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20 721596-14.11.20	733 09773-01		•	240,00000	2,00000	×	1
Call Systems: Cardiffication as par 130 2007 And Investigation Centification as par 130 204:2004 And Investigation Centificate 3.1 AS PER EN 10204:2004 INSPECTION CENTIFICATE 3.1 AS PER EN 10204:2003 MATERIAL TEST REPORT (NTR) OS Fraincator NACSTEEL, WHITE PLAIN AD71 No. 171625 DH OS Series design A36 And Advis of Augusta Null Traincator NACSTEEL, WHITE PLAIN AD71 No. 171625 To series design A36 And Advis of Augusta Null Traincator NACSTEEL, WHITE PLAIN AD71 No. 171625 To series design A36 And Advis of Augusta Null Traincator NACSTEEL, WHITE PLAIN AD71 No. 171625 To series design A36 And Advis of Augusta Null Traincator NACSTEEL, WHITE PLAIN AD71 No. 171625 To series and tra	AGEPORT (MTR) AGE Final receiver AGETOR (MTR) AGE Final receiver AGEPORT (MTR) AGE Final receiver AGE Final receiver AGE Final receiver AGE Final receiver AGE AGE Final receiver AGE Final		Contraction of	6		NO		of process
Constitution as part 20 2001 AND ENGINEERICATE 3.1 AS PER EN 10204:2004 INSPECTION CERTIFICATE 3.1 AS PER ISO 10474:2013 MATERIAL TEST REPORT (NTR) Seridable Impacing body ASPACHAM AND PARTIELL, WHITE PLAIN ADV.1 No. 171625 Any suppl. ASTM-A36:19 AND PRODUCT. B01-899 Description of the product.	AGEPORT (MTR) AGEPORT (MTR) NACSTEEL, WHITE PLAIN ADT. No. 171625 Final receiver Section of the product	B07.1 Rel.plate No.		B12 Theoretical	B11		Bos Thickness	Number
Constitution as per 18G 2001 See Interest to Constitution (at a) street by definition (attraction) (attracted) AND PER 19 10204:2004 INSPECTION CERTIFICATE 3.1 AS PER EN 10204:2003 MATERIAL TEST REPORT (NTR) See death impeding body Add Purchaser NACSTEEL, WHITE PLAIN AD7.1 No. 171625 DH See death A36:19 AND PRODUCT A36:19 AND Add See and A36:19 AND Add See and A36:19 AND AD7.1 No. 171625	ACSPART (MTR) ACSPARDMENT NACSTEEL, WHITE PLAIN ACT No. 171625 Final reconver 136:19					of the product .	399 Description	B01-E
ENSPECTION CERTIFICATE 3.1 AS PER ISO 10474:2013 MAYERIAL TEST REPORT (NTR) CERTIFICATE WAS PER ISO 10474:2013 MAYERIAL TEST REPORT (NTR) Find receiver CERTIFICATE NACSTEEL, WHITE PLAIN AD7.1 No. 171625 Find receiver	AGSPURNER NAGSTEEL, WHITE PLAIN AD71 No. 171625 Final receiver					19	ASTM-A36:1	
INSPECTION CERTIFICATE 3.1 AS PER EN 10204:2004 INSPECTION CERTIFICATE 3.1 AS PER EN 10204:2013 INSPECTION CERTIFICATE 3.1 AS PER ISO 10474:2013 MATERIAL TEST REPORT (NTR) ADSPARAMENT NACSTEEL, WHITE PLAIN AD7.1 No. 171625	ASPURDENT NACSTEEL, WHITE PLAIN ADT No. 171625	HEAVY PL		**************************************	The second second	Final receiver	-	
Indicate as per 190 3001 And Advanced September 19 Septe	REPORT (NTR) 721596-14.11.20	4	- 1			4		
AS PER EN 10204:2004	RTIFICATE 3.1 AS PER ISO 10474:2013			:2013			CAL TEST REPO	MATERI
difficultion as per 180 1901	AS PER EN 10204:2004	Advice of dispetch Hear Date of dispetch	Marie and the second second		ER EN 10204	TCATE 3.1 AS P	CTION CERTIF	ASS ENSPI
	diffication as per 190 9001				very anothernium to a	- as per 190 9001		Caraya

ğ	HE	Π	:	:	90	90	90	90	06	06	06	:	05	0	_	_	_	_	-	_					4	A 140
8	ITEM NO.: 01-06 STEEL DESIGNATION HEAT NO. / TRADEM		•			0.00 5		-,	-1	-	O1	•	5	05	05	05	05	:			8 8	1	AOS E		1	
7	0. ; 0: 0. / .	806 Marking of the product	32	7	-	-	-	-	.	-	<u>-</u>	5	~	-	-	_	_	ω	Mumber of phose	B01	Vily megy				SNE	
ZVOZ	1-06 WATI	berkin			4			_	.	_	4								THE	888	' '	Ì	soluted inspecting body	MATERIAL	INSPECTION	
02/203	01-06 SIGNATION / TRADEMARK	g of t			4,0000	4,0000	,0000	,0000	,0000	,0000	,0000		4,0000	4,0000	4,0000	4,0000	4,0000		Trickness	Descr	ASTN-A36: 19		o bed	TEST	ON CE	
We hereb	A36	ne pro			×	×	×	×	×	×	×		×		×	×	×		Į.	ption	N36:1		200	REPORT	77777	
We hereby cartify, that with the terms of order	A36 ROLLED PLATE NOTEST NO.	duct			96,00000	96,00000	96,00000	96,00000	96,00000	96,00000	96,00000		72,0	72,	72,	72,	72,	3	Width	801-899 Description of the product		Final receiver	AND PURCHASE	ATERIAL TEST REPORT (MTR)	CERTIFICATE 3.1	
that the a	D PLAT	i i			0000	0000	0000	0000	0000	0000	0000		72,00000	72,00000	72,00000	72,00000	72,00000			produ				TR)	197	100
bove me	E NO				×	×	×	×	*	×	×		×		×	×	×						NACSTEEL, WHITE PLAIN	PEZ	AS PER EN 10204:2004	A The State of the
mioned r	TES				240,00000	240,00000	240,00000	240,00000	240,00000	240,00000	240,00000		240,00000	240,00000	240,00000	240,00000	240,00000		Length				EEI., W	PER ISO	EN	
naterials	T NO.				0000	0000	0000	0000	0000	0000	0000		0000	0000	0000	0000	0000						STL	10474:2013	10204	
Z01/202/203 We hereby cartify, that the above mentioned materials have been delivered in accordance with the terms of order,			283042	82985	11855	11855	11855	11855	11855	11855	11855	44455	38	88	88	8	89	31119	Theoretical				NIA	2013	2004	
deliven	ISPEC		142	85								55	1688			1688		19					A07.1		edon whom	
n eco	/ INSPECTOR'S				G	Q	q	C	q	G	Q		G	G	d	G	a		Box Product delivery condition				No		5	
ordance	STAMP																		delivery				171625			
~1	10																									
R RA					486736	486736	486736	486736	486736	486736	486735		486735	486735	486735	486735	486735		B07.2 Hast No.							
14					36	36/	36	36	36	36	35		35	5	5	ū	បា		·						.	
					60	90	09	09	09	091	091		360	960	960	098	860		Bo7.1				F	_		
. >					09836-02	09836-01	09834-02	09834-01	09832-02	09832-01	09819-02		10-61860	09816-02	09816-01	09815-02	10-51860		BOT.1 RoLpinte No./ Test No.				721596-14.11.20			
A H						1	١.										1		7 8				14.1	j		
I PA					ITEM206		TEM205	TEM205	TEMOOS	TEMOOS	ITEM205		A00 Furchmeer and				1.20									
AG der Dillinger Postfach 1580, I					8	6	ดั	ō	0	σ	σ	•	۰ , ر	۰. ۱						ŀ		HEAL P	163	31	U	
der Dillings Hach 1580, Hon Aspartma																			*			HEAVY PLATES	462172-001	THE PERSON NAMED IN	DILLING	
P-667																						183	2	į	Z	2. 计图像
AG der Dillinger Hüttenwerke Postfach 1580, D-66748 Dillingen/Saar Inspection department																						The state of the s		a Cit	361	大 一
ike																				2		The state of the s	2/	1	3	100000
/Saa																			1							

Escaneado con CamScanner

ADI DXH Handadarar's mark	486735 486736 486737 C9 ITEM NO.:	486	AUS Established DH BOOJ Sheef dee BOOJ Arry supplineme Federal Record R	
ZD 1/20220	486733 Y 0,134 0,238 1,276 0,014 0 486735 Y 0,133 0,238 1,270 0,015 0 486736 Y 0,132 0,237 1,270 0,014 0 486737 Y 0,134 0,249 1,291 0,013 0 C95 Further information about ladie treatment ITEM NO.: 01-O6 MELTED IN GERMANY BY -AG DER DILLINGER HUETTENWERFE,	00 990	ANS INSPECTION CERTIFICATE 3.1 INSPECTION CERTIFICATE 3.1 MATERIAL TIST REPORT (MTR) ASSESSMENT AND ASSESSMENT AND ASSESSMENT AND ASSESSMENT AS	M. System: Certification as per ISO 9001
with the terms of orter.	0,134 0,133 0,132 0,134 formation	mical com	ON CERTIFICATE ON CERTIFICATE THST REPORT (M long body A09 Purchase Final root A36 A.STM-A36:19 Tensile test 1 806 1 806 1 B06	rtification as
erily, but the s of order.	0,238 0,238 0,237 0,249 about lac	position ?	ICATE 3.1 A ICATE 3.1 A ICATE 3.1 A DRT (NTR) Purcheser Final receiver 19 19	idon as per ISO 9001
bava menikas	1,276 1,270 1,270 1,291 1,291 NGER HU	ري د المعالمة المعالم المعالمة المعالمة المعالمة المعالمة المعالمة المعالم المعالمة المعالم المعالم المعالم المعالم المعالم المعالم المعالم المعالمة المعالم المعالم المعالم المعالم المعالم المعالمة المعالم المعالم المعالمة المعالم المعالمة المعالمة المعالمة المعالمة المعالمة المعالمة المعالم المعال	AS PER EN AS PER ISO MACSTEEL,	01 .
ZD 1/2022/03 We hereby certify. But the above mentioned materials have been delivered in accordance with the lerms of order.	0,014 0,015 0,014 0,013 ant	I QV RT	102 104 104 Cea	mallons (www.di
w been delven			C13 C10 C11	linger de Asyntho
ed in accordance	0005 0,017 0 0005 0,019 0 0007 0,017 0 0004 0,017 0		No. 171625	
	0,024 0,014 0,025 0,021	461 467 460 460 460 461 455 455	C2	
B. BALDWF	0,043 0,034 0,043 0,051		3	•
	0,050 0,038 0,045 0,045	37 38 38 38 38 38		•
AH)B	0,001 0,001 0,001 0,001		Advice of department Date of department P21596-14.11.20	
AG der Dillinger Postfach 1580, I Inspection department	C,000 C,000 0,001		88	ָ ֖֖֖֖֖֖֓֞
AG der Dillinger Hütterwerke Postfach 1580, D-66748 Dillin Inspection department Date 17.11.20	0,041 0,042 0,040 0,044		ADD Cardina No. 462172-001 BD1 Product HEAVY PLATES	
AG der Dillinger Hütterwerke Postfach 1580, D-66748 Dillingen/Saar Inspection department Date 17.11.20 RD 1			de Cortican to. 462172-001 OF Product HENVY PLATES	

ANA ZD1/Z02/Z03 We hereby certily, that the above mantioned materials have been delivered in accordance with the terms of order.	ITEM NO.: 01-06 ITEM NO.: 01-06 UT-SPECIFICATION SCANNING PLAN BODY: LONGITUDINALLY SCAN LINES SPACING 100 MM EDGES: 100 MM PERSONNEL QUALIFICATION: LEVEL 2 IX ACCORDANCE TO ISO 9712 THE TEST RESULTS MEET THE REQUIREMENTS OF THE ORDER.	ITEM NO: 01-06 EXAMINATION OF MARKING, SURFACE, SHAPE AND DIMENSIONS: THE RESULTS MEET THE SURFACE AS PER ASTM-A6 THICKNESS AS PER ASTM-A6 FLATNESS AS PER ASTM-A6 FLATNESS AS PER ASTM-A6	B02/ Sheddesign. A.36 B03 Any suppl. ASTM-A.36:19 requirements	DH ADS Exhibited Inspecting body ADS Purchaser MACSTEEL, WHITE PLAIN ADV.1 No. 171625	RTIFICATE 3.1 AS PER EN 10204:2004 RTIFICATE 3.1 AS PER ISO 10474:2013 REPORT (MTR)	Call Dysburg: Contlination as per 150 9001
B. BALDAUF Inspector's stamp	MM	nal properties	-	25	A10 Anwios of depotes No.1 Date of depotes 721596-14.11.20	
AG der Dillinger Hütterwerks Postfach 1580, D-66748 Dillingen/Sa Inspecton department RD Date 17.11.20				HEAVY PLATES	AGE Cartical No. 462172-001	DILLINGER