


	8	7	6	5	4	3	2	1
	ITEM NO.	QTY.	DESCRIPTION	LENGTH				
D	1	4	PTR 1 X 2 X CAL.14	1399.92				
	2	14	L 25.40 X 25.40 X 3.175	724.2				
	3	16	PTR 1 X 1 X CAL.14	628.4				
	4	2	PTR 2 X 2 X CAL.14	700				
C	5	2	PTR 2 X 2 X CAL.14	745				
	6	4	PTR 2 X 2 X CAL.14	42.43				
	7	4	UPPER CAP PLATE					
	8	4	WHEEL PLATE 2					
B	9	98	L 25.40 X 25.40 X 3.175	679.2				
	10	7	BAR 25.40 X 3.18	733.18				
	11	7	BAR 25.40 X 3.18	778.18				
	12	7	BAR 25.40 X 3.18	730				

A			
	AUTHORIZE	TALLER	QUALITY

NOTES:		TOTAL OF PIECES	1 Pza.
Pieza libre de filos y rebabas.		ANG. PROF	
REV	DESCRIPTION	DATE	APPROVED
REVIEWS			

UNLESS OTHERWISE SPECIFIED		
TOLERANCES DIMENSIONS		
MM	INCHES	ANGLES
+.1 -.1	+.004 -.004	+1° -1°
MATERIAL: SS304		
SURFACE TREATMENT Pulido		
HARDNESS N.A.		



TRO002-TRN-100-005-A		ALL TECHNICAL DATA DISCLOSED HERE IN IS THE PROPERTY OF JOYSON SAFETY SYSTEMS AND SHALL NOT BE USED BY ANY OTHER MANUFACTURER, PROCUREMENT OR DISCLOSURE WITHOUT WRITTEN PERMISSION OF THE OWNMER.	
PAG. 3 de 3			
MEDIDA ESPECIAL		JOYSON TECHNICAL CENTER	
APPROVALS		DATE	
DESIGNER	LGG	22/02/2022	
REVIEW	RVM	22/02/2022	
SCALE: 1:20		DRAWING IN MILLIMETERS	