NAME	DATE	TIME (HRS)

TAG	X LOC	Y LOC	SIZE
A1	-640	-524.60	⌀ 11.00 THRU ALL ⌴ ⌀ 18.00 ↧ 10.00
A2	-640	0.40	
A3	-640	525.40	
A4	0	-524.60	
A5	0	0	
A6	0	525.40	
A7	640	-524.60	
A8	640	0.40	
A9	640	525.40	
B1	-620	-394.65	⌀ 6.80 ↧ 22.25 M8x1.25 - 6H ↧ 16.00
B2	-620	-299.35	
B3	-608.57	57.35	
B4	-608.57	152.65	
B5	-540	-394.65	
B6	-540	-299.35	
B7	-528.57	57.35	
B8	-528.57	152.65	
B9	-460	-394.65	
B10	-460	-299.35	
B11	-448.57	57.35	
B12	-448.57	152.65	
B13	415	-394.65	
B14	415	-299.35	
B15	415	57.35	
B16	415	152.65	
B17	495	-394.65	
B18	495	-299.35	
B19	495	57.35	
B20	495	152.65	
B21	575	-394.65	
B22	575	-299.35	
B23	575	57.35	
B24	575	152.65	
C1	-620	-165	⌀ 10.20 THRU ALL M12x1.75 - 6H THRU ALL
C2	-620	-78	
C3	-207	-165	
C4	-207	-78	
C5	-43.50	26	
C6	-43.50	439	
C7	43.50	26	
C8	43.50	439	
C9	207	-165	
C10	207	-78	
C11	620	-165	
C12	620	-78	



FM001-MVA-301-002

PAG. 1 de 3

E MEDIDA ESPECIAL

ALL TECHNICAL DATA DISCLOSED HERE IN IS THE PROPERTY OF JOYSON SAFETY SYSTEMS AND SHALL NOT BE USED BY ANY OTHER MANUFACTURER, PROCUREMENT OR DISCLOSURE WITHOUT WRITTEN PERMISSION OF THE OWNMER.

AUTHORIZE	TALLER	QUALITY

NOTES:

Pieza libre de filos y rebabas.

TOTAL OF PIECES	1 Pza.
ANG. PROF	

REV	DESCRIPTION	DATE	APPROVED

REVIEWS

UNLESS OTHERWISE SPECIFIED

TOLERANCES DIMENSIONS	ISO 2768-1 mK-E ASME Y14.5M-1994	
MM	INCHES	ANGLES
+.1 -.1	+.004 -.004	+1° -1°

MATERIAL:	6061 Aluminium
SURFACE TREATMENT	Pulido
HARDNESS	N.A.

JOYSON SAFETY SYSTEMS

APPROVALS		DATE
DESIGNER	ABG	3/11/2022
REVIEW	RVM	3/11/2022

JOYSON TECHNICAL CENTER

MODEL NAME	FM001-MVA	SERIES No	M2022-006
MACHINE NAME	Folding Machine Canoo CAB (HSAB) 2nd Row		
PART NUMBER	FM001-MVA-301-002		
SIZE **B**	PART NAME FM001-MVA-301-002		REV. **A**
ESCALE: 1:7		DRAWING IN MILLIMETERS	

JSSAM-JTC-MF-FM-0002-001

NAME	DATE	TIME (HRS)

TAG	X LOC	Y LOC	SIZE
D1	-550	-40	∅35.00 THRU ∅41.00 X 90°
D2	-510	235	
D3	-405	400	
D4	-300	-40	
D5	-290	-455	
D6	90	90	
D7	90	340	
D8	290	-455	
D9	300	-40	
D10	405	400	
D11	510	235	
D12	550	-40	
E1	-535	291.10	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
E2	-427	268.90	
E3	-335	-483.90	
E4	-227	-506.10	
E5	227	-483.90	
E6	335	-506.10	
E7	427	291.10	
E8	535	268.90	
F1	-501	-416.55	∅ 8.50 THRU ALL M10x1.5 - 6H THRU ALL
F2	-501	162.98	
F3	-326	-416.55	
F4	-326	162.98	
F5	-275.05	145	
F6	-275.05	320	
F7	275.05	145	
F8	275.05	320	
F9	326	-405.98	
F10	326	167.98	
F11	501	-405.98	
F12	501	167.98	



FM001-MVA-301-002

PAG. 2 de 3

E MEDIDA ESPECIAL

ALL TECHNICAL DATA DISCLOSED HERE IN IS THE PROPERTY OF JOYSON SAFETY SYSTEMS AND SHALL NOT BE USED BY ANY OTHER MANUFACTURER, PROCUREMENT OR DISCLOSURE WITHOUT WRITTEN PERMISSION OF THE OWNMER.

NOTES:

Pieza libre de filos y rebabas.

TOTAL OF PIECES	1 Pza.
ANG. PROF	

REV	DESCRIPTION	DATE	APPROVED

REVIEWS

UNLESS OTHERWISE SPECIFIED

TOLERANCES DIMENSIONS	ISO 2768-1 mK-E ASME Y14.5M-1994	
MM	INCHES	ANGLES
+.1 -.1	+.004 -.004	+1° -1°

MATERIAL:	6061 Aluminium
SURFACE TREATMENT	Pulido
HARDNESS	N.A.

JOYSON SAFETY SYSTEMS

APPROVALS		DATE
DESIGNER	ABG	3/11/2022
REVIEW	RVM	3/11/2022

JOYSON TECHNICAL CENTER

MODEL NAME	FM001-MVA	SERIES No	M2022-006
MACHINE NAME	Folding Machine Canoo CAB (HSAB) 2nd Row		
PART NUMBER	FM001-MVA-301-002		
SIZE B	PART NAME FM001-MVA-301-002		REV. A
ESCALE: 1:7		DRAWING IN MILLIMETERS	

AUTHORIZE	TALLER	QUALITY

JSSAM-JTC-MF-FM-0002-001

NAME	DATE	TIME (HRS)

TAG	X LOC	Y LOC	SIZE
G1	-445.10	452.50	Ø 6.80 THRU ALL M8x1.25 - 6H THRU ALL
G2	-445.10	487.50	
G3	-386.35	-397	
G4	-386.35	-297	
G5	-386.35	55	
G6	-386.35	155	
G7	-227.65	-397	
G8	-227.65	-297	
G9	-227.65	55	
G10	-227.65	155	
G11	-125	-407	
G12	-100	-407	
G13	-18.50	-291.90	
G14	21.50	-291.90	
G15	100	-407	
G16	125	-407	
G17	179.65	-397	
G18	179.65	-297	
G19	179.65	55	
G20	179.65	155	
G21	338.35	-397	
G22	338.35	-297	
G23	338.35	55	
G24	338.35	155	
G25	440.68	452.50	
G26	440.68	487.50	
H1	-260	-415	Ø30.30↧3.00 4 X Ø13.5 THRU ALL
H2	-200	35	
H3	200	35	
H4	260	-415	



FM001-MVA-301-002

PAG. 3 de 3

E MEDIDA ESPECIAL

ALL TECHNICAL DATA DISCLOSED HERE IN IS THE PROPERTY OF JOYSON SAFETY SYSTEMS AND SHALL NOT BE USED BY ANY OTHER MANUFACTURER, PROCUREMENT OR DISCLOSURE WITHOUT WRITTEN PERMISSION OF THE OWNMER.

AUTHORIZE	TALLER	QUALITY

NOTES:
Pieza libre de filos y rebabas.

TOTAL OF PIECES	1 Pza.
ANG. PROF	

REV	DESCRIPTION	DATE	APPROVED

REVIEWS

UNLESS OTHERWISE SPECIFIED

TOLERANCES DIMENSIONS	ISO 2768-1 mK-E ASME Y14.5M-1994	
MM	INCHES	ANGLES
+.1 -.1	+.004 -.004	+1° -1°

MATERIAL:	6061 Aluminium
SURFACE TREATMENT	Pulido
HARDNESS	N.A.

JOYSON SAFETY SYSTEMS

APPROVALS		DATE
DESIGNER	ABG	3/11/2022
REVIEW	RVM	3/11/2022

JOYSON TECHNICAL CENTER

MODEL NAME	FM001-MVA	SERIES No	M2022-006
MACHINE NAME	Folding Machine Canoo CAB (HSAB) 2nd Row		
PART NUMBER	FM001-MVA-301-002		
SIZE B	PART NAME FM001-MVA-301-002		REV. A
ESCALE: 1:7		DRAWING IN MILLIMETERS	

JSSAM-JTC-MF-FM-0002-001