



	8			7		6	5		4		3		2			1	
	NAME	DATE	TIME (HRS)	TAG	X LOC	Y LOC	SIZE			'		'					
_				A1	12.70	12.70											
D	D			A2	12.70	200											D
				A3	12.70	387.30											
				A4	1300	12.70	$\phi$ 5.30 THRU ALL										
				A5	1300	387.30	$\phi$ 5.30 THRU ALL $\phi$ 10.40 X 90°										
С	С			A6	2587.30	12.70											С
				A7	2587.30	200											
-				A8	2587.30	387.30											4
				B1	25.40	25.40											
В				B2	38.10	154.66											
				В3	38.10	194.66											
				B4	535.24	25.40											В
				B5	1045.08	25.40	Ø 0.40 TUDU AU										
				В6	1554.92	25.40	Ø 8.40 THRU ALL										
				В7	2064.76	25.40											
				В8	2561.90	154.66								I			
				В9	2561.90	194.66						MDM001-TRN-200-005 PAG. 3 de 3		PROPERTY OF 1 NOT BE USED B	_ DATA DISC   <b>AKATA</b> SEA  Y ANY OTH	CLOSED HERE IS AT BELTS INC. AND S ER MANUFACTURER OSURE WITHOUT WI ER	SHALL R,
				B10	2574.60	25.40						<b>₽</b> MEDIDA	SPECIAL	PERMISSION O	F THE OWN!	ER SURE WITHOUT WE	KIIIEN
A						NOTES:		TOTAL OF PIECES ANG. PROF	1 Pza.	UNLESS OTH TOLERANCE DIMENSIONS	S ISO 2768-1 mK-E ASME Y14.5M-1994 INCHES ANGLES	TA	KATA		ONTERREY	Y TECHNICAL CI	<b>ENTER</b> 19-067
										+.11	+.004004 +1 -1	APPROVALS	DATE		Dobladoro		
						REV	DESCRIPTION	DATE	APPROVED	MATERIAL:  SURFACE TREATMENT	Inox. Cal. 12 N.A.	DESIGNER LGG	05-Apr-19	SIZE B	PART	TN-200-005 TNAME -TRN-200-005	REV.
	AUTHORIZE	TALL	LER		QUALITY		REVIEWS			HARDNESS	N.A.	REVIEW JEC	05-Apr-19	ESCALE: 1:20		DRAWING IN MILLIMETER	