Quote Q-439035-0

Physik Instrumente (PI) SE & Co. KG, Auf der Römerstr. 1, 76228 Karlsruhe, Germany

FAU Friedrich-Alexander-Universität Erlangen-Nürnberg
Chair of Solid-State Physics
Frau Dr. Angela Montanaro
Staudtstr. 7
91058 Erlangen
Germany

Phone +49 9131 85-28409
E-Mail angela.montanaro@fau.de

Your correspondence information

Quotation No.	Q-439035-0
Opportunity No.	OPP-25-062453
Customer No.	13-0039647
Contact Person	Dipl.-Phys. Konstantin Jerger
Phone	+49 721 4846 1420
E-Mail	K.Jerger@pi.de

30.10.2025 / KJE

REF: Your request

Sehr geehrte Frau Dr. Montanaro,

Thank you very much for your enquiry and the interest shown in our products. We appreciate submitting the following quotation on the basis of our General Terms and Conditions:(>>GTC)

Pos.	Qty.	Product No.	Description	Unit Price	Total Price	Optional Extended Warranty
10	2	L-509.021100V6	Vakuumgeeigneter Präzisions-Lineartisch; 2-Phasen-Schrittmotor; 26 mm Stellweg; 100 N Belastbarkeit; 10 mm/s maximale Geschwindigkeit; Kugelumlaufspindel; vakuumkompatibel bis 10^{-6} hPa	3.986,00 €	7.972,00 €	R-WEXP 558,00 €
20	2	C-815.VF	Vakuumdurchführung, D-Sub 15 (m/f), geeignet für Hochvakuum (bis 10 -6 hPa)	519,00 €	1.038,00 €	
30	2	C-815.11ST3902-0200	Antriebskabel; D-Sub 15-pol. (m); D-Sub HD 26-pol. (f); 2 m Länge; vakuumkompatibel bis 10 -6 hPa; PTFE-Mantel	152,00 €	304,00 €	
40	2	C-663.12	Kompakter Mercury Step Schrittmotor-Controller , 1 Achse, geregelter und ungeregelter Betrieb, HD D-Sub 26, 48 V	764,00 €	1.528,00 €	R-WEX1 76,00 €
50	1	L-310.021211V6	Vakuumgeeigneter Präzisionshubtisch; 2-Phasen-Schrittmotor; 26 mm Stellweg; 55 N Belastbarkeit; 7,5 mm/s maximale Geschwindigkeit; Kugelumlaufspindel; Inkrementeller Linearencoder, 20 µm Sensorsignalperiode, Sin/Cos, 1 V Spitze-Spitze; vakuumkompatibel bis 10 -6 hPa	8.086,00 €	8.086,00 €	R-WEXP 566,00 €
60	1	C-815.VF	Vakuumdurchführung, D-Sub 15 (m/f), geeignet für Hochvakuum (bis 10 -6 hPa)	519,00 €	519,00 €	
70	1	C-815.11ST3902-0200	Antriebskabel; D-Sub 15-pol. (m); D-Sub HD 26-pol. (f); 2 m Länge; vakuumkompatibel bis 10 -6 hPa; PTFE-Mantel	152,00 €	152,00 €	

70	1	C-815.00SA0338-0300	Antriebskabel; D-Sub HD 26-polig (m); D-Sub 15-polig (w); 3 m Länge; PVC-Mantel	95,00 €	95,00 €	
80	1	C-815.AC32-0040	Konverter sin/cos-Signale auf AB-Quad-Signale RS-422 IP=1000	495,00 €	495,00 €	R-WEX1 25,00 €
90	1	C-815.00SA2524-0300	Sensorkabel; D-Sub 9-polig (m); D-Sub 9-polig (w); 3 m Länge; PVC-Mantel	95,00 €	95,00 €	
100	1	C-815.VF9	Vakuumdurchführung, D-Sub 9 (m/f), geeignet für Hochvakuum (bis 10 -6 hPa)	519,00 €	519,00 €	
110	1	C-815.11ST2524-0200	Sensorkabel; D-Sub 9-polig (m); D-Sub 9-polig (w); 2 m Länge; vakuumkompatibel bis 10^{-6} hPa; PTFE-Mantel	205,00 €	205,00 €	
115	1	C-663.12	Kompakter Mercury Step Schrittmotor-Controller , 1 Achse, geregelter und ungeregelter Betrieb, HD D-Sub 26, 48 V	764,00 €	764,00 €	R-WEX1 38,00 €
130	4	M-110.1VG1	Vakuumgeeigneter kompakter Lineartisch; DC-Getriebemotor; 5 mm Stellweg; 30 N Belastbarkeit; 1 mm/s maximale Geschwindigkeit; Feingewindespindel; Inkrementeller Rotationsencoder, 2048 Impulse/U Auflösung, A/B-Quadratur, RS-422; vakuumkompatibel bis 10 -6 hPa; 0,5 m Kabellänge	2.255,00 €	9.020,00 €	R-WEXP 631,00 €
150	4	C-863.12	Mercury Servocontroller, für DC-Motoren und PWM-Motortreiber, 1 Achse, HD D-Sub 26, USB, RS-232, I/O, Anschluss für analogen Joystick	860,00 €	3.440,00 €	R-WEX1 172,00 €
160	4	C-815.AK446	Kabel 3m HD-Sub26(f) auf HD-Sub26(m)	47,00 €	188,00 €	
170	4	C-815.VF26	Vakuumdurchführung, HD D-Sub 26 (m/f), geeignet für Hochvakuum (bis 10 -6 hPa)	519,00 €	2.076,00 €	
180	6	N-472.11V	Positionsgeregelter PiezoMike Linearaktor; piezoelektrischer Trägheitsantrieb; 7 mm Stellweg; M10×1 Gewinde; 22 N Vorschubkraft; 2 mm/min maximale Geschwindigkeit; vakuumkompatibel bis 10 -6 hPa; 1 m Kabellänge	1.820,00 €	10.920,00 €	R-WEXP 764,00 €
190	6	E-873.1AT	Q–Motion® Controller für piezoelektrische Trägheitsantriebe, 1 Achse, Tischgerät (Industrie), SPI, TCP/IP, USB, RS-232, I/O, Anschluss für Joystick	1.296,00 €	7.776,00 €	R-WEX1 389,00 €
200	1	Y-FREIGHT	Freight	20,00 €	20,00 €	

Quote Q-439035-0

All prices are in Euro excluding VAT

Total Amount:	**55.212,00 €**

Optional Ext. Warranty Total:	3.219,00 €

Optional Extended Warranty: R-WEX1 offers a total of 36 months warranty with 24 months provided as standard. Terms and conditions apply, refer to the back of this quote or visit https://www.pi.ws/service.

Optional Extended Warranty: R-WEXP offers a total of 36 months warranty with 24 months provided as standard. PLUS, replacement parts cover for failures caused by wear and tear for any component that fails due to normal wear and tear. Unlimited warranty repair claims and up to two claims for wear and tear failures per product, terms and conditions apply visit https://www.pi.ws/service.

Payment and Delivery Terms (Incoterms® 2020):

Delivery Terms:	FCA frei Frachtführer 76228 Karlsruhe, Auf der Roemerstrasse 1, Germany
Delivery Time:	The product lead time depends on the availability of essential materials/components and the free production capacity at the time the order is received. For N-472 it will be approximately 20 weeks after clarification of all technical details and receiving the order. After receipt of an order, you will be provided with a planned delivery date with the order confirmation. The M-110 within 8 weeks, the L-509 within 12 weeks.
Offer valid until:	29.11.2025
Terms of Payment:	30 Tage netto after date of invoice
Warranty:	24 months after date of delivery
Orders:	Please send to Pi-KA-Order@pi.de

The PI products quoted above meet the requirements according to our understanding of the application. If you have any questions on the descriptions, technical data, price or delivery time, please do not hesitate to contact us.
Please observe the general license terms for motion controllers and software products (>> General Software License Agreement) and the third party software products (>> Third Party Software Note).

We are looking forward to receiving your order.

Best regards,
for **Physik Instrumente (PI) SE & Co. KG**

i.A. Dipl.-Phys. Konstantin Jerger
Inside Sales
Physik Instrumente (PI) SE & Co. KG

This document is electronically issued and is therefore valid without signature.

PI – Dedicated to Enhancing Our Customers Experience

PI commits to offering our customers the best possible user experience through an elite range of value-added services, designed to complement your investment in PI.

Extended Warranty PLUS

3 years Extended Warranty, PLUS replacement parts cover for failures caused by wear and tear.

- 3 years manufacturing warranty PLUS free replacement parts for any component that fails due to normal wear and tear.
- Unlimited warranty repair claims and up to two claims for wear and tear failures per product, when covered with PI's Extended Warranty PLUS.

➢ R-WEXP – Extended Warranty with wear and tear cover

Extended Warranty (PLUS) terms and conditions apply >> www.pi.ws/service/extended-warranty

Setup Services and Training

On-Site Services serve to accelerate the use and customer knowledge of a new PI system.

- Having a PI expert on the customer site for one day, delivers enormous benefit to both the customer and the system.

- Quick start Remote Services act as a quick introduction to your PI stage and controller software. 2 hours with a dedicated PI expert remotely talking you through the principle steps to get operational in just a few hours.

- Training is the best way to get the most value from your investment. A day on-site or 2 x half days remote training will enable the novice user to become quite advanced in motion control, with a tailored training session based on your application, system, and current experience.

➢ R-ENG-OSR - Professional system setup on customer's site
➢ R-SETUP – Remote setup
➢ R-TRAINING - Hands-on customer training to build up customer knowledge

Learn more about your options >> www.pi.ws/service

Ask your Sales contact for more information on how to gain protection against potential future repair charges and have a PI expert set up, optimize, and train you on your PI purchase.