
Sedentary/Lightly Active
Moderately/Highly Active
Probability of Having AVR
1.00
0.75
0.50
0.25
0.00
p = 0.069
20
30
40
50
60
70
80
Age at Outcome
Number at risk
Sedentary/Lightly Active
247
221
180
134
70
9
0
Moderately/Highly Active
248
189
142
95
42
8
1
20
30
40
50
60
70
80
Age at Outcome


Sedentary/Lightly Active
Moderately/Highly Active
Probability of Having Severe AS
p = 0.19
0.4
0.3
0.2
0.1
0.0
20
30
40
50
60
70
80
Age at Outcome
Number at risk
Sedentary/Lightly Active 248 224 188 138 77 13 0
Moderately/Highly Active 249 192 142 101 50 12 1
20
30
40
50
60
70
80
Age at Outcome


Sedentary/Lightly Active
Moderately/Highly Active
Probability of Having Severe AR
0.15
0.10
0.05
0.00
p = 0.63
20
30
40
50
60
70
80
Age at Outcome
Number at risk
Sedentary/Lightly Active
248
225
188
139
82
17
0
Moderately/Highly Active
249
191
144
101
54
19
1
20
30
40
50
60
70
80
Age at Outcome


Sedentary/Lightly Active
Moderately/Highly Active
Probability of Having Severe AoDilatation
0.15
0.10
0.05
0.00
p = 0.59
20
30
40
50
60
70
80
Age at Outcome
Number at risk
Sedentary/Lightly Active
248
224
190
141
81
15
0
Moderately/Highly Active
249
191
143
103
55
17
1
20
30
40
50
60
70
80
Age at Outcome


Sedentary/Lightly Active
Moderately/Highly Active
Probability of Incurring Composite Endpoint
1.00
0.75
0.50
0.25
0.00
p = 0.054
20
30
40
50
60
70
80
Age at Outcome
Number at risk
Sedentary/Lightly Active
247
220
179
133
68
8
0
Moderately/Highly Active
248
187
139
94
42
7
1
20
30
40
50
60
70
80
Age at Outcome