


A safer path from one conversation to one case

Pension Restart preserves a pensioner's confirmed story across voice, web and WhatsApp, while keeping language-model interpretation separate from deterministic guidance.



How one case survives every handoff

Every channel contributes to one canonical case. The caller remains in control through consent, readback and explicit correction.

1

Start or resume

A browser cookie, caller number or WhatsApp identity finds the correct case without exposing it publicly.

2

Ask one thing

The state machine asks one plain-language question and preserves the raw answer with its source.

3

Interpret safely

AI proposes constrained facts; deterministic validators reject ambiguity or request clarification.

4

Commit history

Confirmed facts become immutable events. A correction creates a new event that supersedes the old one.

5

Read back

Before guidance, the system reads the captured case back and accepts a specific correction.

6

Continue anywhere

After consent, a six-digit reference reconnects voice, web, WhatsApp or a trusted family helper.

Canonical data model

One record of truth, with enough provenance to explain how it changed.

CASES

CHANNEL IDENTITIES

CONVERSATIONS

MESSAGES

FACT EVENTS

CASE FACTS

AUDIT EVENTS

NOTIFICATIONS

Privacy boundary

- No Aadhaar, PAN or complete bank details
- No government or bank OTP collection
- Consent required before WhatsApp follow-up
- Family access is case-code and browser bound

Separation of responsibilities

The system remains useful when a provider is slow or unavailable because the case record and guidance rules stay inside the application boundary.

Conversation

VAPI / META

Transport speech and messages, identify the channel participant, and deliver provider events. They do not decide pension guidance.

Interpretation

CODEX / OPENAI

Turn free-form language into a constrained proposal containing field, value, confidence and evidence. Failure falls back conservatively.

Case truth

EXPRESS + SQLITE

Validate allowed fields, enforce versions and consent, store append-only events, protect case access and preserve corrections.

Guidance

RULE ENGINE

Choose likely cause, authority, documents and next steps only after final readback. Always label the result as guidance, not a decision.

Graceful failure

Voice, web and case storage remain separate from WhatsApp activation. A provider outage does not erase the case.

Operational visibility

Signed webhooks, deduplication, notification status and live SSE events make failures observable instead of silent.

Evidence

Live site, 2-minute submission video, source tests and this architecture document provide independently reviewable surfaces.

[Review links](#)[Live project](#) | [2-minute video](#) | [Machine-readable summary](#)