

7271




Box mode #4 – summary

- Required memory speed: 1x 32-bit LPDDR4-1600
 - No high-temperature refresh
- Features:
 - 1920x1080p60 decode
 - No MTG support
 - UHD + SD display
 - Main only (no PIP)
 - No multi-PIP
 - No HDMI input
 - No transcoding



Possible video routings





Source limitations

- For each source, you may toggle between any of the provided options.
 - Only one option enabled at a given time.
- Decode 0
 - 1920x1080p60 10-bit HEVC
 - 1920x1080p60 10-bit VP9
 - 1920x1080p60 8-bit AVC / MPEG2
 - No MTG support

- Graphics 0 (UHD)
 - 1080p60 32-bit ARGB
- Graphics 1 (SD)
 - 480p60 32-bit ARGB
 - 576p50 32-bit ARGB



HARDWARE RESOURCE MAPPING

Decoder	MFD	Hardware
Decode 0	MFD0	HVD0



Window limitations

- Window 0 (MAIN / UHD)
 - Limited display capabilities:
 - No smooth scaling
 - Must be either full-screen or less than 50%x50% of the screen
 - 1080i60 de-interlacing
- Window 1 (MAIN / SD)
 - Limited display capabilities:
 - No smooth scaling
 - Must be either full-screen or less than 50%x50% of the screen



Display and encode limitations

- Display 0 (UHD)
 - 3840x2160p60
- Display 1 (SD)
 - **-** 480i60
 - 576i50

