
AERODROME CHART GRIFFITH, NSW (YGTH)





Changes: TWY LIGHTING, Editorial.




5 NOV 2020

GNSS ARRIVAL PROCEDURES GRIFFITH, NSW (YGTH) Page 1








Changes: Editorial. GTHDG01-165




GNSS ARRIVAL PROCEDURES GRIFFITH, NSW (YGTH) Page 2



Changes: Editorial. GTHDG02-165

GRIFFITH, NSW (YGTH)



NM TO NEXT WPT	3.2	3	2	1	GF2WF	4	3	2	1.8	1.4	RW06		
ALT (3° APCH PATH)	3100	3020	2710	2390	2070	1750	1430	1110	1050	930			
	MISSED APPROACH: TRACK DCT TO GF2WH,												
IAF		IF			FAF		MA	.Pt	1	MAHF	THACK L	EN TRAC	3F2VVH,
	G	F2WI		G	F2WF		RW	06	G	F2WH	CL	IMB TO	3100FT.
3100 A GF2WD GF2WE GF2WG			3°	¹⁵⁵ °	2070					- 05	5°		
<u>180</u>	<u>)0</u>		<u>180</u>	<u>0</u>	110	\sim	110	MAPt		TCH	H 50FT		
						— _М	DA ·	IVIAI L		THE	R 06 ELEV	427	
NM TO 15 RW06		10			5	2	ō			4			

NOTES

CATEGORY	Α	В	С	D
LNAV/VNAV		930 (503-2.8))	
LNAV	•	1050 (623-3.5))	NOT
CIRCLING *	1240 (8	301-2.4)	1340 (901-4.0)	APPLICABLE
ALTERNATE	(1301	1-4.4)	(1401-6.0)	

1. MAX IAS: INITIAL: 210KT.


* 2. NO CIRCLING IN SECTOR NE OF RWYS 06 & 36 BEYOND 3NM.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

GTHGN01-175



GRIFFITH, NSW (YGTH)



NM TO NEXT WPT	RW24	1.3	1.7	2	3	4	GF2EF	1	2	3	3.2		
ALT (3° APCH PATH)		910	1040	1130	1440	1760	2080	2400	2720	3040	3100		
MISSED APPROACH	MISSED APPROACH:												
TRACK DCT TO GF2EH, THEN TRACK 235°.	MAHF		MAPt			FAF	_		IF.			IAF	
CLIMB TO 3100FT.	GF2EH		RW2	4		GF2E	F		GF2EI				
								3°	_ i			\ 3·	<u>100</u>
_							2720 235°			<u>31</u>	<u>00</u>	GF	2EA
7-23	5°_					2080		2200	_				2EB 2EC
		_			A 235	s°- 1	2000	2200					
TCH 50FT				1130	_								
THR 24 ELEV	439	ı	MAPt	MDA	<u>113</u>	0							
NM TO RW24	4			2		5	7		10			15	

NOTES

CATEGORY	Α	В	С	D
LNAV/VNAV		910 (471-2.7))	
LNAV	•	NOT		
CIRCLING *	1240 (8	APPLICABLE		
ALTERNATE	(1301	-4.4)	(1401-6.0)	

1. MAX IAS: INITIAL: 210KT.

* 2. NO CIRCLING IN SECTOR NE OF RWYS 06 & 36 BEYOND 3NM.


Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.


GTHGN02-175





GRIFFITH, NSW (YGTH)





NOTES

CATEGORY	Α	В	С	D
				NOT
CIRCLING *	1240 (8	301-2.4)	1340 (901-4.0)	APPLICABLE
ALTERNATE	(130	1-4.4)	(1401-6.0)	

1. MAX IAS: INITIAL : 210KT.

* 2. NO CIRCLING IN SECTOR NE OF RWYS 06 & 36 BEYOND 3NM.

Changes: 2107FT OBST, CAT C OUTBOUND TRACK.

GTHNB01-165

