

AERODROME CHART LEINSTER, WA (YLST)




Changes: TURN PADS ADDED.




8 SEP 2022 GNSS ARRIVAL PROCEDURES LEINSTER, WA (YLST)



LEINSTER, WA (YLST)





1. MAX IAS: INITIAL: 230KT.

* 2. NO CIRCLING NORTH OF RWY 10/28. # 3. ACFT MUST CTC YBLU PRIOR TO

CATEGORY	Α	В		С	D
LNAV/VNAV					
LNAV		NOT			
CIRCLING*	2350 (7	719-2.4)	2450	(819-4.0)	APPLICABLE
ALTERNATE	(121	9-4.4)	(13	19-6.0)	

HOLD ON CTAF.


CAUTION: PROC IS
OVERLAID BY YBLU
RNP RWY 01.

Changes: CHART TITLE, PBN SPECIFICATION BOX, NOTE 3, Editorial.

LSTGN01-176



LEINSTER, WA (YLST)



NM TO NEXT WPT	RW28	1	1.7	2	3	4	LEREF	0.6					
ALT (3° APCH PATH)		1990	2210	2320	2640	2950	3100	3300					
MISSED APPROACH:								•					
TRACK DCT TO LEREH, MAI THENCE TURN LEFT, LER TRACK 160°.		MAF RW2	-		FAF LERE			L	IF EREI			IAF	
CLIMB TO 3300FT.					3	•	– ⊲ 279	۰۰					3300
					3100		3100			310	00		EREA EREB
→ -160° →				279									EREC
TCH 50FT		. – ,	_/										
THR 28 ELEV 1630		MAPt	·~	MDA	١								
NM TO RW28 2.	7	-			4.5				10.3			15.3	

NOTES INITIAL: 230KT.

*2. NO CIRCLING NORTH OF RWY 10/28.

1. MAX IAS:

CATEGORY	Α	В		С	D
LNAV/VNAV		1990 (360-2.0)		
LNAV		2210 (579-3.3			NOT
CIRCLING *	2350 (7	719-2.4)	2450	(819-4.0)	APPLICABLE

CAUTION: PROC IS OVERLAID BY YBLU RNP RWY 01. |**2450** (819-4.0)| APPLICABLE (1319-6.0)

Changes: CHART TITLE, PBN SPECIFICATION BOX, NOTE 2, Editorial.

(1219-4.4)


LSTGN02-176




ALTERNATE

7 SEP 2023

LEINSTER, WA (YLST)





NOTES

- 1. MAX IAS: INITIAL : 210KT.
- * 2. NO CIRCLING NORTH OF RWY 10/28.

CATEGORY	Α	В		С	D
S-I NDB					
		NOT			
CIRCLING *	2350 (7	719-2.4)	2450	(819-4.0)	APPLICABLE
ALTERNATE	(121	9-4.4)	(13	19-6.0)	

#3. ACFT MUST CTC YBLU PRIOR TO HOLD ON CTAF. CAUTION: PROC IS OVERLAID BY YBLU RNP RWY 01.


Changes: NOTE 3.


LSTNB01-176



7 SEP 2023

LEINSTER, WA (YLST)





NOTES

1. MAX IAS: INITIAL: 210KT. 2. NO CIRCLING NORTI

CATEGORY	Α	В	С		D] [^] 2.
S-I NDB			#3.			
		NOT				
CIRCLING *	2350 (7	719-2.4)	2450 (819	9-4.0)	APPLICABLE	
ALTERNATE	(1219	9-4.4)	(1319-6	.0)		

*2. NO CIRCLING NORTH OF RWY 10/28. #3. ACFT MUST CTC YBLU PRIOR TO HOLD ON CTAF. CAUTION: PROC IS

CAUTION: PROC IS OVERLAID BY YBLU RNP RWY 01.

Changes: NOTE 3.

LSTNB02-176

