



Changes: NOTES, TWY, APN AND BUILDINGS.







NOTES


CATEGORY	Α	В	С	D	INITIAL : 210KT.
LNAV/VNAV		610 (445-2.5)			
LNAV		850 (685-3.9)		NOT	
CIRCLING	980 (80	0-2.4)	1470 (1290-4.0)	APPLICABLE	
ALTERNATE	(1300-	4.4)	(1790-6.0)		

Changes: CHART TITLE, PBN SPECIFICATION BOX.

LTVGN01-174



LATROBE VALLEY, VIC (YLTV)



NM TO NEXT WPT	RW21	1	1.6	3	4	5	LTVEF	1	2	3	4	5	LTVEI	
ALT (3° APCH PATH)		550	750	1190	1500	1820	2230	2540	2860	3180	3500	3820	4140	
MISSED APPROACH:														
TRACK DCT TO LTVE	H. MAHF LTVE		APt N21			FAF LTVE			LT'	VEI			IAF	
TRACK 250°. CLIMB TO 3900ft.													_	6400
N.											_	_		TVED
,	3500								_	4140	_			_TVEE _TVEG
	00					2230		213°-			<u>410</u>	<u> </u>		
TCH 50FT	` <u>`</u>	_			. 21	3°-*	_	2200						
	V 400	MAPt				DA	4	<u> 2200</u>						
THR 21 ELE	2.7	_	1			6.3			12	3			19.3	
INIVI TO RVVZT	2.1		U			0.3			12			NO	OTEŠ	,

CATEGORY В C D LNAV/VNAV **550** (370-2.1) 750 (570-3.2) NOT **LNAV APPLICABLE 1470** (1290-4.0) CIRCLING 980 (800-2.4) **ALTERNATE** (1300-4.4)(1790-6.0)


Changes: R359A-G DELETED, R360A-F ADDED, NOTE 3, Editorial.


1. MAX IAS: INITIAL: 210KT.
2. CAUTION:
INITIAL & INTERMEDIATE SEGMENT OVERLAP HOLDING & INITIAL SEGMENTS FOR YWSL RNP RWY 09 PROC.
3. INITIAL SEGMENTS INFRINGE R360A/C/F; AWY CLR RQ.

LTVGN02-177



LATROBE VALLEY, VIC (YLTV)





NOTES


CATEGORY	Α	В	С	D	1. MAX IAS: INITIAL :		
					CAT A&B 140KT.		
			NC				
CIRCLING	980 (800-2.4)		APPLIC				
ALTERNATE	(1300	-4.4)					


Changes: FROM SUP H83/21.

LTVNB01-169



LATROBE VALLEY, VIC (YLTV)





NOTES

CATE	EGORY	Α	В	С	D	1. MAX IAS: INITIAL : 180KT. HOLDING: 180KT.		
		NC	T		NOT			
CIRC	LING	APPLIC	CABLE	1470 (1290-4.0)	APPLICABLE			
ALTE	RNATE			(1790-6.0)				

airservices

Changes: FROM SUP H83/21.

LTVNB02-169