
AERODROME CHART CARNARVON, WA (YCAR)




Changes: RWY 04/22 IWI DCMSD, THR 04 ELEV, RWY 04/22 MAG BRG.







DME or GNSS ARRIVAL PROCEDURES

17 JUN 2021 **CARNARVON, WA (YCAR) AWIS** FIA CTAF+AFRU AFRU+PAL Bearings are Magnetic



Changes: MINIMA. CARDG01-167





NOTES

CATEGORY	Α	В	С	D						
LNAV/VNAV		350 (342-1.9)								
LNAV		550 (53	37-3.0)							
CIRCLING *	670 (6	57-2.4)	760 (747-4.0)	810 (797-5.0)						
AI TERNATE	(1157	7-4 4)	(1247-6.0)	(1297-7.0)						


1. MAX IAS: INITIAL: 210KT.

* 2. NO CIRCLING IN SECTOR EAST OF RWY 22 & RWY 36 BEYOND 2.5NM.

Changes: CIRCLING MINIMA, 420FT TOWER, 266FT TOWER.

CARGN01-178





NM TO NEXT WE	T CA2NI	1 0.6	1.2	2	3	4	CA2NF	0.2					
ALT (3° APCH PATH	1)	350	540	790	1100	1420	1740	1800					
MISSED APPROA													
TRACK DCT TO CA2NH THEN TRACK 224°. CLIMB TO 1500ft.	MAHF CA2NH	MAI CA2N				AZNF		C	IF A2NI			IAF	
					1740	3°						١.	1000
		İ			1740	*	 - - 224	· —	†				1 800 A2NA
22	10			. 27	10°		<u>1500</u>			<u>15</u>	<u>00</u>	C	A2NC
	7			`L								, C	A2ND
TCH 50FT	1	MAPt	~	ME								C	AZND
		MAPt	~									C.	AZND

NOTES

CATEGORY	Α	С	D					
LNAV/VNAV	350 (337-1.9)							
LNAV		540 (52	27-3.0)					
CIRCLING *	670 (6	557-2.4)	760 (747-4.0)	810 (797-5.0)				
ALTERNATE	(115	7-4.4)	(1247-6.0)	(1297-7.0)				


^{1.} MAX IAS: INITIAL : 210KT.

Changes: CIRCLING MINIMA, 420FT TOWER, 266FT TOWER.

CARGN02-178



^{* 2.} NO CIRCLING IN SECTOR EAST OF RWY 22 & RWY 36 BEYOND 2.5NM.



DME DIST ALT		- NOT	APPL	LICABL	.E –				
MISSED APPROAC TRACK 215°. CLIMB TO 1500ft.	*2	1500	C	B CAT C8 CAT A8			5 <u>00</u>	ı	
	THR 22 EI	LEV 13	17174						

NOTES

CATEGORY	Α	В	C	D					
S-I NDB	650 (637-3.6)								
CIRCLING *	670 (6	657-2.4)	760 (747-4.0)	810 (797-5.0)					
ALTERNATE	(115	7-4.4)	(1247-6.0)	(1297-7.0)					


1. MAX IAS: INITIAL: 210KT. * 2. NO CIRCLING IN SECTOR EAST OF


* 2. NO CIRCLING IN SECTOR EAST OF RWY 22 & RWY 36 BEYOND 2.5NM.

Changes: CIRCLING MINIMA, REVERSAL ALT, 420FT TOWER, 266FT TOWER.

CARNB01-178







NM TO CAR DME

NOTES

1. MAX IAS: INITIAL : 210KT. **CATEGORY** Α В D 600 (587-3.3) S-I VOR

CIRCLING * 670 (657-2.4) 760 (747-4.0) **810** (797-5.0) (1247-6.0)(1297-7.0)**ALTERNATE** (1157-4.4)


* 2. NO CIRCLING IN SECTOR EAST OF RWY 22 & RWY 36 BEYOND 2.5NM.

Changes: CIRCLING MINIMA, 420FT TOWER, 266FT TOWER.

CARVO01-178

21 MAR 2024

CARNARVON, WA (YCAR)



MISSED APPROACH: TRACK 218°. CLIMB TO 1500ft. CAR VOR/DME CAT C&D 013° (2 MIN) CAT A&B 023° (2½ MIN) THR 22 ELEV 13 CAR CAR CAR CAR CAR CAT C&D 013° (2 MIN) 1500	DIST BY DME ALT	NC	T APPLIC	ABLE -						
	TRACK 218°.		VOR/DM 1500	CAT C&E	023°	(2½ N	(NIII)) 1 <u>500</u>		

NM TO CAR DME

NOTES 1. MAX IAS: INITIAL: 210KT.

CATEGORY	Α	В	С	D				
S-I VOR	630 (617-3.5)							
CIRCLING*	670 (6	670 (657-2.4) 760 (747-4.0) 810 (797						
ALTERNATE	(115	7-4.4)	(1247-6.0)	(1297-7.0)				

* 2. NO CIRCLING IN SECTOR EAST OF RWY 22 & RWY 36 BEYOND 2.5NM.


Changes: CIRCLING MINIMA, REVERSAL ALT, 420FT TOWER, 266FT TOWER.


CARVO02-178



21 MAR 2024

CARNARVON, WA (YCAR)





NOTES

CATEGORY	Α	В	C	D					
S-I VOR/DME	550 (537-3.0)								
CIRCLING *	670 (6	57-2.4)	760 (747-4.0)	810 (797-5.0)					
ALTERNATE	(115	7-4.4)	(1247-6.0)	(1297-7.0)					


^{1.} MAX IAS: INITIAL : 210KT.

Changes: CIRCLING MINIMA, 420FT TOWER, 266FT TOWER.

CARVO03-178



^{* 2.} NO CIRCLING IN SECTOR EAST OF RWY 22 & RWY 36 BEYOND 2.5NM.



DIST TO CAR DME	2	3	4	4.9									
ALT (3° APCH PATH)	580	900	1220	1500									
MISSED APPROACH: A GNSS permitted in lieu of DME													
TRACK 218°.		~~											
CLIMB TO 1500ft.		CAR	_						Refere	ence w	aypoin [.]	t CAR '	VOR
	٧	OR/DM			400								
	1500			C&D 0			1			Λ			
	1300	4	CAT	4&B 02	73° ₂₀ -		<u>ر</u>			_			
			•,		80		┵	< 218°⋅	-		1500		
					~ <u></u>		1		<u> 1:</u>	<u>500</u>			
				00.			1:	300					
_				,2 ¹ /8°			1 -						
2	100			A					818	ို့ ဝိ	ထိ		
- 2	18°	_ !					1		Q Q	(0 ! N	- m		
	M	APt	/	MD	A .				LR-026° LR-050°	8 0	, <u>, , , , , , , , , , , , , , , , , , </u>		
THR 22 ELEV	3	- T		IVID	`		1		-1-	Œ	ш.		
NM TO CAR DME		0			4.5		7		10	10			

NOTES

CATEGORY	Α	В	С	D					
S-I VOR/DME	580 (567-3.2)								
CIRCLING*	670 (6	557-2.4)	760 (747-4.0)	810 (797-5.0)					
ALTERNATE	(115	7-4.4)	(1247-6.0)	(1297-7.0)					

1. MAX IAS: INITIAL: 210KT.

* 2. NO CIRCLING IN SECTOR EAST OF RWY 22 & RWY 36 BEYOND 2.5NM.

Changes: CIRCLING MINIMA, 420FT TOWER, 266FT TOWER.

CARVO04-178

