Due: 1 Feb 2019

Full Name:	Alpha:
Circle Your Section: Aviv/1001 Aviv/200	1 Aviv/4001 Choi/5001 Missler/5002
Preliminary: Carefully do the assigned rea	ading for Chapter 2 (2.1-2.3,2.5-2.10,2.12)

- 1. The MIPS code below processes two arrays and produces an important value in register \$v0. Assume that each array consists of 2500 4-byte words indexed 0 through 2499, that the base address of these arrays are stored in \$a0 and \$a1 (respectively), and their sizes (2500) are stored in \$a2 and \$a3 (respectively).
  - (a) [10 points] Add comments to the code that describe each instruction

```
sll
             $a2, $a2, 2
             $a3, $a3, 2
        sll
        add
            $v0, $zero, $zero
        add
            $t0, $zero, $zero
             $t4, $a0, $t0
outer: add
        lw
             $t4, 0($t4)
        add
             $t1, $zero, $zero
innner: add
             $t3, $a1, $t1
        lw
             $t3, 0($t3)
        bne
             $t3, $t4, skip
        addi $v0, $v0, 1
skip: addi $t1, $t1, 4
       bne $t1, $a3, inner
        addi $t0, $t0, 4
        bne $t0, $a2, outer
```

(b) [10 points] Suppose you run the code with Array 1 and Array 2 like below

Array	1	1	Array	2
13			13	
7		İ	24	
7		-	19	
20		- 1	20	
42		- 1	7	
51		-	51	
100			7	
33		- 1	7	

What is the output in \$v0?

Show your work below for full credit?

2. [5 points] Given the function function1(int a, int b), write the mips code that would call the function like function1(3, 7) then store the result/return-value in \$s0

3. **[5 points]** You have this definition for a funtion:

```
int function1(int a, int b){ return (a-b); }
```

Write MIPS code to **define** the function:

4. [5 points] Write MIPS code to define the following function

```
int min(int a, int b){
  if ( a < b )
    return a;
  else
    return b;
}</pre>
```

5. [10 points] Write the MIPS code to define the following function:

```
int function2( int g, int h){
  return h + function1(13,g,h);
}
```

You will need to store something on the stack — describe why/where in comments!

6. [10 points] Write the MIPS code to define the following function:

```
int function3( int g, int h){
  return function6(a+10,b) + function7(b);
}
```

You will need to store something on the stack — describe why/where in comments!

7. [10 points] Write the MIPS code to define the following function:

```
int lemur( int a, int b){
  return pand(a + 100) + b;
}
```

You will need to store something on the stack — describe why/where in comments!

8. [15 points] Write the MIPS code to define the following function:

```
int alpaca( int x, int y, int z){
  return hedgehog(ferret(y,z) + x);
}
```

You will need to store something on the stack — describe why/where in comments!