# Project Extended Abstract

Conor Holden

March 7, 2021

### 1 Introduction

The purposed of this project was to create a virtual instrument of the uilleann pipes. There are

- Intro
  - Describe
  - Physical Modelling
  - VST, AU interfaces that allow you to connect with DAWs
  - Juce & iplug 2

# 2 Analysis

### 2.1 Physical Modelling Synthesis

#### 2.2 Subtractive Synthesis

One of the potential ways to create a virtual uilleann pipes would be using subtractive synthesis. This involved using complex waveforms and subtracting frequencies of the sound using filters, envelopes and low frequency oscillator. Following the research on subtractive synthesis for the uilleann pipes by T. Ó Póil et al and using a fully featured subtractive synthesiser, in this case Sylenth1 by LennarDigital, it is possible to create a very convincing sound. Given enough time and experience with this type of synthesis, it would be possible to create an almost indistinguishable sound.

However, creating a subtractive synthesiser within the time of this project just to play uilleann pipes would be difficult and frankly, pointless. Especially when there are many fully featured synthesisers with years of support and updates available, even some that are free, which would be easier to use and create a better sounding result.

#### 2.3 Sampler Synthesiser

Arguably the most obvious and intuitive way to create a virtual instrument is to create a sampler instrument. This type will play samples or sound recordings on a key press. Some samplers, such as drum kits, are as simple as that. Each key will play a single sound once. For other instruments, it can be more complicated where notes consist of multiple samples. There might be samples for the beginning, the sustain and the end of the note, as well as different intensities when playing a note.

After analysing the previous two methods and attempting the latter, it was eventually decided on the implement the uilleann pipes as a sampler. From research, it seems like other people who create virtual uilleann pipes and bag pipes in general also use this method such as Universal Piper.

#### 2.4 Technologies

The goal is to make instrument plugins that can be used in digital audio work stations, such as Abelton Live or FL Studio, and to do that, it needs to be in a certain format. The two most popular formats are VST and AU. Virtual Studio Technology or VST, is an interface developed by Steinberg for their DAW Cubase that allowed third part party instruments and effects to be used with it. It has been licensed to other DAW developers and has become the most popular format. Audio Units or AU is a format developed by Apple for Logic Pro and have since been implemented into MacOS and IOS for other applications to use.

Both VST and AU allow the creation of plugins but you would have to do all the hard work yourself. Instead, a higher level framework would be used. A potential candidate was iPlug2, an open source framework that can compile to many different formats including VST and AU. However, it is relatively new from 2018, it lacked the documentation and tutorials needed to use it for this project.

The second framework found and chosen is JUCE. Similarly to iPlug2, it can be compiled to many different formats from a single code base. What differs is that JUCE is much older and has extensive documentation on all the classes it provides for create audio applications and audio processing. JUCE also has a relatively big community that create tutorials and provide help for newcomers with questions. The only issues are that JUCE has separate code layout for audio applications and plugins and it can be difficult translating tutorials for applications to plugins. As well, JUCE 6 was released in June, 2020 and some information is for the older versions.

## 3 Design

The uilleann pipes will be implemented as a sampler instrument as a JUCE plugin. The plugin will consist of two sound generators corresponding to the uilleann pipes. The chanter, which plays the melody and can receive midi input and the drones, which will play a constant bass note.

#### 3.1 Layout

There will only be 5 controls on the screen. There will be 3 volume sliders. Both the chanter and the drones will have their separate volume slider and a third master slider that will control the overall volume of the instrument. The plugin will have an on screen keyboard. This will allow the user to play notes on the chanter by clicking on screen. Finally will be a button to toggle the drone. When enabled the drone will play and disable it will stop. The idea is that this option can be toggled on and off using the DAW's automation.

### 3.2 Creating Sound

For this project, there was no access to uilleann pipes. Usually when creating a sample, you would record high quality audio of the instrument. For the uilleann pipes, this would be the chanter and the three drones. However, the project was limited to find relatively low quality samples online.

The drone is still fairly simple. It will loop a single clip of audio when enabled. An amplitude envelope will added to it so the audio does not just turn on and off instantly. This makes it sound slightly more natural and avoid popping noises when the audio is suddenly stopped.

The chanter is more complex. Ideally there would be a sample for every note or every type of note, but there was only one for this project. So the pitch of the sampled needed to be changed for every key. This is done by getting the frequency of the sample and playing it proportionally faster or slower to make the frequency of a different notes. The same note in different octaves, an octave higher has a frequency twice as high and an octave lower has a frequency half of the current note. This means that the sample can either be played at twice the speed or half the speed to achieve these notes. For other notes, it involves dividing the desired frequency by the frequency of the sample. This will give the rate at which the sample needs to be played

#### 4 evaluation

- need more samples
- artefacts, distortion

•

#### 5 References

• Analysis tools and Results for a Subtractive Synthesis Modelling of the Irish Uilleann Pipes