

Coupons & Wallet

Promotion Modules — Discount Before Payment & Stored Balance

Version 1.0 | **Date** July 12, 2026 | **Confidential**

© 2026 GlowTap

1. Design Philosophy

GlowTap should launch with a **simple reward system**, not a complex loyalty engine. Coupons and Wallet are **separate modules** with a single responsibility each:

Module	Responsibility	When it applies
Coupon	Reduces the booking amount **before** payment	At checkout, before the customer pays
Wallet	Stores real money the customer can **spend** at checkout	After cashback, referral, refund, or promotional credit

```
Booking total
    │
    ├── Coupon applied first  →  discount on bill
    │
    └── Wallet applied second →  pay from balance
            │
            └── Remaining amount → online payment (UPI / card)
```

Key rules:

- A coupon is **not** wallet money — it is a conditional discount on the current booking.
- Wallet balance is **real money** (INR) with a transaction ledger.
- Salon-funded coupons and platform-funded coupons are tracked separately for settlement.
- Both modules can be **enabled or disabled globally** by Super Admin without redeploying the app.

2. Platform Roles

Role	Coupon module	Wallet module
Super Admin	Enable system, create platform coupons, set global rules, view usage reports	Enable system, configure credit rules, manual adjustments, refunds to wallet
Salon Admin	Create salon-funded coupons (within platform rules); submit for approval if required	— (no direct wallet control in Phase 1)
Customer	View, enter code, auto-apply best coupon, see terms & expiry reminders	View balance, history, use at checkout, receive credit notifications

3. Coupon Module

3.1 Responsibility

Coupons **reduce the booking amount before payment**. They never add money to a balance — they only lower what the customer pays on that transaction.

3.2 Coupon types

Type	Description	Example
Flat discount	Fixed rupee amount off	₹100 OFF
Percentage discount	Percent of booking subtotal	20% OFF
First booking	One-time use for new customers	FIRST100
Festival / campaign	Time-bound platform or salon campaign	DIWALI25

Salon Admin can create **flat**, **percentage**, **service-specific**, **branch-specific**, and **festival** offers — subject to platform rules and optional Super Admin approval.

3.3 Configuration (per coupon)

Setting	Description
Validity period	`valid_from` / `valid_until`
Minimum booking amount	Coupon applies only if subtotal ≥ threshold
Maximum discount cap	Ceiling for percentage coupons (e.g. 20% OFF, max ₹500)
Usage limit per customer	e.g. once per user, or N times total
Applicable services	Restrict to specific service IDs (optional)
Applicable salons	Platform coupon: selected orgs/branches; Salon coupon: own branches
Funding source	`PLATFORM` or `SALON` — drives settlement reporting
Requires approval	Salon-created coupons may sit in `PENDING` until Super Admin approves

3.4 Super Admin — Coupon capabilities

- Enable / disable the **Coupon system** platform-wide
- Create **platform-funded** coupons (flat, percentage, first booking, festival)
- Configure validity, limits, service/salon scope, and max discount
- View **coupon usage report** (redemptions, discount given, salon vs platform share)

© 2026 GlowTap

Confidential

- Approve or reject **salon-submitted** coupons when approval is required

3.5 Salon Admin — Coupon capabilities

- Create **salon-funded** coupons within platform-enforced limits (max %, max flat amount, min booking)
- Types: flat, percentage, service-specific, branch-specific, festival offer
- Submit for approval when platform policy requires it (`status = PENDING`)
- View own coupon performance (redemptions at their branches)

3.6 Customer — Coupon capabilities

- View **available coupons** (eligible for current cart / booking)
- **Enter coupon code** manually
- **Auto-apply best coupon** (highest savings among eligible coupons)
- View **coupon terms** (min amount, expiry, services, branches)
- Receive **expiry reminder** notification before coupon expires

3.7 Coupon flow (worked example)

```
Booking subtotal     ₹1,200
        ↓
Coupon applied       20% OFF
        ↓
Discount             ₹240
        ↓
Customer pays        ₹960  (+ taxes/fees if applicable)
```

Calculation order:

1. Start with booking **subtotal** (services + add-ons, before tax).
2. Validate coupon (active, in date, min amount, usage limit, scope).
3. Compute discount: `flat` → fixed amount; `percentage` → `subtotal × rate` , capped by `max_discount` .
4. `payable = subtotal - discount` (floor at ₹0).
5. Record **coupon redemption** for reporting and usage limits.

3.8 Coupon lifecycle

```
DRAFT → ACTIVE → EXPIRED
             ↘ DISABLED (manual)
Salon-created:  DRAFT → PENDING → ACTIVE | REJECTED
```

3.9 Proposed tables (Phase 2 — not in DB yet)

Table	Purpose
`platform_settings`	`coupons_enabled` flag (and wallet flag)
`coupons`	Master coupon definition
`coupon_scopes`	Services, branches, orgs linked to a coupon
`coupon_redemptions`	Per-booking redemption audit

`coupons` (summary columns):

Column	Type	Description
`id`	UUID	Primary key
`code`	VARCHAR	Unique coupon code (e.g. `GLOW20`)
`name`	VARCHAR	Display name
`discount_type`	ENUM	`FLAT`, `PERCENTAGE`
`discount_value`	DECIMAL	₹ amount or percentage
`max_discount`	DECIMAL	Cap for percentage type
`min_booking_amount`	DECIMAL	Minimum subtotal
`usage_limit_per_customer`	INT	Max redemptions per customer
`usage_limit_total`	INT	Global cap (optional)
`valid_from`, `valid_until`	TIMESTAMPTZ	Validity window
`funding_source`	ENUM	`PLATFORM`, `SALON`
`organization_id`	UUID	FK — set for salon-funded coupons
`coupon_kind`	ENUM	`STANDARD`, `FIRST_BOOKING`, `FESTIVAL`
`status`	ENUM	`DRAFT`, `PENDING`, `ACTIVE`, `EXPIRED`, `DISABLED`, `REJECTED`
`created_by`	UUID	Super Admin or Salon Admin user
`approved_by`	UUID	Super Admin (if approval required)

© 2026 GlowTap

Confidential

4. Wallet Module

4.1 Responsibility

The wallet stores **real money** (INR). Customers spend wallet balance during checkout. Credits and debits are fully auditable.

4.2 Money in — credit sources

Source	Description	Typical trigger
Cashback	% of completed booking returned to wallet	Post-appointment, per Super Admin rules
Referral reward	Credit when referred user completes first booking	Referral program
Refund	Booking cancelled / partial refund routed to wallet	Ops or automated refund policy
Promotional credit	Campaign, birthday, anniversary, manual goodwill	Super Admin or automated rules

4.3 Super Admin — Wallet capabilities

- Enable / disable the **Wallet system** platform-wide
- Configure **wallet expiry** (e.g. credits expire after N days)
- Define **cashback rules** (% of booking, max per txn, eligible services)
- Define **referral wallet credit** (referrer + referee amounts)
- Configure **birthday** and **anniversary** wallet credit
- View **wallet transactions** (platform-wide ledger)
- **Manual wallet adjustment** (credit or debit with reason code)
- **Refund to wallet** and view **refund status**

4.4 Customer — Wallet capabilities

- View **wallet balance** (available vs expired / pending)
- **Wallet history** (credits, debits, expiry)
- **Use wallet during checkout** (up to payable amount after coupons)
- Receive **wallet credit notifications** (cashback, referral, birthday, refund)

© 2026 GlowTap

Confidential

4.5 Wallet flow (worked example)

```
Customer birthday credit     +₹200
        ↓
Wallet balance               ₹500  (₹300 existing + ₹200 birthday)
        ↓
New booking subtotal         ₹900  (after any coupon discount)
        ↓
Wallet used                  ₹500  (full available balance)
        ↓
Online payment               ₹400
```

Checkout order:

1. Apply **coupon** discount on subtotal (if any).
2. Compute **payable after coupon**.
3. Apply **wallet** up to `min(wallet_balance, payable)`.
4. Charge **remaining** via payment gateway.

4.6 Wallet rules

Rule	Description
Single balance per customer	One wallet per end-user account
Ledger immutability	Every change is an append-only transaction row
Expiry	Credits may have `expires_at`; spend oldest-soonest-expiring first (FIFO)
Non-withdrawable	Wallet balance is for bookings on GlowTap only (no bank withdrawal in Phase 1)
Refund priority	Configurable: refund to wallet vs original payment method

4.7 Proposed tables (Phase 2 — not in DB yet)

Table	Purpose
`wallets`	One row per customer — cached `balance` (derived from ledger)
`wallet_transactions`	Immutable credit/debit ledger
`wallet_credit_rules`	Cashback, referral, birthday, anniversary configs
`wallet_refunds`	Refund-to-wallet tracking linked to bookings

`wallet_transactions` (summary columns):

Column	Type	Description
`id`	UUID	Primary key
`wallet_id`	UUID	FK → `wallets`
`customer_id`	UUID	FK → end-user account
`type`	ENUM	`CREDIT`, `DEBIT`
`source`	ENUM	`CASHBACK`, `REFERRAL`, `REFUND`, `PROMO`, `BIRTHDAY`, `ANNIVERSARY`, `MANUAL`, `BOOKING_PAYMENT`
`amount`	DECIMAL	Always positive; type determines sign in balance math
`balance_after`	DECIMAL	Running balance snapshot
`booking_id`	UUID	FK — optional, for cashback / payment debit
`expires_at`	TIMESTAMPTZ	Optional credit expiry
`reason`	TEXT	Manual adjustment note
`created_by`	UUID	Super Admin for manual entries
`created_at`	TIMESTAMPTZ	Transaction timestamp

5. Combined Checkout Flow

```
flowchart TD
    A[Customer selects services] --> B[Booking subtotal]
    B --> C{Coupon code or auto-apply?}
    C -->|Yes| D[Validate coupon]
    C -->|No| E[Subtotal unchanged]
    D --> F[Discount applied]
    E --> G[Payable amount]
    F --> G
    G --> H{Use wallet?}
    H -->|Yes| I[Deduct wallet balance]
    H -->|No| J[Full payable to gateway]
    I --> K[Remaining to payment gateway]
    J --> L[Payment]
    K --> L
    L --> M[Booking confirmed]
    M --> N[Post-booking: cashback credit optional]
```

Example with both modules:

Step	Amount
Subtotal	₹1,200
Coupon (20% OFF, max ₹240)	−₹240
Payable after coupon	₹960
Wallet applied	−₹500
Online payment	**₹460**

6. Module Comparison

	Coupon	Wallet
Nature	Conditional discount	Stored money
Created by	Super Admin, Salon Admin	System rules + Super Admin
Applied	Before payment	During payment
Expires	Coupon validity dates	Per-credit expiry (configurable)
Settlement	Platform vs salon funded	Platform liability
Customer sees	Code, % OFF, terms	₹ balance, history

7. Phased Rollout

Phase 1 — MVP (recommended launch)

Coupons

- Super Admin: enable/disable, platform flat + percentage coupons
- Customer: enter code, view applied discount
- Salon Admin: read-only or disabled

Wallet

- Super Admin: enable/disable, manual credit, refund to wallet
- Customer: view balance, use at checkout
- Cashback / referral / birthday rules: **manual or deferred to Phase 2**

Phase 2 — Growth

- Salon-funded coupons with approval workflow
- Auto-apply best coupon
- Cashback and referral automation
- Birthday / anniversary credits
- Coupon usage reports and settlement exports

Phase 3 — Advanced (later)

- Tiered loyalty (only if data supports it)
- Stackable coupon rules engine
- Wallet promotional buckets with different expiry policies
- A/B campaign analytics

8. Entity Relationship (proposed)

```
erDiagram
    CUSTOMERS ||--o| WALLETS : has
    WALLETS ||--|{ WALLET_TRANSACTIONS : ledger
    COUPONS ||--o{ COUPON_REDEMPTIONS : redeemed
    COUPONS ||--o{ COUPON_SCOPES : scoped_to
    BOOKINGS ||--o| COUPON_REDEMPTIONS : uses
    BOOKINGS ||--o{ WALLET_TRANSACTIONS : pays_with
    ORGANIZATIONS ||--o{ COUPONS : funds_salon_coupons

    COUPONS {
        uuid id PK
        string code
        enum discount_type
        decimal discount_value
        enum funding_source
        enum status
    }

    WALLETS {
        uuid id PK
        uuid customer_id FK
        decimal balance
    }

    WALLET_TRANSACTIONS {
        uuid id PK
        enum type
        enum source
        decimal amount
    }
```

9. Notifications (both modules)

Event	Channel	Recipient
Coupon expiring in 48h	Push / SMS / email	Customer
Wallet credit received	Push / in-app	Customer
Salon coupon pending approval	In-app / email	Super Admin
Salon coupon approved / rejected	In-app / email	Salon Admin
Wallet refund completed	Push / in-app	Customer

10. Dependencies on other GlowTap modules

Dependency	Required for
End-user accounts (`customers`)	Wallet ownership, coupon usage limits per customer
Bookings & payments	Applying coupon and wallet at checkout
Services catalog	Service-scoped coupons
Organizations & branches	Salon-scoped coupons, settlement
Transactions ledger	Payment reconciliation after wallet + gateway split

These modules are documented separately. Coupons and Wallet should **not** be built until bookings and customer accounts exist.

11. Database & tooling

Item	Status
SQL migrations for coupons / wallet	**Not started** — proposed in §3.9 and §4.7
Live tables in `superAdmin` DB	`organizations` , `branches` , `subscription_plans` , `super_admin_users` only
Solution doc	`SchemaMaking/superAdmin/Solution docs/Coupons-and-Wallet.md`
PDF	`npm run db:solution-pdf` (after adding to PDF generator)

© 2026 GlowTap

Confidential

12. Next Steps

1. Product sign-off on Phase 1 scope (§7)
2. Schema migration `013_coupons_wallet.sql` — `platform_settings`, `coupons`, `wallets`, `wallet_transactions`
3. REST API contracts for coupon CRUD, redemption preview, wallet balance, checkout apply
4. Super Admin wireframes — coupon list, wallet adjustments, usage reports
5. Customer app — coupon entry + wallet toggle at checkout

Confidential — GlowTap Internal

© 2026 GlowTap