MIL-L-7976C(AS)
23 February 1981
SUPERSEDING
MIL-L-7976B(AS)
30 November 1971

MILITARY SPECIFICATION

LISTS AND CARDS, TECHNICAL MANUAL DATA; FOR CONTRACTOR FURNISHED EQUIPMENT AND ACCESSORIES

This specification is approved for use by the Naval Air Systems Command, Department of the Navy, and is available for use by all departments and agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for the preparation of Technical Manual Data Lists (TMDL) and Technical Manual Data Cards (TMDC) for Contractor Furnished Equipment (CFE) including Peculiar Support Equipment (PSE). These lists and cards are used primarily to determine whether or not technical manuals (TM) are required for support of CFE items installed on weapons systems, weapons, major components, or equipment systems.

2. APPLICABLE DOCUMENTS

2.1 Issue of documents. The following documents of the issue in effect on the date of invitation for bids or request for proposal, form a part of the specification to the extent specified herein.

STANDARDS

MILITARY

MIL-STD-12	Abbreviations for Use on Drawings, Specifications, Standards, and in Technical Documents.

PUBLICATIONS

DEPARTMENT OF THE NAVY

NAVAIRINST 5600.7 Aeronautical Technical Manual Requirement Codes

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to the Commanding Officer, Naval Air Engineering Center, Engineering Specifications and Standards Department (ESSD), Code 93, Lakehurst, NJ 08733 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

TMSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 General. TMDCs shall be prepared for CFE items capable of independent maintenance and installed in or furnished as accessories or supporting equipment for a system or end article. When more than five TMDCs are prepared, a TMDL shall be prepared concurrently for equipment manufactured by the system/equipment contractor or equipment procured from vendors. Vendor items modified by the system/equipment contractor to an extent requiring assignment of the system contractor's part number are also to be included. Items previously reported on other contracts for another system or equipment shall be reported again showing new recommendations.

3.1.1 Requirements for TMDCs. TMDCs shall be prepared only after the system/equipment contractor has definitely established design incorporation of a vendor item or after an item to be manufactured or modified by that contractor has been approved by the procuring activity. Contemplated design incorporations shall not be reported. Additional items and changes to original items must be reported as procurement or manufacture thereof is established. These items shall be added by revision to the TMDCs previously prepared (see 3.5).

3.2 Abbreviations. Abbreviations shall be limited to those in accordance with MIL-STD-12 and their use shall be restricted to an absolute minimum.

3.3 Manufacturer's code. Manufacturer's code designations shall conform to Handbook H4-1 and H4-2, Federal Supply Codes for Manufacturers.

3.4 Follow-on contracts. For follow-on contracts (repeat procurements) which call for revisions or supplements to the basic TMDCs, only revisions are to be prepared. A new complete set of cards shall not be required for each additional procurement of the same end article.

3.5 Revisions. Revised TMDCs shall be prepared for items that delete, replace, supersede, supplement items previously reported, or when a change in maintenance philosophy has occurred. An asterisk or other defined marks shall be placed in those spaces changed and the change shall be explained in the remarks space. The remarks space shall also explain the purpose of issuing new cards such as "Original part no. 4624 not used," "This item used on serial no. 4624 and subsequent," "This item supersedes part no. 4624," and "Correction of part no. 4624," or depot item now requiring intermediate level coverage.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

3.6 Alternates. TMDCs shall be prepared when alternate CFE is adopted for use on the end system/equipment. The cards shall indicate that these items are alternates and shall give the part numbers for which they are alternates in the space for remarks.

3.7 Numbering. Basic TMDCs shall be numbered consecutively by the contractor starting with the number 1. Additions to the basic cards shall be numbered to continue the original numeric sequence. A revised card which replaces a previous card shall be assigned the same number as the card it replaces but with a letter suffix (example: 2A replaces 2; 3C replaces 3B). TMDCs for support equipment shall be separately sequenced starting with the number 1 preceded by the letter S (example: S1, S2, . . . S49, etc.)

3.8 Preparation of TMDCs. TMDCs shall be prepared for the requiring activity on NATSF Card Form 5600/214 (see Figure 1). This form consists of a card which may be reproduced as required. The form shall be completed by typing information required on the card (front side only). Overflow information may be prepared on supplemental 5" X 8" index cards attached to the header card. TMDC copy requirements shall be in accordance with Technical Manual Contract Requirements.

3.8.1 Information. TMDCs shall contain the following information.

3.8.1.1 Nomenclature. This space shall contain the correct nomenclature derived from one of the following sources (listed in order of preference):

a. AN nomenclature.

b. Nameplate nomenclature.

c. Engineering drawing nomenclature.

3.8.1.2 Vendor's name and address (or manufacturer's code). This space shall contain the vendor's name and address or the manufacturer's code as shown in Handbook H4-1 or H4-2. When a code does not specifically identify the actual manufacturer, as in the case of divisions of a company, full name and address shall be cited.

3.8.1.3 Part (model/type) number. This space shall contain the following:

a. The vendor's part number or if unassigned, the model or type number; or

b. The system/equipment contractor's part number if he is manufacturing the item; or

c. The contractor's part number if he has modified a vendor item to an extent requiring assignment of a contractor part number. Following or below

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

the number shall be a note, "See Remarks" and the vendor's part number shown in the Remarks space.

3.8.1.4 AN or type. This space shall contain the Air Force-Navy or any other military designation.

3.8.1.5 Contractor. This space shall contain the same and address of the manufacturer preparing the TMDCs.

3.8.1.6 Contract number. This space shall contain the contract number(s) under which the TMDCs were authorized.

3.8.1.7 Aircraft or engine. This space shall contain the aircraft, engine, or system number or model to which the TMDC applies.

3.8.1.8 Number per installation. This space shall contain the number of items installed per end article.

3.8.1.9 System. This space shall contain the identification of the system in which the equipment is used or system supported. Specific information is desired. Generalities such as the use of the words "electrical system" should be avoided, e.g., use "fuel gage system."

3.8.1.10 Models on which effective. This space shall contain the series and serial numbers, as applicable, of the system or end article on which the item is installed or which it will support.

3.8.1.11 Cost per item. This space shall contain the cost per item in reasonably accurate round numbers.

3.8.1.12 Recommendation for coverage. This space shall contain the contractor's recommendation as to whether or not a TM, source data, or both are required for support of an item. In making the recommendation, the contractor shall give consideration to quantity of item used, item cost, degree of repairability, availability and adequacy of commercial item data, usability of existing manuals for similar item, degree and type of information required for item support, and suitability of engineering drawings and data packages particularly at depot level. Recommendations shall be based on logistic support or maintenance engineering analysis and shall be specific as to the type of manual coverage contemplated, e.g., intermediate maintenance, depot maintenance, illustrated parts breakdown (IPB), depot/IPB manuals, source data, checklist manuals, calibration procedures manuals. The following information shall be included.

3.8.1.12.1 Manual title. Insert title.

3.8.1.12.2 Manual action. In this space, insert N, R, C, or SD to indicate whether a new manual, revision, change, or source data is recommended.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

3.8.1.12.3 Manual number. Insert TM number if assigned. If revision or change, indicate applicable existing manual number. TM identification shall be specific.

3.8.1.12.4 Security classification title. If the title of the publication is classified, the letter C or S shall be inserted to indicate the title is confidential or secret. The letter U will indicate that the title is unclassified.

3.8.1.12.5 Security classification content. If the contents of the publication are classified, the letter C or S shall be inserted to indicate the highest classification of any of the contents. The letter U will indicate that the contents are unclassified.

3.8.1.12.6 Specification number. The number of the specifications (current issues) to which the manual shall be prepared shall be inserted.

3.8.1.12.7 Estimated cost. The estimated cost of preparing each manual shall be shown.

3.8.1.12.8 Estimated page units. The estimated number of page units that a new manual, revision, or change will contain shall be shown.

3.8.1.12.9 Delivery after receipt of order. After receipt of order, insert length of time it will take contractor to prepare reproducible copy of the publication(s) recommendeded, i.e., 30, 60, or 90 days or 4, 5, or 6 months as appropriate.

3.8.1.12.10 Publication requirement code. Insert publication requirement codes (see NAVAIRINST 5600.7).

3.8.1.12.11 Component pilot rework (CPR). Check whether or not a CPR package is required.

3.8.1.12.12 Equipment delivery. The delivery date of the equipment shall be given.

3.8.1.12.13 Logistic Support Analysis (LSA)/Source, Maintenance, and Recoverability (SM&R)/Maintenance Engineering Analysis Record (MEAR) control number or code. The control numbers or codes assigned shall be shown as applicable.

3.8.1.12.14 Microfilm cartridge number. When applicable, the appropriate microfilm cartridge number(s) in which the manuals are included shall be shown.

3.8.1.12.15 Remarks. Any pertinent information may be entered here.

3.8.1.12.16 Superseded part number. This space shall be filled in only in revisions. When a new item added by revision completely supersedes an item previously listed (i.e., the previously listed item will not be used in any of the end articles), the part number of the superseded item shall be entered in this space.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

External pneumatic power application

3.8.1.12.17 Previous TMDC number. In this space, place the number of the card on which the superseded item was listed when 3.8.1.12.16 applies.

3.8.1.12.18 TMDC number. This space shall contain the consecutive number assigned by the contractor preparing the TMDCs (see 3.7).

3.8.1.12.19 Date. This space shall contain the date that the TMDCs were prepared.

3.9 Requirements for TMDLs. See 3.1. A TMDL shall be prepared with the TMDCs when more than five cards are prepared. The TMDL shall state the contractor's name and address, applicable contract number(s), nomenclature, model designation of the end article(s) to which cards apply, the number of cards being prepared (e.g., card no. 1 through 175), and the estimated cost for each manual recommended. The TMDL for revisions shall list the cards in the revision and indicate whether or not previous cards are superseded.

3.10 TMDC form (NATSF 5600/214). TMDC form NATSF 5600/214 should be obtained via the Contract Administrative Field Representative from the Naval Air Technical Services Facility, Philadelphia (assigned project coordinator or data manager) or the Figure 1 format depicted in this specification may be reproduced for use as required.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein unless disapproved by the government. The government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements (see 6.2.1).

5. PACKAGING

5.1 Packaging requirement. Material furnished shall be packaged to assure delivery without damage.

6. NOTES

6.1 Intended use. It is of vital importance that complete technical data be available when any equipment is placed into service. This includes data for the CFE components and support equipment of any system or end article. Frequently when an article is scheduled for repair, the components are removed and sent to separate intermediate or depot level shops for maintenance actions. Each shop requires separate data for each component. Also, some components could be common

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

to different systems and end articles. Separate publications on components avoids duplication of information in system/equipment publications. The purpose of TMDCs is to permit the procuring activity to determine which items require separate data. It is, therefore, intended to use the cards to effect immediate procurement action of required data to ensure that TMs will be available when the components and support equipment of a system or end article are placed into government service.

6.2 Ordering data.

6.2.1 Procurement requirements. Procurement documents should specify:

a. Title, number, and date of this specification.

b. Responsibility for inspection (see 4.1).

6.2.2 Data requirements. When this specification is used in a procurement which incorporates DD Form 1423 and invokes the provisions of 7-104.9(n) of the Defense Acquisition Regulations, the data requirements identified below will be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved Contract Data Requirements List (DD Form 1423) incorporated into the contract. When the provisions of DAR-7-104.9(n) are not invoked, the data specified below will be delivered by the contractor in accordance with the contract requirements. Deliverable data required by this specification are cited in the following paragraph:

PARAGRAPH	DATA REQUIREMENT	APPLICABLE DID
3.1	Technical Manual Data Cards (TMDC) and Technical Manual Data List (TMDL)	DI-M-21368

(Copies of data item descriptions required by the contractors in connection with specific procurement functions should be obtained from the procuring activity or directed by the contracting officer.)

6.3 Definitions.

6.3.1 Requiring activity. Any activity originating a request for supplies or services.

6.3.2 Commercial item. A commercial item is a supply or service that normally is or has been sold or offered to the public commercially by any supplier.

6.3.3 Vendor. A vendor is a design activity, manufacturer, wholesaler, or agent from whom are acquired items used in or attached to the end item produced by the contractor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

6.4 Supersedure information. This specification supersedes in whole or in part specifications or other documents used to express preparation requirements for TMDCs and TMDLs covered within the scope of this specification.

6.5 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Preparing Activity:

Navy - AS

(Project TMSS N086)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

NOMENCLATURE	VENDOR AND ADDRESS		P/N AN OR TYPE	
CONTRACTOR AND ADDRESS	CONTRACT NO.	A/C OR ENGINE	NO. PER INSTALL	SYSTEM USED IN/ SUPPORTED
	MODELS ON WHICH EFFECTIVE			COST PER ITEM

RECOMMENDATION FOR COVERAGE

(Give Pertinent Information For Determining Type of Coverage and Reasons If Data is Considered Unnecessary)

1. MANUAL TITLE	2. MANUAL ACTION	3. MANUAL NO.
	4. SEC. CLASS. - TITLE	5. SEC. CLASS - CONTENT
6. SPECIFICATION NO.	7. ESTIMATED COST	8. ESTIMATED PAGE UNITS
9. DELIVERY AFTER RECEIPT OF ORDER	10. PUBLICATION REQUIREMENT CODE	11. CPR
12. EQUIPMENT DELIVERY	13. LSA/MEAR CONTROL NO./S,M&R CODE	14. MICROFILM CARTRIDGE NO.

REMARKS

SUPERSEDES *(P/N)*	PREVIOUS CARD NO.	CARD NO.	DATE

TECHNICAL MANUAL DATA CARD NATSF 5600/214 (10-80)

FIGURE 1. Technical Manual Data Card

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE MIL-L-7976C(AS) LISTS AND CARDS, TECHNICAL MANUAL DATA; FOR CONTRACTOR FURNISHED EQUIPMENT AND ACCESSORIES

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer
Naval Air Engineering Center
Engineering Specifications and Standards
Department (ESSD) Code 93
Lakehurst, NJ 08733

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T09:45Z
Check the source to verify that this is the current version before use.