FEDERAL SPECIFICATION

LACES, NYLON

This amendment, which forms a part of Federal Specification V-L-61G, dated January 11, 1979, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 1

1.2.1, under Type II, Class 3: Add "Class 4 - 3/32 inch (2 mm) diameter, round."

PAGE 2

3.3.1, at end of paragraph: Add "The type II, class 4 laces shall be made from 420 denier continuous filament nylon yarn which has been increased in size to 470 - 490 denier by air bulking."

PAGE 3

3.3.2, line 1, after nylon: Insert "or acetate,".

Line 4: Delete "type II, class 1 and 3" and substitute "type I, class 1, type II, classes 1, 3 and 4".

At end of paragraph add: "The tips of the laces shall be of the proper dimensions and have sufficient rigidity to perform their intended function."

3.5, at end of paragraph: Add "The braid for type II, classes 1, 3 and 4 shall be round and shall not be pressed."

Table I, column 8: Delete "(/mm)" and substitute "(per cm)".

Table I: Add the following as indicated below:

Type	Class	Width ± 1/32 inch (0.8 mm)	Carriers minimum	Ends per carrier	Warp ends min	Stuffer min	Picks per inch (per cm) min	Breaking strength lbs. (N) min
"II	4	3/32 (2) (diam)	16	2	-	-	24 (9)	135 (600)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:21Z
Check the source to verify that this is the current version before use.

PAGE 4

3.6.1, line 1: Delete "The nylon tips made from nylon" and substitute "The tips made from nylon or acetate".

Line 2: Delete "and 3" and substitute ", 3 and 4".

3.6.2, line 1: Delete "The tips made from nylon" and substitute "The tips made from nylon or acetate."

PAGE 5

Table II, column 1: Delete "Nylon sheet (10 Sheets)" and substitute "Nylon or acetate (Sheets or film yds)".

Column 2, after "Denier": Add "4/".

PAGE 6

Table II, under footnote 3: Add: "4/ The contractor shall certify that 420 denier filament yarn was used prior to air bulking the yarn for the type II, class 4 laces".

PAGE 7

4.4.2.1.1, defect column, line 4: Delete "and 3 only," and substitute "3 and 4, type I, class 1, when self tipped by heat molded."

Lines 7 and 8: Delete and substitute: Self tipped by heat molding on type I, class 2 or type II, class 2."

Line 9: Delete "sheet" and substitute "or acetate sheet or film".

Delete last defect and substitute "Rigidity of tip not as specified i.e., tip lacks sufficient rigidity to be easily passed through eyelet of appropriate size.

Tip to large to be passed through eyelet of appropriate size"

4.4.2.2, lines 5 and 6: Delete "or 3" and substitute ", 3 or 4 or type I, class 1"

PAGE 10

4.5.1, line 5, after class 1: Add "and class 4".

4.5.2, line 3: Delete "and 3" and substitute ", 3 and 4,".

PAGE 11

5. Delete title and substitute "PACKAGING".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:21Z
Check the source to verify that this is the current version before use.

Table IV, in column headed "Class", opposite "1" wherever "1" appears: Add: "and 4".

Custodians:

Army - GL
Navy - NU
Air Force - 99

Review activities:

Army - MD
DLA - CT

User activities:

Navy - MC
Air Force - 45

Preparing activity:

Army - GL

Civil Agency Coordinating Activity:

GSA - FSS

Project No. 8335-0140

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:21Z
Check the source to verify that this is the current version before use.