

FED. SUP CLASS
7530

LIMITATION STANDARD

DESCRIPTION	SPECIFICATION
BOOK, APPOINTMENT: cloth cover; side opening; 204 pages, 188 pages numbered; divided into 1/2 hour time intervals with printed legend at top stating day and month; 8 inches wide by 9-3/4 inches long.	None

MS PART NO.	FIIN
MS16908-1	205-0843

DESCRIPTION			SPECIFICATION
BOOK, ENGINEER'S FIELD:			
MS PART NO.	**FIIN**	**RULING AND OTHER DATA**	
MS16908-2	263-2830	level ruling; 100% rag; 5 vertical lines on LH page, 5 vertical lines on RH page.	MIL-B-3634 Type I
MS16908-3	633-9038	level, transit and general surveying ruling; 25% rag; 5 vertical lines on LH page, 5 vertical lines on RH page; AGO, DA Form 5-72.	None
MS16908-4	633-9035	double zenith distance or vertical angle ruling; 25% rag; 7 vertical lines on LH page, 6 vertical lines on RH page; AGO, DA Form 5-71.	None
MS16908-5	633-9037	horizontal distance ruling; 25% rag; 8 vertical lines on LH page, 4 vertical lines on RH page; AGO, DA Form 5-70.	None
MS16908-6	633-9034	horizontal direction or angle ruling; 25% rag; 8 vertical lines on LH page, 7 vertical lines on RH page; AGO, DA Form 5-69.	None
MS16908-7	205-1769	latitude observations ruling; A/A rag content; 8 vertical lines on LH page, 3 vertical lines on RH page; CO-gs Form 255.	None
MS16908-8	205-1770	longitude record and computation ruling; A/A rag content; CO-gs Form 256.	None

NOTE: Referenced documents shall be the issue in effect on date of invitations for bid. This standard takes precedence over documents referenced herein.

APPROVED 20 Feb 1959 REVISED

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A.	TITLE	MILITARY STANDARD
NAVY-S&A Other Cust ARMY-QMC USAF	BOOKS, ENVELOPES, FILE FOLDERS AND PADS	MS 16908
Procurement Specification See above	SUPERSEDES:	SHEET 1 OF 24

Source: https://assist.dla.mil — Downloaded: 2026-10-23T14:04Z
Check the source to verify that this is the current version before use.

MS16908-9	395-3077	observations, double zenith distance ruling; A/A rag content; 6 vertical lines on LH page, 5 vertical lines on RH page; CO-gs Form 252.	None
MS16908-10	395-3075	observations, horizontal angles ruling; A/A rag content; 5 vertical lines on LH page, 5 vertical lines on RH page; CO-gs Form 250.	None
MS16908-11	395-3076	observations, horizontal direction, 2-micrometer theodolite ruling; A/A rag content; 7 vertical lines on LH page, 6 vertical lines on RH page; CO-gs Form 251a.	None
MS16908-12	395-3079	spirit-level observations ruling; A/A rag content; 6 vertical lines on LH page, 19 vertical lines on RH page.	None
MS16908-13	633-9033	station description ruling; 25% rag; AGO, DA Form 5-67.	None
MS16908-14	633-9036	three wire leveling ruling; 25% rag; 7 vertical lines on LH page, cross section ruling 4 lines per inch on RH page; AGO, DA Form 5-68.	None
MS16908-15	263-2831	topographic ruling; 100% rag; 7 vertical lines on LH page, 10 vertical lines per inch on RH page.	MIL-B-3634 Type III
MS16908-16	263-2829	transit ruling; 100% rag; 2 vertical lines on LH page, 1 vertical line on RH page.	MIL-B-3634 Type II
MS16908-17	395-3081	transit traverse; A/A rag content; 21 vertical lines on LH page, 23 vertical lines on RH page; IN-gs Form 9-929a.	None
MS16908-18	395-3080	triangulation field notes ruling; A/A rag content; 34 vertical lines on LH page, 34 vertical lines on RH page; IN-gs Form 9-912.	None
MS16908-19	395-3078	wye leveling ruling; A/A rag content; 6 vertical lines on LH page, 6 vertical lines on RH page; CO-gs Form 634.	None

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
BOOK, MEMORANDUM: side opening; ruled.	UU-B-630 Type I

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	WIDTH	NO. PAGES	COVER	
MS16908-20	222-0078	6	3-1/2	144	black imitation leather cover	Grade B
MS16908-21	222-3521	8	5-1/2	192	slate colored canvas cover	Grade C
MS16908-22	222-3525	10-1/2	8	192	slate colored canvas cover	Grade B
*MS16908-23	222-3524	14	8-1/2	288	slate colored canvas cover	Grade C

*Index Data - indexed throughout.

DESCRIPTION	SPECIFICATION
BOOK, RECORD: cash ruling.	

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	WIDTH	NO. PAGES	INDEX DATA	
MS16908-24	263-2827	8-1/4	5-1/4	150	- - - - - -	None
MS16908-25	222-3527	14	8-1/2	288	indexed in front and paged	GPO No. 50185

DESCRIPTION	SPECIFICATION
BOOK, RECORD: journal ruling.	None

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	WIDTH	NO. PAGES	INDEX DATA
MS16908-26	269-8767	12-3/4	8-1/4	300	indexed throughout

REVISED

APPROVED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A.	TITLE	MILITARY STANDARD
Other Cust	BOOKS, ENVELOPES, FILE FOLDERS AND PADS.	MS 16908
Procurement Specification See above	SUPERSEDES:	SHEET 3 OF 24

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
BOOK, RECORD: ledger ruling; double entry.	UU-B-640 Type II Grade A

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	SIZE (INCHES) WIDTH	NO. PAGES	INDEX DATA
MS16908-27	286-6211	14	8-1/2	288	indexed in front and paged

DESCRIPTION	SPECIFICATION
BOOK, RECORD: time and payroll ruling; monthly.	None

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	SIZE (INCHES) WIDTH	NO. PAGES
MS16908-28	286-6208	14-1/4	9	150

DESCRIPTION	SPECIFICATION
ENVELOPE, FIELD MESSAGE: brown; open side; ruled; w/legend - U. S. Marine Corps Field Message.	None

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	SIZE (INCHES) WIDTH
MS16908-29	272-3187	6-1/2	3-1/2

DESCRIPTION	SPECIFICATION
ENVELOPE, JOB AND SHOP, OPHTHALMIC LENS: manila color; open end; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed. Unit quantity: 500 envelopes per carton Unit of issue: carton	MIL-E-15056

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-30	299-8583	3-7/8 by 7-1/2	16 or 20

REVISED

APPROVED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; open end; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Army, Return Address, Official Business, Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-31	558-1281	2-1/2 by 4-1/4	20
MS16908-32	558-1280	3-3/4 by 5-7/8	20
*MS16908-33	558-1270	3-7/8 by 7-1/2	20
**MS16908-34	558-1272	15 by 18	32

*w/bottom eyelet
**except w/string and button closure and w/insert

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; open end; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Navy Department, Return Address, Official Business, Postage and Fees Paid Indicia.	

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	
MS16908-35	514-2534	3-3/4 by 5-7/8	20	FSS, Style 122
MS16908-36	514-2536	3-7/8 by 7-1/2	20	FSS, Style 123

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; open end; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - "From," "Postmaster - Return in Ten Days If Not Delivered - Return Postage Guaranteed" and "X-Ray - Do Not Fold"; w/additional envelope attached to outside, size 3-7/8 in by 8-7/8 in.	MIL-E-15224

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-37	601-4900	15 by 18	32

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING brown; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Transmission of Military Pay Records.	FSS, Style 51

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-38	272-6940	6-1/2 by 10-1/2	24

REVISED
APPROVED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION — SPECIFICATION

ENVELOPE, MAILING:
brown; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Navy, Official Business, Postage and Fees Paid Indicia.

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	
MS16908-39	514-2542	4-1/8 by 9-1/2	20	FSS, Style 17
MS16908-40	514-2543	4-1/2 by 10-3/8	20	FSS, Style 26
MS16908-41	514-2544	5 by 11-1/2	24	FSS, Style 36
MS16908-42	514-2545	6-1/2 by 9-1/2	24	FSS, Style 49
MS16908-43	514-2546	7-1/2 by 10-1/2	24	FSS, Style 57
MS16908-44	514-2547	8-1/2 by 11-1/2	24	FSS, Style 68
MS16908-45	514-2548	9-1/2 by 12-1/2	28	FSS, Style 87
MS16908-46	514-2550	10 by 15	28	FSS, Style 93
MS16908-47	514-2528	12 by 16	28	FSS, Style 104

DESCRIPTION — SPECIFICATION

ENVELOPE, MAILING:
brown; open side; ungummed flap; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Navy and Official Business.

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	
MS16908-48	282-8025	6-1/2 by 9-1/2	24	FSS, Style 49
MS16908-49	282-8026	8-1/2 by 11-1/2	24	FSS, Style 68
MS16908-50	282-8027	10 by 15	28	FSS, Style 93
MS16908-51	282-8028	12 by 16	28	FSS, Style 104

DESCRIPTION — SPECIFICATION

ENVELOPE, MAILING: — None
brown, open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Army, Return Address, Official Business, Postage and Fees Paid Indicia.

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-52	558-1278	4-1/8 by 9-1/2	20
*MS16908-53	558-1279	4-1/8 by 9-1/2	20
MS16908-54	558-1275	5 by 11-1/2	24
MS16908-55	558-1276	6-1/2 by 9-1/2	24
*MS16908-56	558-1277	6-1/2 by 9-1/2	20
*MS16908-57	558-1274	8-1/2 by 11-1/2	24
MS16908-58	558-1287	8-1/2 by 11-1/2	24
MS16908-59	558-1285	10 by 15	28
*MS16908-60	558-1286	10 by 15	28
MS16908-61	558-1283	12 by 16	28
*MS16908-62	558-1284	12 by 16	28

*except ungummed flap.

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	BOOKS, ENVELOPES, FILE FOLDERS AND PADS	MS 16908
Procurement Specification: See above	SUPERSEDES:	SHEET 6 OF 24

Source: https://assist.dla.mil - Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - National Security Agency, Washington 25, D. C., Official Business.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-63	205-2133	4-1/8 by 9-1/2	20

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of Defense, National Security Agency, Fort George G. Meade, Maryland, Official Business, Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-64	543-7621	4-1/8 by 9-1/2	20
MS16908-65	543-7625	8-1/2 by 11-1/2	24

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - War Department; TSWTO Base Transportation Office, Area B Wright Field, Official Business.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-66	272-6937	6-3/4 by 9-3/4	13

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; open side; gummed flap closure; w/opaquing design inside; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Army, Return Address, Official Business, Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-67	558-1263	3-7/8 by 8-7/8	20
MS16908-68	558-1271	4-1/8 by 9-1/2	20

Downloaded from https://assist.dla.mil -- Downloaded: 2026-10-23T14:01:12
Check the source to verify that this is the current version before use.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Navy, Official Business, Postage and Fees Paid Indicia.	

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	
MS16908-69	514-2552	3-7/8 by 8-7/8	20	FSS, Style 189
*MS16908-70	282-8031	3-7/8 by 8-7/8	20	FSS, Style 189
**MS16908-71	514-2555	4-1/8 by 9-1/2	20	FSS, Style 204
**MS16908-72	514-2563	4-1/2 by 10-3/8	20	FSS, Style 205

*except ungummed flap
**w/opaquing design inside

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed in blue ink - Department of Defense, National Security Agency, Fort George G. Meade, Maryland, Official Business, Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-73	543-7619	3-7/8 by 8-7/8	20
MS16908-74	543-7623	4-1/8 by 9-1/2	20
MS16908-75	543-7624	4-1/2 by 10-3/8	20

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - National Security Agency, Washington 25, D. C., Official Business.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-76	205-2135	3-7/8 by 8-7/8	20
MS16908-77	205-2151	4-1/8 by 9-1/2	20
MS16908-78	205-3626	4-1/2 by 10-3/8	20

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Signal Corps Procurement Office, Fort George G. Meade, Maryland, Official Business.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-79	634-5978	4-1/8 by 9-1/2	20

Source: https://assist.dla.mil — Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION

ENVELOPE, MAILING:
white; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - The Foreign Service of the United States of America.

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	
MS16908-80	268-4164	3-7/8 by 8-7/8	20	FSS, Style 189
MS16908-81	246-4953	4-1/8 by 9-1/2	20	FSS, Style 192

DESCRIPTION	SPECIFICATION

ENVELOPE, MAILING: None
brown; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Army, Return Address, Official Business, To the Postmaster: If the Addressee is deceased or has failed to file regular change of address upon removal, this letter should be returned immediately without recourse to Directory Service, Postage and Fees Paid Indicia.

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
*MS16908-82	558-1265	3-3/8 by 7-13/16	20	13/16 or 1/2	3-1/2 or 1-7/8
MS16908-83	558-1268	3-3/8 by 8-3/4	24	1-1/8	4-3/4
*MS16908-84	558-1267	3-3/8 by 8-3/4	24	1-1/8	3-1/2
MS16908-85	558-1269	4-3/8 by 8-1/8	20	1-1/4	3-1/2

*Also printed after the words Directory Service, "With reason for return endorsed thereon."

DESCRIPTION	SPECIFICATION

ENVELOPE, MAILING: None
brown; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Army, Return Address, Official Business, Postage and Fees Paid Indicia.

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-86	558-1266	5-5/8 by 8-3/4	20	1-1/8	4-3/4
*MS16908-87	558-1264	4-1/4 by 7-1/4	20	1-5/8	4-1/2

*except pink color.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Air Force Central Disbursing Division, Air Force Finance Center, Denver, Colorado. And to the Postmaster: If addressee is deceased or has failed to file a regular change of address upon removal, this letter should be returned without recourse to Directory Service with reason for return endorsed thereon. Warning - Whoever obtains or receives this check without being entitled thereto with intent to defraud is punishable by fine of not more than $2,000.00 or imprisonment for not more than one year or both. And this envelope must not be opened by any person other than the one to whom it is addressed.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-88	269-8748	3-3/8 by 7-7/8	20	11/16 - or - 1/2	3-5/8 - or - 2

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown, window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Air Force, Important Contains U. S. Savings Bond. And to the Postmaster: If addressee is deceased or has failed to file regular change of address upon removal, this letter should be returned immediately without recourse to Directory Service with the reason for return endorsed thereon.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-89	256-4041	4-3/8 by 8-1/8	24	1-1/4	3-1/2

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	BOOKS, ENVELOPES, FILE FOLDERS AND PADS	MS 16908
Procurement Specification See above	SUPERSEDES:	SHEET 10 OF 24

Source: https://assist.dla.mil — Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of Defense, NSA, Ft. George G. Meade, Md., Official Business, Finance and Accounting Office, Postmaster: If the addressee is deceased or has failed to file a regular change of address upon removal, this letter should be returned immediately without recourse to Directory Service, Postage and Fees Paid Indicia.	FSS Style 530, except printing

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-90	543-7044	3-3/8 by 7-13/16	20	1-1/4	4-1/4

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: brown; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - National Security Agency, Fort George G. Meade, Maryland, Finance and Accounting Office, Official Business, To Postmaster: If addressee is deceased or has failed to file regular change of address upon removal, this letter should be returned immediately, without recourse to Directory Service; Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-91	205-2146	3-3/8 by 8-3/4	24	1	3-1/2
*MS16908-92	515-2120	3-3/8 by 8-3/4	24	1-5/16	5

*Also printed after the word deceased, "Return the letter with the date of death if known."

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Army, Return Address, Official Business, Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-93	558-1262	3-7/8 by 8-7/8	20	1-1/8	4
MS16908-94	558-1261	4-1/8 by 9-1/2	20	1-1/8	4-3/4

REVISED

APPROVED

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

DESCRIPTION	SPECIFICATION

ENVELOPE, MAILING:
white; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Navy Dept., Official Business; Postage and Fees Paid Indicia.

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH	
MS16908-95	515-1604	3-7/8 by 8-7/8	20	1-1/8	4-3/4	FSS Style 433
MS16908-96	515-1603	4-1/8 by 9-1/2	20	1-1/8	4-3/4	FSS Style 435

DESCRIPTION	SPECIFICATION

ENVELOPE, MAILING:
white; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Air Force, Air Force Finance Center, Denver, Colorado, Official Business and Air Mail; w/red and blue border.

FSS Style 504, except w/window

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-97	272-6952	4-1/8 by 9-1/2	20	1-1/8	4-3/4

DESCRIPTION	SPECIFICATION

ENVELOPE, MAILING:
white; window type; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed in blue ink - Department of Defense, National Security Agency, Fort George G. Meade, Maryland, Official Business; Postage and Fees Paid Indicia.

None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	WINDOW SIZE (IN.) WIDTH	WINDOW SIZE (IN.) LENGTH
MS16908-98	543-7626	4-1/8 by 9-1/2	20	1-1/4	4
MS16908-99	543-7627	4-1/2 by 10-3/8	20	1-1/4	4

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; air mail; w/red and blue border; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Air Mail, Department of the Army, Official Business, Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-100	281-2241	4-1/8 by 9-1/2	20

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; air mail; w/red and blue border; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed in blue ink - Department of Defense, National Security Agency, Fort George G. Meade, Maryland, w/wing insignia, Postage and Fees Paid Indicia.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-101	543-7617	3-7/8 by 8-7/8	20

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; air mail; w/red and blue border; open side; gummed flap closure; w/opaquing; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Navy Department, Official Business; Air Mail and wing insignia; Postage and Fees Paid Indicia.	FSS Style 514

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-102	514-2531	4-1/8 by 9-1/2	13

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; air mail; w/red and blue border; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of the Air Force, and Air Mail.	FSS Style 504

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-103	256-7321	4-1/8 by 9-1/2	20

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

DESCRIPTION	SPECIFICATION
ENVELOPE, MAILING: white; air mail; w/red and blue border; open side; gummed flap closure; substance based on 500 sheets, 17 in. by 22 in. basic size; printed - Department of Air Force, Air Force Finance Center, Denver, Colorado, and Official Business, and Air Mail.	FSS Style 504

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-104	272-6953	4-1/8 by 9-1/2	20

DESCRIPTION	SPECIFICATION
ENVELOPE, MESSENGER SERVICE: brown; open end; w/string and button closure; printed "Run" and "Stop." Unit quantity: 250 envelopes per package Unit of issue: package	GPO Form No. 65

MS PART NO.	FIIN	SIZE (INCHES)
MS16908-105	222-3467	9-1/2 by 12
MS16908-106	222-3468	12 by 16

DESCRIPTION	SPECIFICATION
ENVELOPE, PHOTOGRAPHIC NEGATIVE: brown; end open; w/finger cutout; plain; substance based on 500 sheets, 25 in. by 40 in. basic size.	G-E-550

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-107	634-2858	4 by 5	64
MS16908-108	634-0301	8 by 10	64
MS16908-109	634-0303	9 by 9	64
MS16908-110	634-0302	20 by 24	64

DESCRIPTION	SPECIFICATION
ENVELOPE, PHOTOGRAPHIC NEGATIVE: brown; end open; w/finger cutout; substance based on 500 sheets, 25 in. by 40 in. basic size; printed.	

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	PRINTING	
MS16908-111	272-9793	4 by 5	64	U. S. Marine Corps Photograph Data	C-J-10,, Lightweight
MS16908-112	633-9673	4 by 5	64	U. S. Navy Photograph Data	G-E-550

REVISED

APPROVED

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil — Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

MS16908-113	612-3950	4 by 10	107	Case or Service No., Name, Rank, Date and Station	G-E-550, Heavyweight
MS16908-114	633-9675	8 by 10	64	U. S. Navy Photograph Data	G-E-550
MS16908-115	633-9674	10 by 10	64	U. S. Navy Photograph Data	G-E-550
*MS16908-116	612-4000	14 by 17	107	Case or Service No.; Name, Date, Rank and Station	G-E-550, Heavyweight
MS16908-117	633-9671	20 by 24	64	U. S. Navy Photograph Data	G-E-550

*Printing-w/one additional horizontal line below legend.

DESCRIPTION	SPECIFICATION
ENVELOPE, PHOTOGRAPHIC NEGATIVE: brown; w/gummed flap end closure; substance based on 500 sheets, 25 in. by 40 in. basic size; printed - Case or Service No., Name, Date, Rank and Station.	G-E-550

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)	
MS16908-118	299-8525	2-3/4 by 4	64	Lightweight
MS16908-119	612-4050	4-1/2 by 11	85	Medium Weight

DESCRIPTION	SPECIFICATION
ENVELOPE, PHOTOGRAPHIC NEGATIVE: brown; w/metal clip end closure; substance based on 500 sheets, 25 in. by 40 in. basic size; printed - Photographic, Do Not Crush or Bend.	None

MS PART NO.	FIIN	SIZE (INCHES)	SUBSTANCE (POUNDS)
MS16908-120	633-9032	9-3/4 by 11-3/8	90
MS16908-121	205-2463	12 by 15	90

DESCRIPTION	SPECIFICATION
ENVELOPE, PHOTOGRAPHIC NEGATIVE: cellulose acetate; transparent; both ends open.	L-C-169 Type I for material

MS PART NO.	FIIN	SIZE (INCHES)
MS16908-122	286-6928	20 by 24

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

DESCRIPTION	SPECIFICATION

ENVELOPE, WALLET:
sulphate; wallet-type folder; one pocket; full height gusset; 1-3/4 in. expansion; substance based on 500 sheets, 24 in. by 36 in. basic size.

MS PART NO.	FIIN	SIZE (INCHES) WIDTH	SIZE (INCHES) LENGTH	SUBSTANCE (POUNDS)	
*MS16908-123	281-5976	4	9-1/2	350	None
*MS16908-124	281-4844	9-1/2	11-3/4	130-gusset 350-leaves 184-flap	UU-P-671, Style 2

*w/flap and tape tie.

DESCRIPTION	SPECIFICATION

ENVELOPE, WALLET:
sulphate; wallet-type folder; one pocket; full height gusset; 3-1/2 in. expansion; substance based on 500 sheets, 24 in. by 36 in. basic size.

UU-P-671, Style 4

MS PART NO.	FIIN	SIZE (INCHES) WIDTH	SIZE (INCHES) LENGTH	SUBSTANCE (POUNDS)	
*MS16908-125	268-3993	9-1/2	11-3/4	130-gusset 350-leaves 184-flap	Size 1
**MS16908-126	268-3994	9-1/2	14-3/4	130-gusset 350-leaves 184-flap	Size 2

*w/flap and elastic tie
**w/flap and tape tie

DESCRIPTION	SPECIFICATION

ENVELOPE, WALLET:
chemical wood; manila color; nonexpanding; one pocket; substance based on 500 sheets, 22-1/2 in. by 28-1/2 in. basic size.

MIL-E-18237

MS PART NO.	FIIN	SIZE (INCHES) WIDTH	SIZE (INCHES) LENGTH	SUBSTANCE (POUNDS)
MS16908-127	221-1089	9-1/2	14-7/8	112

REVISED

APPROVED

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
FILLER, NOTE PAD, DUPLICATING: end opening; ruling on front sheet; alternate front sheets and manifolding sheets; Note: This note pad is for use with Binder, Note Pad, FSN 7510-771-8635 which appears on MS16760.	MIL-N-3835

		SIZE (INCHES)		
MS PART NO.	FIIN	LENGTH	WIDTH	THICKNESS
MS16908-128	780-2000	5-3/4	3-3/4	5/8

DESCRIPTION	SPECIFICATION
FOLDER, FILE: square cut; 100% chemical pulp; manila color; plain bottom, scored; 3/4 in. expansion.	UU-F-571 Type II

		SIZE (INCHES)		
MS PART NO.	FIIN	HORIZONTAL	VERTICAL	THICKNESS
MS16908-129	291-0098	11-3/4	9	.011

Note: Vertical dimension excludes tabs.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: square cut; 100% chemical pulp; buff color; plain bottom, scored; 1 in. expansion.	UU-F-571 Type II

		SIZE (INCHES)		
MS PART NO.	FIIN	HORIZONTAL	VERTICAL	THICKNESS
MS16908-130	205-2142	14-3/4	9	---

Note: Vertical dimension excludes tabs.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: square cut; kraft; brown; plain bottom, scored; 3/4 in. expansion.	

		SIZE (INCHES)			
MS PART NO.	FIIN	HORIZONTAL	VERTICAL	THICKNESS	
*MS16908-131	780-5100	11-3/4	8-7/8	.011	None
MS16908-132	222-3443	11-3/4	9	.018	UU-F-571, Type IV
MS16908-133	222-3444	14-3/4	9	.018	UU-F-571, Type IV

*one 2-3/4 in. prong lock fastener on back of right side; printed, Clinical Records, Register No., Last Name, First Name, Middle Initial and Service No.

Note: Vertical dimension excludes tabs.

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	BOOKS, ENVELOPES, FILE FOLDERS AND PADS	MS 16908
Procurement Specification See above	SUPERSEDES:	SHEET 17 OF 24

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: one-half cut; 70% chemical pulp; manila color; plain bottom, scored; 3/4 in. expansion.	UU-F-571 Type III

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
*MS16908-134	298-7047	11-3/4	9	.011	1st
*MS16908-135	298-7048	11-3/4	9	.011	2nd
*MS16908-136	281-5982	14-3/4	9	.011	1st
MS16908-137	269-9004	14-3/4	9	.011	2nd

*reinforced top
Note: Vertical dimension excludes tabs.

DESCRIPTION	SPECIFICATION
FOLDER,FILE: one-third cut; 70% chemical pulp; manila color; plain bottom.	UU-F-571 Type III

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION	
MS16908-138	282-7885	5	3	.0095	3rd	Except size
*MS16908-139	276-7909	11-3/4	9	.011	1st	

*reinforced top, scored; 3/4 in. expansion
Note: Vertical dimension excludes tabs.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: one-third cut; kraft; brown; plain bottom, scored; reinforced top; 3/4 in. expansion.	UU-F-571 Type IV

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
MS16908-140	634-5794	11-3/4	9	.011	1st
MS16908-141	634-5796	11-3/4	9	.011	2nd
MS16908-142	634-5661	11-3/4	9	.011	3rd
MS16908-143	251-6365	14-3/4	9	.011	1st
MS16908-144	251-6366	14-3/4	9	.011	2nd
MS16908-145	251-6367	14-3/4	9	.011	3rd

Note: Vertical dimension excludes tabs.

REVISED

APPROVED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2020-10-23T14:01Z
Check the source to verify that this is the most current version before use.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: one-third cut; kraft; brown; plain bottom, scored; 3/4 in. expansion.	UU-F-571 Type IV

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
MS16908-146	251-6356	11-3/4	9	.018	1st
MS16908-147	251-6357	11-3/4	9	.018	2nd
MS16908-148	251-6358	11-3/4	9	.018	3rd
MS16908-149	251-6359	14-7/8	9	.018	1st
MS16908-150	251-6360	14-7/8	9	.018	2nd
MS16908-151	251-6361	14-3/4	9	.018	3rd

Note: Vertical dimension excludes tabs.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: one-third cut; kraft or manila; plain bottom; celluloid tab; angular type.	None

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
MS16908-152	634-5653	11-3/4	9-1/2	----	1st
MS16908-153	634-5077	11-3/4	9-1/2	----	2nd
MS16908-154	634-5277	11-3/4	9-1/2	----	3rd
MS16908-155	634-3351	14-3/4	9-1/2	----	1st
MS16908-156	634-3352	14-3/4	9-1/2	----	2nd
MS16908-157	634-3353	14-3/4	9-1/2	----	3rd

Note: Vertical dimension excludes tabs.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: two-fifth cut; kraft; brown; plain bottom, scored; reinforced top; two 2-3/4 in. prong fasteners on left side of back and right side of front; printed - Official Personnel Folder.	None

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
MS16908-158	222-3442	11-3/4	9-1/2	.011	3rd and 4th

Note: Vertical dimension excludes tabs.

REVISED

APPROVED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

DESCRIPTION — SPECIFICATION

FOLDER, FILE:
two-fifth cut; kraft; brown; plain bottom, scored; one 2-3/4 in. prong lock fastener on back of left side; 3/4 in. expansion.

None

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
MS16908-159	205-2143	11-3/4	9-1/2	.015	2nd

Note: Vertical dimension excludes tabs.

DESCRIPTION — SPECIFICATION

FOLDER, FILE:
100% sulphate; plain bottom, scored; 1 in. expansion, w/transparent insert; w/date scale across top; w/movable indicator; outer type visible follow-up folder.

GSSO PD 53-25

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS
MS16908-160	273-9847	11-3/4	10	.018
MS16908-161	205-2179	14-7/8	10	.018

Note: Vertical dimension includes tabs.

DESCRIPTION — SPECIFICATION

FOLDER, FILE:
one-fourth cut; 100% chemical pulp; manila colored; 3/4 in. expansion; plain bottom, scored; inner type for visible follow-up folder.

GSSO PD 53-30

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION	
*MS16908-162	273-9845	11-3/4	9-3/16	.0095	1st	Class 1
MS16908-163	273-9846	11-3/4	9-3/16	.0095	1st	Class 2

*one prong lock fastener on back of left side.
Note: Vertical dimension includes tabs.

REVISED

APPROVED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2020-10-23T14:01Z
Check the source to verify that this is the current version before use.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: one-fifth cut; 100% chemical pulp; manila color; plain bottom; 3/4 in. expansion; one 2-3/4 in. prong lock fastener on back left side; inner type for visible follow-up folder.	GSSO PD 53-30 Class 1

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
MS16908-164	531-7809	14-7/8	9-3/16	.0095	1st

Note: Vertical dimension includes tabs.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: pressboard; double-fold expansion bottom type; 1 in. expansion; celluloid tab; angular type; minimum thickness 0.020.	UU-F-581 Type I, II or III

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	TAB CUT	TAB POSITION
MS16908-165	634-5156	11-3/4	9-1/2	1/3	1st
MS16908-166	634-5157	11-3/4	9-1/2	1/3	2nd
MS16908-167	634-5158	11-3/4	9-1/2	1/3	3rd
MS16908-168	634-5159	11-3/4	9-1/2	1/5	1st
MS16908-169	634-5160	11-3/4	9-1/2	1/5	2nd
MS16908-170	634-5161	11-3/4	9-1/2	1/5	3rd
MS16908-171	634-5162	11-3/4	9-1/2	1/5	4th
MS16908-172	634-5163	11-3/4	9-1/2	1/5	5th
MS16908-173	634-5164	14-3/4	9-1/2	1/3	1st
MS16908-174	634-5167	14-3/4	9-1/2	1/3	2nd
MS16908-175	634-5168	14-3/4	9-1/2	1/3	3rd
MS16908-176	634-5169	14-3/4	9-1/2	1/5	1st
MS16908-177	634-5170	14-3/4	9-1/2	1/5	2nd
MS16908-178	634-5171	14-3/4	9-1/2	1/5	3rd
MS16908-179	634-5172	14-3/4	9-1/2	1/5	4th
MS16908-180	634-5173	14-3/4	9-1/2	1/5	5th

Note: Vertical dimension excludes tab.

DESCRIPTION	SPECIFICATION
FOLDER, FILE: red pressboard; double-fold expansion bottom; 1 in. expansion; bound on 11-1/2 in. side; one 2-3/4 in. prong lock fastener on 9 in. side.	UU-F-581 Type I

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS
MS16908-181	634-1785	11-1/2	9	.020

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

REVISED

APPROVED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
7530

DESCRIPTION — SPECIFICATION

FOLDER, FILE:
red pressboard; double-fold expansion bottom; 2 in. expansion; bound on 9 in. side; one 2-3/4 in. prong lock fastener on 9 in. side.

SPECIFICATION: UU-F-581 Type I

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS
MS16908-182	634-1786	9	14-1/2	.020

DESCRIPTION — SPECIFICATION

FOLDER, FILE:
gray folder board; w/reinforced top; plain bottom, scored type; 1-3/4 in. expansion; metal tabbed, angular type, adjustable to all positions; 1/3 cut; with metal hangers for suspension filing on drawer frame.

SPECIFICATION: None

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS
MS16908-183	205-2991	14-3/4	9-3/8	.011

DESCRIPTION — SPECIFICATION

FOLDER, FILE:
gray pressboard; double-fold expansion bottom; 2 in. expansion; plastic tab, angular type, 1/3 cut; two 2-3/4 in. prong fasteners located inside left end front and back covers; with two gussetted kraft dividers, .018 in. thick; self-tabbed; 1/3 cut, 2nd and 3rd positions; with "Twinpakt" prong fastener located on left end each divider.

SPECIFICATION: None

MS PART NO.	FIIN	SIZE (INCHES) HORIZONTAL	VERTICAL	THICKNESS	TAB POSITION
MS16908-184	663-0874	14-7/8	9-7/16	.025	2nd

DESCRIPTION — SPECIFICATION

NOTEBOOK, STENOGRAPHER'S:
80 leaves; ruled both sides; w/center vertical line; stiff cover; spiral-wire binding.

SPECIFICATION: None

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	WIDTH
MS16908-185	223-7939	9	6

APPROVED REVISED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A.	TITLE	MILITARY STANDARD
Other Cust	BOOKS, ENVELOPES, FILE FOLDERS AND PADS	MS 16908
Procurement Specification: See above	SUPERSEDES:	SHEET 22 OF 24

DD FORM 1 SEP 57 672 COORDINATED — PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:04Z
Check the source to verify that this is the current version before use.

DESCRIPTION — SPECIFICATION

PAD, COLUMNAR
substance 16, based on 500 sheets, 17 in. by 22 in. basic size; with name space; 50 sheets per pad.

MS PART NO.	FIIN	SIZE (IN.) HOR.	SIZE (IN.) VERT.	COLOR	NO. OF COLUMNS EXCLUDING NAME SPACE	
MS16908-186	251-6441	8-1/2	14	buff	3	None
MS16908-187	223-8778	8-1/2	14	yellow	4	GPO No. 50105
MS16908-188	247-3698	8-1/2	14	buff	6	GPO No. 50107
*MS16908-189	223-7955	8-1/2	14	yellow	7	GPO No. 50108
MS16908-190	251-6439	10-1/2	14	buff	7	None
MS16908-191	242-3807	14	10-1/2	buff	8	None
MS16908-192	223-7957	14	8-1/2	yellow	10	GPO No. 50115
MS16908-193	251-6449	17	14	buff	11	GPO No. 50135
MS16908-194	247-3700	14	8-1/2	buff	12	None
MS16908-195	247-3676	17	14	buff	12	None
*MS16908-196	223-7956	14	8-1/2	yellow	13	GPO No. 50116
MS16908-197	223-7958	17	11	yellow	13	GPO No. 50125
MS16908-198	247-3708	17	14	buff	14	GPO No. 50138
*MS16908-199	223-7961	17	11	yellow	16	GPO No. 50126
MS16908-200	247-3701	17	11	buff	16	None
MS16908-201	251-6447	25-1/2	14	buff	18	GPO No. 50145
*MS16908-202	290-3903	25-1/2	14	white	21	None
MS16908-203	247-3702	34	14	buff	25	GPO No. 50155
MS16908-204	247-3703	34	14	buff	30	None

*except w/o name space.

DESCRIPTION — SPECIFICATION

PAD, DRAWING PAPER: — None
white; any applicable finish and pulp type; 72 sheets per pad.

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	SIZE (INCHES) WIDTH
MS16908-205	290-9174	13-1/8	12-1/2

DESCRIPTION — SPECIFICATION

PAD, PRESCRIPTION BLANK: — MIL-P-3594
chemical wood; white; unruled; 100 sheets per pad; substance based on 500 sheets 17 in. by 22 in. basic size; printed - Station, 19, For, RX, GMS or CC, and No.; back of backing with table of equivalents of apothecary metric weights.

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	SIZE (INCHES) WIDTH	SUBSTANCE (POUNDS)
MS16908-206	435-7570	4-5/8	4-1/8	20

REVISED

APPROVED

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
PAD, WRITING PAPER: white; chemical wood; unruled; 100 sheets per pad; substance based on 500 sheets, 17 in. by 22 in. basic size.	UU-P-21 Type I

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	WIDTH	SUBSTANCE (POUNDS)
MS16908-207	634-5183	5	3	16
MS16908-208	239-8479	8	5	16
MS16908-209	285-3088	10-1/2	8	16

DESCRIPTION	SPECIFICATION
PAD, WRITING PAPER: white; chemical wood; unruled; 100 sheets per pad; two 5/16 in. holes punched in the 27-1/2 in. dimensions w/center of each hole 9/16 in. from edge and 5 in. from left and right sides; substance based on 500 sheets, 17 in. by 22 in. basic size.	None

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	WIDTH	SUBSTANCE (POUNDS)
MS16908-210	543-6949	34	27-1/2	20

DESCRIPTION	SPECIFICATION
PAD, WRITING PAPER: white; chemical wood; ruled; 100 sheets per pad; substance based on 500 sheets, 17 in. by 22 in. basic size.	UU-P-21 Type I

MS PART NO.	FIIN	SIZE (INCHES) LENGTH	WIDTH	SUBSTANCE (POUNDS)
MS16908-211	285-3083	10-1/2	8	16

APPROVED REVISED

P.A.	TITLE	MILITARY STANDARD
Other Cust	BOOKS, ENVELOPES, FILE FOLDERS AND PADS	MS 16908
Procurement Specification See above	SUPERSEDES:	SHEET 24 OF 24

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:01Z
Check the source to verify that this is the current version before use.