MIL-E-24142/4C(SH)
25 January 1984
SUPERSEDING
MIL-E-24142/4B(SHIPS)
31 July 1975

MILITARY SPECIFICATION SHEET

ENCLOSURE, SUBMERSIBLE (15-FOOT) SIZE 4 BY 7


This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the enclosure described herein shall consist of this document and the latest issue of MIL-E-24142.

© denotes changes.

FSC 5975

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:33Z
Check the source to verify that this is the current version before use.



NOTES:

1. Dimensions are in inches.
2. Unless otherwise specified, tolerances are plus or minus 1/64 inch for fractions and plus or minus 0.005 for decimals.
3. Figures cited above are contained in the basic MIL-E-24142. ©

FIGURE 1. Dimensions and configuration.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:33Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Cover bolts and washers: Six required.
2. "O" ring gaskets: In accordance with MIL-P-25732, molded in one piece cross-sectional diameter 0.205-0.218, to the following shape:
   Inside width 4-1/4 $^{+0}_{-1/16}$, inside length 7-1/4 $^{+0}_{-1/16}$,
   inside corner radii 1-1/8 $^{+0}_{-1/32}$. Durometer 65 $\pm$ 5.
3. Sheet metal gage: Prior to drawing shall be #14 (0.065) AWG or B&S.
4. Material: Brass.

Military part number
M24142/4-001

Preparing activity:
Navy - SH
(Project 5975-N571-4)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:33Z
Check the source to verify that this is the current version before use.