MIL-E-24142/5C(SH)
25 January 1984
SUPERSEDING
MIL-E-24142/5B(SH)
31 July 1975

MILITARY SPECIFICATION SHEET

ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, (15-FOOT), SIZES 3R, 4R AND 5R


This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the enclosure described herein shall consist of this document and the latest issue of MIL-E-24142.

© denotes changes.

FSC 5975

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:33Z
Check the source to verify that this is the current version before use.



NOTES:

1. Dimensions are in inches.
2. Unless otherwise specified, tolerances are plus or minus 1/64 inch for fractions and plus or minus 0.005 for decimals.

FIGURE 1. Dimensions and configuration.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:33Z
Check the source to verify that this is the current version before use.

TABLE I. Parts.

Military part number	Size	Dimensions									K
		A	B	C	D	E	F	G	H	J	
M24142/5-001	3R	3-1/4	3-7/16	4-5/8	5/32	2-1/4R	4-1/2D	2-1/32R	4	3	AN6230-15
M24142/5-002	4R	4-5/16	3	5-11/16	7/32	2-13/16R	5-5/8D	2-9/16R	4	3	AN6230-23
M24142/5-003	5R	5-3/8	3-3/4	6-3/4	9/32	3-5/16R	6-5/8D	3-3/32R	6	5	AN6230-32

REQUIREMENTS:

(C) 1. "O" ring gasket: In accordance with MIL-P-25732. Durometer 65 ± 5.
2. Sheet metal gage: Prior to drawing shall be #14 (0.064) AWG or B&S.
(C) 3. Material: Brass.

Preparing activity:
Navy - SH
(Project 5975-N571-5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:33Z
Check the source to verify that this is the current version before use.