MIL-E-24142/6G(SH)
25 January 1984
SUPERSEDING
MIL-E-24142/6F(SHIPS)
31 July 1975

MILITARY SPECIFICATION SHEET

ENCLOSURE, SUBMERSIBLE (15-FOOT), SIZES 8 BY 10 THROUGH 14 BY 26


This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the enclosure described herein shall consist of this document and the latest issue of MIL-E-24142.

Ⓖ denotes changes.

FSC 5975

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.



NOTES:

1. Dimensions are in inches.
2. Unless otherwise specified, tolerances are plus or minus 1/64 inch for fractions and plus or minus 0.005 for decimals.
3. Material: Brass. (G)
4. Figures cited above are contained in the basic MIL-E-24142. (G)

FIGURE 1. Dimensions and configuration.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.

TABLE I. Parts.

Military part no.	Size	Dimensions												Gasket requirement reference
		A	B	C	D (approx.)	E (approx.)	F	G	AA	BB	CC	DD	EE	
M24142/6-001	8 by 10	8	10	5	11-3/8	13-3/8	10	9	9-7/16	6-1/4	3-1/8			1a
M24142/6-002	8 by 12	8	12	5	11-3/8	15-3/8	10	9	9-7/16	8-1/4	4-1/8			1b
M24142/6-003	10 by 10	10	10	5	13-3/8	13-3/8	8	11	11-7/16	5-3/4	2-7/8			1c
M24142/6-004	10 by 13	10	13	5	13-3/8	16-3/8	10	11	11-7/16	9-1/4	4-5/8			1d
M24142/6-005	10 by 16	10	16	5	13-3/8	19-3/8	10	11	11-7/16	11-3/4	5-7/8			1e
M24142/6-006	10 by 18	10	18	5	13-3/8	21-3/8	12	11	11-7/16	14-1/4	7-1/8			1f
M24142/6-007	10 by 20	10	20	5	13-3/8	23-3/8	12	11	11-7/16	13	6-1/2			1g
M24142/6-008	12 by 13	12	13	5	15-3/8	16-3/8	10	13	13-7/16	9-1/4	4-5/8			1h
M24142/6-009	12 by 17	12	17	5	15-3/8	20-3/8	10	13	13-7/16	12	6			1i
M24142/6-010	12 by 24	12	24	5	15-3/8	27-3/8	18	13	13-7/16	6-1/2	3-1/4	9-3/4	19-1/2	1j
M24142/6-011	14 by 14	14	14	5	17-3/8	17-3/8	12	15	15-7/16	10-1/4	5-1/8			1k
M24142/6-012	14 by 16	14	16	5	17-3/8	19-3/8	12	15	15-7/16	12-1/4	6-1/8			1l
M24142/6-013	14 by 20	14	20	5	17-3/8	23-3/8	14	15	15-7/16	16	8			1m
M24142/6-014	14 by 26	14	26	5	17-3/8	29-3/8	16	15	15-7/16	7	3-1/2			1n

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

(G) 1. Gasket (figure 8 of MIL-E-24142) in accordance with the following inside widths, lengths and radii:

(a)	8-3/8	10-3/8	1-7/16R.
(b)	8-3/8	12-3/8	1-7/16R.
(c)	10-3/8	10-3/8	1-7/16R.
(d)	10-3/8	13-3/8	1-7/16R.
(e)	10-3/8	16-3/8	1-7/16R.
(f)	10-3/8	18-3/8	1-7/16R.
(g)	10-3/8	20-3/8	1-7/16R.
(h)	12-3/8	13-3/8	1-7/16R.
(i)	12-3/8	17-3/8	1-7/16R.
(j)	12-3/8	24-3/8	1-7/16R.
(k)	14-3/8	14-3/8	1-7/16R.
(l)	14-3/8	16-3/8	1-7/16R.
(m)	14-3/8	20-3/8	1-7/16R.
(n)	14-3/8	26-3/8	1-7/16R.

2. Drill 23/64 diameter holes in cover and tap 3/8-16 for captive cover bolts.
3. Sheet metal gage: Prior to drawing, shall be #11 (0.090) AWG or B&S.

Preparing activity:
Navy - SH
(Project 5975-N571-6)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 5523)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 5523)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-E-24142/6G(SH)	ENCLOSURE, SUBMERSIBLE (15-FOOT), SIZES 8 BY 10 THROUGH 14 BY 26

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER (Specify) _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.