MIL-E-24142/9B(SH)
25 January 1984
SUPERSEDING
MIL-E-24142/9A(SHIPS)
31 July 1975

MILITARY SPECIFICATION SHEET

ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 3

(B)


This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the enclosure described herein shall consist of this document and the latest issue of MIL-E-24142.

(B) denotes changes.

FSC 5975

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.



NOTES:

1. Dimensions are in inches.
2. Unless otherwise specified, tolerances are plus or minus 1/64 inch for fractions and plus or minus 0.005 for decimals.

FIGURE 1. Dimensions and configuration.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

(B) 1. Cover bolts and washers: Six required.

(B) 2. "O" ring gasket: In accordance with MIL-P-25732, or molded to the following shape: Inside width 2-1/4 $^{+0}_{-1/32}$, inside length 3-1/8 $^{+0}_{-1/32}$, inside corner radii 7/16 $^{+0}_{-1/32}$. Durometer 65 $\pm$ 5.

3. Sheet metal gage: Prior to drawing, shall be #14 (0.064) AWG or B&S.

(B) 4. Material: Brass.

Military part number
M24142/9-001

Preparing activity:
Navy - SH
(Project 5975-N571-9)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T19:34Z
Check the source to verify that this is the current version before use.