MILITARY SPECIFICATION SHEET

ELECTRON TUBE, POWER

TYPE 836

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the electron tube described herein shall consist of this document and the latest issue of Specification MIL-E-1.

DESCRIPTION: Rectifier, high vacuum, half-wave

Outline	---	See figure 1
Base	---	A4-10 (phenolic)
Cap	---	C1-5
Envelope	---	ST19
Cathode	---	Coated unipotential

Base connections:

Pin No.	---	1	2	3	4	Cap
Element	---	h, k1	nc	nc	h, k2	a

ABSOLUTE-MAXIMUM RATINGS:

Parameter:	Ef	Epp	epx	ib	Io	tk	i (surge)	Alt
Unit:	Vac	Vac	kv	a	mAdc	sec	a	ft
Maximum:	2.6	---	5.0	1.0	250	---	5.0	10,000
Minimum	2.4	---	---	---	---	40	---	---
TEST CONDITIONS:	2.5	1,775	---	---	---	---	---	---

GENERAL:

Qualification - Required

(B) denotes changes

Source: https://assist.dla.mil -- Downloaded: 202640-15T13:50Z
Check the source to verify that this is the currentversion before use.

METHOD	REQUIREMENT OR TEST	NOTES	CONDITIONS	AQL (PERCENT DEFECTIVE)	INSPECTION LEVEL OR CODE	SYMBOL	LIMITS		UNIT
							MIN	MAX	
	Quality conformance inspection, part 1								
1353	Operation of rectifiers	1, 2	t = 180; ib = 1a (min)	0.65	II	---	---	---	---
1231	Emission	-	Ep = 80 Vac	0.65	II	Is	230	---	mAdc
	Quality conformance inspection, part 2								
1301	Heater current	-		---	---	If	4.6	5.4	A
1031	Low-frequency vibration	-	No voltages applied	---	---	---	---	---	---
1036	Bump	-	Angle = 20°	---	---	---	---	---	---
1111	Base pin solder depth	-		---	---	---	---	---	---
1101	Secureness of base, cap, or insert	-		---	---	---	---	---	---
1105	Permanence of marking	-		---	---	---	---	---	---
	Quality conformance inspection, part 3								
(B)---	Life test	2	Group D	---	---	---	---	---	---
---	Life-test end point (500 hours):								
1231	Emission	-		---	---	Is	180	---	mAdc

NOTES:

1. This test to be performed at the conclusion of the holding period.

(B) 2. Two tube, full-wave circuit; Epp = 1,775 Vac per tube; adjust load resistance for 500 mAdc total load current for two tubes.

Custodians:
Army - EL
Navy - EC
Air Force - 80

Review activities:
Air Force - 11
DSA - ES


User activities:
Army - WC
Navy - AS, OS, MC, CG, SH


Preparing activity: Navy - EC

Agent: DSA - ES

(Project 5960-2641)

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T13:50Z
Check the source to verify that this is the current version before use.





BOTTOM VIEW

Ltr	Dimensions in inches with metric equivalents (mm) in parentheses	
	Minimum	Maximum
Quality conformance inspection, part 1		
A	6.188(157.18)	6.562(166.67)
B	5.781(146.84) Ref	
C		2.438 (61.93)

(B) FIGURE 1. Outline drawing of electron tube type 836.

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T13:50Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T13:50Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D. C. 20360

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D. C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T13:50Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T13:50Z
Check the source to verify that this is the current version before use.