MM-L-736C
AMENDMENT-1
March 11, 1983

FEDERAL SPECIFICATION

LUMBER; HARDWOOD

This amendment, which forms a part of Federal Specification MM-L-736C, dated March 9, 1973, was approved by the Assistant Administrator, Office of Personal Service, General Services Administration, for the use of all Federal Agencies.

PAGE 2

2.2 Other publications.

Change address of Maple Flooring Manufacturer's Association to: Sperry Univac Plaza, Suite 720-South, 8600 West Bryn Mawr Avenue, Chicago, Illinois 60631.

Change address of National Hardwood Lumber Association to: P.O. Box 34518, Memphis, TN 38134.

PAGE 3

Change address of National Oak Flooring Manufacturer's Association to: 804 Sterick Bldg., Memphis, TN 38103.

3.3 Seasoning. Delete in its entirety and substitute the following:

"3.3 Seasoning. Unless otherwise specified (see 6.2), the degree of seasoning shall conform to the following requirements. Lumber not required to be seasoned shall be designated, "Any stage of seasoning". Moisture content of lumber shall be determined as specified in 4.3.4."

3.3.1 Green. Delete in its entirety without substitution.

3.3.2 Dry. Delete in its entirety without substitution.

FSC 5510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:57Z
Check the source to verify that this is the current version before use.

PAGE 4

3.6 Treatment. Add the following new subparagraph after 3.6.2.

"3.6.3 Anti-strain treatment. When specified (see 6.2), all hard-wood lumber which is subject to staining (see 6.5) shall be anti-stain treated. The treating solution shall be waterbased with the composition, concentration and application as specified by the chemical supplier."

PAGE 5

3.7 Grade certification. Delete in its entirety and substitute the following:

"3.7 Grade certification. Hardwood lumber of like grade, size and species shall be certified for grade by a certificate of inspection. Unless otherwise specified (see 6.2), certificates for types I and II lumber shall be issued by a National Inspector of the National Hardwood Lumber Association and certificates for type III lumber shall be issued by the supplier."

3.8 Marking. Add the following new paragraph:

"3.8 Marking. Unless otherwise specified, (see 6.2), each piece of type I and II lumber, graded and certified as specified in 3.7, shall be hammer branded by a National Inspector of the National Hardwood Lumber Association."

PAGE 6

4.3.3 Examination. Add the following new defects.

"109. Anti-stain treatment not as specified (when required).
110. Pieces not hammer branded as specified."

PAGE 7

6.2 Ordering data. Delete (l) and (m) in their entirety and substitute the following:

"(l) When anti-stain treatment is required (see 3.6.3).
(m) Certification if other than as specified (see 3.7).
(n) Marking if other than as specified (see 3.8).
(o) Unitization level and methods (see 5.1)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:57Z
Check the source to verify that this is the current version before use.

Type I - Mixed grain.

6.3, line 2, delete "widths" and substitute "thickness".

Lines 2-4, delete paranthetical phrase and substitute: "(see MIL-HDBK-7B and U.S. Department of Agriculture Wood Handbook No. 72)."

After paragraph 6.4 Surfacing, add the following:

"6.5 Anti-stain treatment applicability. Under certain circumstances, such as overseas shipments or extended periods of storage, an anti-stain treatment may be necessary for unseasoned lumber to inhibit the penetration of undesirable stains. The need for such treatment (see 3.6.3), shall be specified on the order [see 6.2 (1)]."

MILITARY INTERESTS:

Custodians
Army - ME
Navy - YD
Air Force - 99

User activities
Army - CE
Navy - MC, SH

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS, PCD
USDA - AFS
HHS - FEC

PREPARING ACTIVITY:

Army - ME

Project No. 5510-0156

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:57Z
Check the source to verify that this is the current version before use.