INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

HAMMERS, PNEUMATIC, PORTABLE (CHIPPING AND SCALING)

This interim amendment was developed by the Department of the Navy, Naval Ship Engineering Center, Center Building, Prince George's Center, Hyattsville, Maryland 20782, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above. The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal Specification OO-H-116d.

Page 1

Supersession data in upper right hand corner, delete in its entriety and substitute:

"SUPERSEDING
Int. Fed. Spec. OO-H-00116c(GSA-FSS)
March 10, 1965 and
Fed. Spec. OO-H-116a
November 5, 1967"

Page 2

3.2: Delete and substitute:

"3.2 Qualification. Portable pneumatic hammers furnished under this specification shall be products which are qualified for listing on the applicable qualified products list at the time set for opening of bids (see 4.2 and 6.2)."

3.3: Delete and substitute:

"3.3 Material. The materials used in the construction of items and components shall be sound, of uniform quality and condition and shall conform in composition, heat treatment and suitability to the standard practices of manufacturers producing tools of the types required in this specification. Equipment and parts shall be new and high grade commercial quality."

3.6: Delete and substitute:

"3.6 Lubrication. Hammers shall embody a lubrication system designed to assure that one application of lubricant shall provide ample lubrication of all parts subjected to wear for a period of not less than eight operating hours."

Add the following new paragraph:

"3.8.1 Driver retainer. When specified (see 6.1), a driver retainer of sufficient size and durability to comply with the test requirements (see 4.5.4) shall be attached to the barrel of the tool."

1/ CHANGES FROM PREVIOUS ISSUE. THE OUTSIDE MARGINS OF THIS DOCUMENT HAVE BEEN MARKED "#" TO INDICATE WHERE CHANGES (DELETIONS ADDITIONS, ETC.) FROM THE PREVIOUS ISSUE HAVE BEEN MADE. THIS HAS BEEN DONE AS A CONVENIENCE ONLY AND THE GOVERNMENT ASSUMES NO LIABILITY WHATSOEVER FOR ANY INACCURACIES IN THESE NOTATIONS. BIDDERS AND CONTRACTORS ARE CAUTIONED TO EVALUATE THE REQUIREMENTS OF THIS DOCUMENT BASED ON THE ENTIRE CONTENT AS WRITTEN IRRESPECTIVE OF THE MARGINAL NOTATIONS AND RELATIONSHIP TO THE LAST PREVIOUS ISSUE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:58Z
Check the source to verify that this is the current version before use.

Properly reflected on the Daily Change Sheet when known to

Page 5

Table II, column 7, titled "Air Consumption under load at 90 p.s.i. (max.)": Delete in its entirety and substitute:

"Work factor 2/
(grams per minute/CFM)
(min.)
1.9
3
3.3"

Table II: Delete footnote 2/ at bottom of table and substitute:

"2/ Minimum work factor shall be determined by dividing steel chipped in grams per minute by the air consumed during the chipping in cubic feet per minute.

$$WF = \frac{gr.\ p.m.}{CFM}$$"

Page 6

4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

4.2: Delete and substitute:

"4.2 Qualification tests. Qualification tests shall be conducted at a laboratory satisfactory to the Naval Ship Engineering Center. Qualification tests shall consist of the examination in 4.3.2 and the tests in 4.4 and 4.5. Application for qualification tests shall be made in accordance with "Provisions Governing Qualification SD-6" (see 6.2 and 6.3)."

4.4.2: Add at end of first sentence: "Work factor and blows per minute."

Page 7

After 4.5.3, insert the following as 4.5.4:

"4.5.4 Driver retainer test. When a driver retainer is specified (see 6.1), each tool complete with driver and retainer shall be connected to a rated power source, and operated "Free in Air" (other than under load), for a 20-second duration. Any separation of the driver or retainer from the tool shall constitute failure of this test."

6.1: Add new subparagraph (f):

"(f) When driver retainer is required (see 3.8.1)."

6.2: Delete and substitute:

"6.2 With respect to products requiring qualification, awards will be made only for products which are at the time set for opening of bids, qualified for inclusion in applicable Qualified Products List QPL 00-H-116, whether or not such products have actually been so listed by that date. The attention of the suppliers is called to this requirement, and manufacturers are urged to arrange to have the products that they propose to offer to the Federal Government tested for qualification in order that they may be eligible to be awarded contracts or orders for the products covered by this specification. The activity responsible for the Qualified Products List is the Naval Ship Engineering Center, Prince George's Center, Center Building, Hyattsville, Maryland 20782, and information pertaining to qualification of products may be obtained from that activity. Application for Qualification tests shall be made in accordance with "Provisions Governing Qualification SD-6" (see 6.3)."

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:58Z
Check the source to verify that this is the current version before use.

Add the following new paragraph:

"6.3 Copies of "Provisions Governing Qualification SD-6" may be obtained upon application to Commanding Officer, Naval Publications and Forms Center, 5801 Tabor Avenue, Philadelphia, Pennsylvania 19120."

Preparing activity:
NAVY - SH
(Project 5130-N184)

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:58Z
Check the source to verify that this is the current version before use.