INCH-POUND

MS14113F
19 February 2013
SUPERSEDING
MS14113E
18 July 1990

# DETAIL SPECIFICATION SHEET

## TAPE, IDENTIFICATION, COLOR CODED, FOR AIRCRAFT TIRES

This specification sheet is approved for use by all Departments and agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet.





FIGURE 1. Tire tape designation and arrangements.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

SCOPE:

This specification sheet establishes requirements for color coded aircraft tire identification tape which applies to all aircraft tires manufactured/retreaded for the Department of Defense.

REQUIREMENTS:

1. All aircraft tires manufactured/retreaded for the Department of Defense shall be taped before delivery, with a circumferential band of one (1) inch, pressure-sensitive tape, completely around the centermost rib of the tread.

2. The ends of the tape shall overlap approximately four (4) inches for any splice and upon completion of the wrap.

3. The pressure-sensitive tape shall be constructed so that normal shipping and handling will not deface or remove it from the tire, but shall be easily removed in one continuous strip prior to installation.

4. The tape colors shall be in accordance with this specification sheet and FED-STD-595 (see notes 2 and 3).

TABLE I. Tire year of manufacture designation.

| YEAR OF MANUFACTURE | | | | | | FED-STD-595 COLOR NAME | FED-STD-595 COLOR NUMBER |
|---|---|---|---|---|---|---|---|
| 1998 | 2005 | 2012 | 2019 | 2026 | 2033 | GREY | 26373 |
| 1999 | 2006 | 2013 | 2020 | 2027 | 2034 | GREEN | 14187 |
| 2000 | 2007 | 2014 | 2021 | 2028 | 2035 | BLUE | 15123 |
| 2001 | 2008 | 2015 | 2022 | 2029 | 2036 | ORANGE | 12246 |
| 2002 | 2009 | 2016 | 2023 | 2030 | 2037 | YELLOW | 13655 |
| 2003 | 2010 | 2017 | 2024 | 2031 | 2038 | VIOLET | 17142 |
| 2004 | 2011 | 2018 | 2025 | 2032 | 2039 | RED | 11105 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

TABLE II. Manufacturer/retreader designation.

| MANUFACTURER/RETREADER | FED-STD-595 COLOR NAME | FED-STD-595 COLOR NUMBER |
|---|---|---|
| Goodyear (retreader) | RED | 11136 |
| Goodyear (new and retreader tires) | GREEN | 14062 |
| Dunlop aviation | WHITE | 17875 |
| Michelin | YELLOW | 13538 |
| Bridgestone | BROWN | 10080 |

5. The tape shall be a solid color to indicate the year of manufacture for both new and retread tires. The date of retreading shall not be used on the tape.

6. The year of manufacture shall be printed on the tape. The numbers shall be printed in the center of the tape, in a neat legible manner and shall be repeated continuously for total length of the tape per given roll with three (3) inches spacing between printed dates. Year date numbers shall be three-quarters (3/4) inch in height, one-eighth (1/8) inch in width and black or white in color. Spacing between the numbers shall be no less than one-eighth or more than one-quarter (1/4) high. The printing shall be indelible and resistant to any abrasion resulting from handling operations.

7. New tire identification tape:

   In addition to the solid color and printed date to indicate year of manufacture, the tape for new tires shall have one-half (1/2) inch wide horizontal stripe across the width of the tape in a color corresponding to the manufacturer's identification color in table II. The horizontal stripe shall be repeated every six (6) inches to indicate manufacturer of the tire. An optional three-sixteenth (3/16) inch white border is permitted around the stripe as shown on figure 1.

8. Retread tire identification tape:

   In addition to the solid color and printed date to indicate year of manufacture, the tape for retread tires shall have a diamond design printed on it in a color corresponding to the retreader's identification color outlined in table II. The diamond shall be no less than one and one-quarter (1-1/4) inches and no more than one and one-half (1-1/2) inches in length and approximately fifteen-sixteenths (15/16) of an inch in width and shall be repeated every six and one-half (6-1/2) inches to indicate the retreader as shown on figure 1. An optional three-sixteenth (3/16) inch white border is permitted around the diamond as shown on figure 1.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

9. All tape manufacturers shall be approved by the Navy cognizant engineering activity (see notes 4 and 5). Each tape shall also be verified as to its conformance with FED-STD-595 prior to use.

NOTES:

1. Referenced documents are of the issue in effect on date of invitation for bids or request for proposal.

2. This specification sheet references the following colors from FED-STD-595:

| | | |
|---|---|---|
| Grey | - | 26373 |
| Green | - | 14187 |
| Blue | - | 15123 |
| Orange | - | 12246 |
| Yellow | - | 13655 |
| Violet | - | 17142 |
| Red | - | 11105 |
| Red | - | 11136 |
| Green | - | 14062 |
| White | - | 17875 |
| Yellow | - | 13538 |
| Brown | - | 10080 |

3. Copies of FED-STD-595 are available online at https://assist.dla.mil/quicksearch or https://assist.dla.mil or from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094.

4. Tire and retreading manufacturers are required to submit a ten (10) yard sample of each different color coded tape to the Navy cognizant engineering activity for approval.

5. Cognizant engineering activity - the designated - department engineering activities are as follows:

   Air Force – 417 SCMS/GUEA, 6040 Gum Lane, Hill AFB, Utah 84056-5825

   Navy – Commanding Officer, Fleet Readiness Center Southwest, Bldg. 469, San Diego, CA 92135-7058, Attn: 43440



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army – AV
Navy – AS
Air Force – 99
DLA – GS

Preparing activity:
Navy - AS
(Project 2620-2012-001)

Review activities:
Air Force – 11, 70
DLA – CC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above by using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.