METRIC

MIL-DTL-83538/8D
7 January 2015
SUPERSEDING
MIL-DTL-83538/8C
2 June 2008

DETAIL SPECIFICATION SHEET

CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, COVER, PROTECTIVE, LAUNCHER RECEPTACLE, FOR MIL-STD-1760 APPLICATIONS (METRIC)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-83538.




FIGURE 1. Protective cover launcher receptacle.

AMSC N/A

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.




FIGURE 1. Protective cover launcher receptacle - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.




FIGURE 1. Protective cover launcher receptacle - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.

mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches
0.10	.004	2.57	.101	5.72	.225	32.39	1.275	36.27	1.428
0.20	.008	2.80	.110	6.22	.245	32.49	1.279	36.37	1.432
0.31	.012	3.05	.120	6.48	.255	33.40	1.315	37.45	1.474
1.00	.039	3.95	.156	7.58	.298	33.50	1.319	37.55	1.478
1.19	.047	4.05	.159	7.68	.302	33.55	1.321	37.64	1.482
1.35	.053	4.01	.158	14.18	.558	33.65	1.325	37.76	1.487
2.03	.080	4.12	.162	14.28	.562	34.39	1.354	38.35	1.510
2.41	.095	4.70	.185	25.40	1.000	34.49	1.358	38.46	1.514
2.50	.098								

NOTES:
1. Dimensions are in millimeters.
2. Inch equivalents are given for information only.
3. The dimension 5.72 - 4.70 indicates the location of the coupling nut when it is pushed toward the rear.

FIGURE 1. Protective cover launcher receptacle - Continued.

REQUIREMENTS:

Dimensions and configurations: See figure 1.
This protective store cover is used with MIL-DTL-83538/4.
Part or Identifying Number (PIN) example: M83538/8-1.

MIL-DTL-83538/12 is utilized as a tool to mate and unmate the MIL-DTL-83538/8 protective cover to the MIL-DTL-83538/4 receptacle.

QUALIFICATION: Protective covers shall be in accordance with the qualification requirements of MIL-DTL-83538. The following details and exceptions shall apply:

Group A: Visual and mechanical examination (100% inspection).

Group B: Not applicable.

Qualification and group C: Two MIL-DTL-83538/8 protective covers and two MIL-DTL-83538/4 mating connectors shall be required for stand alone qualification. However, for group C and for a manufacturer that is in the process of qualifying MIL-DTL-83538/4 connectors concurrently with the protective cover, then one protective cover and one mating connector shall be required for testing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.

Manufacturers that are qualifying this protective cover as a stand alone accessory shall conduct the following sequence of verification tests:

Visual and mechanical examination
Salt spray
Coupling torque
Humidity
  Insulation resistance at ambient temperature
Altitude immersion
  Insulation resistance at ambient temperature
  Dielectric withstanding voltage at sea level
Temperature cycling
Post test examination.

Manufacturers that are in the process of qualifying MIL-DTL-83538/4 receptacles concurrently with MIL-DTL-83538/8 protective covers, as well as manufacturers conducting periodic Group C, shall conduct the following sequence of tests:

Visual and mechanical examination
Salt spray
Coupling torque
Post test examination.

Changes from previous issue. The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Referenced documents. In addition to MIL-DTL-83538, this document references the following:

MIL-DTL-83538/4
MIL-DTL-83538/12

CONCLUDING MATERIAL

Custodians:
Army – CR
Navy – AS
Air Force – 85
DLA – CC

Preparing activity:
DLA – CC

Review activities:
Army – AR, MI
Navy – EC, MC, OS
Air Force – 19, 99

(Project 5935–2014-116)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.