INCH-POUND

MIL-DTL-44404A
30 June 1999
SUPERSEDING
MIL-T-44404(GL)
6 April 1990

DETAILED SPECIFICATION

TENT, COMMAND POST, STANDARDIZED INTEGRATED COMMAND POST SYSTEM

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers one complete Standardized Integrated Command Post System.

1.2 Classification. (See 6.2).

Class 1 - Camouflage green 483
Class 2 - Desert tan 459

2. APPLICABLE DOCUMENTS

2.1 Government documents.

* 2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks of the exact revision listed below form a part of this document to the extent specified herein.

Beneficial comments (recommendations, additions, deletions, clarifications) and any pertinent data which may be of use in improving this document should be addressed to: Defense Supply Center Philadelphia, Clothing and Textiles Directorate, Attn: DSCP-CNR, 700 Robbins Avenue, Bldg 6, Area D, Philadelphia, PA 19111-5096 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8340

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:55Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

MILITARY

MIL-P-501	- Pins, Tent, Metal
MIL-P-2383	- Pins, Tent, Wood
MIL-L-44259	- Light Set, Portable, Fluorescent
MIL-B-44381	- Board, Map, Complexing (SICIPS)
MIL-T-44382	- Table, Field, Folding Legs, Metal
MIL-F-44397	- Frame, Tent, (SICPS)
MIL-T-44400	- Tent, Fabric Assemblies, Standardized Integrated Command Post System

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Defense Automated Printing Service, Bldg 4D (DPM-DODSSP), 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

* 2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications of the exact revision level shown form a part of this document to the extent specified herein.

DRAWINGS

U.S. ARMY NATICK RESEARCH, DEVELOPMENT & ENGINEERING CENTER

5-4-6340	-	Command Post, Tent (SICPS)
5-4-7473	-	Erection Procedure

(Copies of drawings are available from the U. S. Army Natick Research, Development and Engineering Center, ATTN: SSCNC-EMSS, NATICK, MA 01760-5017.)

* 2.1.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification takes precedence. Nothing in this specification, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), a sample shall be subjected to first article inspection (see 4.3).

* 3.2 Materials and components. Materials and components shall be as specified herein and in referenced documents. Materials not definitely specified shall be of the quality normally used by the manufacturer provided the complete item complies with all provisions of this document. It is encouraged that recycled materials be used when practical as long as it meets the requirements of this document. The components in the quantity shown in Table I make up one complete SICPS system. Class 1 command posts shall be assembled in accordance with Drawing 5-4-6340-1 and class 2 command posts shall be assembled in accordance with Drawing 5-4-6340-2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:55Z
Check the source to verify that this is the current version before use.

TABLE I. Components

Component	Description	Quantity
Plain wall	MIL-T-44400	1
Window wall	MIL-T-44400	2
Entrance way wall	MIL-T-44400	1
Roof cap	MIL-T-44400	1
Plain wall liner	MIL-T-44400	1
Entrance way/window wall liner	MIL-T-44400	3
Rain gutter	MIL-T-44400	1
Floor	MIL-T-44400	1
Support straps	MIL-T-44400	10
Transport bag – frame	MIL-T-44400	1
Transport bag – fabric	MIL-T-44400	2
Pin container	MIL-T-44400	1
Steel pins	MIL-P-501, Type II	8
Wood pins	MIL-P-2383, Size 2	8
Frame	MIL-F-44397	1
Table	MIL-T-44382	2
Mapboard	MIL-B-44381	4
Light set	MIL-L-44259, Type II	1

3.3 Workmanship. The end item shall conform to the quality of product established by this specification.

4. VERIFICATION

4.1 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.2).
b. Conformance inspection (see 4.3).

4.2 First article inspection. When a first article is required (see 3.1 and 6.2) it shall be examined for the defects specified in 4.4.2. Any nonconformance shall be cause for rejection of the first article.

4.3 Conformance inspection. Sampling for inspection shall be as specified in the contract or purchase order.

4.3.1 Component and material inspection. Components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.3.2 Responsibility for dimensional requirements. Unless otherwise specified in the contract or purchase order, the contractor is responsible for ensuring that all dimensions specified in the component specifications have been met. When dimensions cannot be examined on the end item, inspection shall be made at any point, or at all points in the manufacturing process necessary to ensure compliance with all dimensional requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:55Z
Check the source to verify that this is the current version before use.

4.3.3 End item visual examination. The fully packaged end item (see 5.1) shall be unpacked, then erected in accordance with Drawing 5-4-7473. The mapboards shall be complexed and hung from the frame utilizing the support straps. The light set shall be hung utilizing the light support straps and energized. The system shall be examined for the defects listed in Table II. The system shall then be repackaged and packed into the shipping container. The lot size shall be expressed in units of systems. The sample unit shall be one complete system. The sample size shall be as indicated below. The presence of any defect shall be cause for rejection of the lot.

Lot size	Sample size
1 to 50	1
51 to 150	2
151 to 300	3
301 and over	5

TABLE II. Defects

Examine	Defect	Classification Major	Minor
Assembled system	Any component missing	X	
	Damaged or nonconforming component	X	
	Any component or assembly not properly connected or joined with companion assembly	X	
	Frame and tent not properly mated	X	

4.4 Packaging examination. The fully packaged end items shall be examined for marking, materials, workmanship and content defects.

5. PACKAGING

* 5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When actual packaging of materiel is to be performed by DoD personnel, these personnel need to contact the responsible packaging activity to ascertain requisite packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activity within the Military Department or Defense Agency, or within the Military Department's System Command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

* 6.1 Intended use. The Standardized, Integrated Command Post System may be used as a stand alone command post, with tracked vehicles, and with rigid wall shelters. The class 1 command post is to be used in all theaters except the desert. The class 2 command post is to be used in the desert.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:55Z
Check the source to verify that this is the current version before use.

6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.2 and 2.2.1).
c. When first article is required (see 3.1 and 4.3).
d. Class required (see 1.2).
e. Levels of preservation and packing (see 5.1).

6.3 Sample. For access to standard sample, address the contracting activity issuing the invitation for bids.

6.4 Subject term (key word) listing.

Frame
Light Set
Map Board
Table

Custodians:
Army - GL

Preparing activity
DLA-CT

Project No: 8340-0573

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.

2. The submitter of this form must complete blocks 4, 5, 6, and 7, and send to preparing activity.

3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	**1. DOCUMENT NUMBER** MIL-DTL-44404A	**2. DOCUMENT DATE (YYYYMMDD)** 19990630

3. DOCUMENT TITLE TENT, COMMAND, POST, STANDARDIZED INTEGRATED COMMAND POST SYSTEM

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON *(if applicable)*	**7.DATE SUBMITTED** (YYYYMMDD)

8. PREPARING ACTIVITY

a. NAME DEFENSE SUPPLY CENTER PHILADELPHIA DSCP-CNR	b. TELEPHONE *Include Area Code)* (1) Commercial 215-737-5653 (2) AUTOVON 444-5653
c. ADDRESS *(Include Zip Code)* 700 ROBBINS AVE (BLDG 6, C&T) PHILADELPHIA, PA 19111-5092	**IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:** Defense Standardization Program Office (DLSC-LM) 8725 John J. Kingman road, Suite 2533 Ft. Belvoir, VA 22060-2533 Telephone (703) 767-6888 AUTOVON 427-6888

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:55Z
Check the source to verify that this is the current version before use.