INCH-POUND

MIL-DTL-52471/1B
27 April 1998
SUPERSEDING
MIL-H-52471/1A
31 July 1987

DETAIL SPECIFICATION SHEET

HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R1

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-52471.



FIGURE 1. Hose assembly, fitting identification.

AMSC N/A FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE I. 1/4-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1)		Fitting Y (figure 1)		Assembly Code number
		part number	angle reference (°)	part number	angle reference (°)	
1/4	M52671/4-4	M52525/5-4-4	0	M52525/5-4-4 M52525/5-4-5	0	A001 A002
				M52525/6-4-4 M52525/6-4-5	65	A004 A005
				M52525/7-4-4 M52525/7-4-5	90 1/	A006 A007
				M52525/8-4-4 M52525/8-4-5	90 2/	A008 A009
		M52525/5-4-5	0	M52525/5-4-5	0	A010
				M52525/6-4-4 M52525/6-4-5	65	A012 A013
				M52525/7-4-4 M52525/7-4-5	90 1/	A014 A015
				M52525/8-4-4 M52525/8-4-5	90 2/	A016 A017
		M52525/6-4-4	65	M52525/6-4-4 M52525/6-4-5	65	A025 A026
				M52525/7-4-4 M52525/7-4-5	90 1/	A027 A028
				M52525/8-4-4 M52525/8-4-5	90 2/	A029 A030
		M52525/6-4-5	65	M52525/6-4-5	65	A031
				M52525/7-4-4 M52525/7-4-5	90 1/	A032 A033
				M52525/8-4-4 M52525/8-4-5	90 2/	A034 A035
		M52525/7-4-4	90 1/	M52525/7-4-6 M52525/7-4-5	90 1/	A036 A037
				M52525/8-4-4 M52525/8-4-5	90 2/	A038 A039
		M52525/7-4-5	90 1/	M52525/7-4-5	90 1/	A040
				M52525/8-4-4 M52525/8-4-5	90 2/	A041 A042
		M52525/8-4-4	90 2/	M52525/8-4-4 M52525/8-4-5	90 2/	A043 A044
		M52525/8-4-5	90 2/	M52525/8-4-5	90 2/	A045

1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE II. 3/8-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1)		Fitting Y (figure 1)		Assembly Code number
		part number	angle reference (°)	part number	angle reference (°)	
3/8	M52471/4-6	M52525/5-6-6	0	M52525/5-6-6	0	A201
				M52525/6-6-6	45	A203
				M52525/7-6-6	90 1/	A205
				M52525/8-6-6	90 2/	A207
				M52525/6-6-6	65	A216
		M52525/6-6-6	45	M52525/7-6-6	90 1/	A218
				M52525/8-6-6	90 2/	A220
		M52525/7-6-6	90 1/	M52525/7-6-6	90 1/	A227
				M52525/8-6-6	90 2/	A229
		M52525/8-6-6	90 2/	M52525/8-6-6	90 2/	A234

1/ 90° short drop fitting.
2/ 90° long drop fitting.

TABLE III. 1/2-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1)		Fitting Y (figure 1)		Assembly Code number
		part number	angle reference (°)	part number	angle reference (°)	
1/2	M52471/4-8	M52525/5-8-8	0	M52525/5-8-8	0	A301
				M52525/5-8-10		A302
				M52525/6-8-8	65	A303
				M52525/6-8-10		A304
				M52525/7-8-8	90 1/	A305
				M52525/7-8-10		A306
				M52525/8-8-8	90 2/	A307
				M52525/8-8-10		A308
		M52525/5-8-10	0	M52525/5-8-10	0	A309
				M52525/6-8-8	65	A310
				M52525/6-8-10		A311
				M52525/7-8-8	90 1/	A312
				M52525/7-8-10		A313
				M52525/8-8-8	90 2/	A314
				M52525/8-8-10		A315
		M52525/6-8-8	45	M52525/6-8-8	45	A316
				M52525/6-8-10		A317
				M52525/7-8-8	90 1/	A318
				M52525/7-8-10		A319
				M52525/8-8-8	90 2/	A320
				M52525/8-8-10		A321

1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE III. 1/2-inch hose assemblies - Continued.

Hose size (inch)	Hose part number	Fitting X (figure 1)		Fitting Y (figure 1)		Assembly Code number
		part number	angle reference (°)	part number	angle reference (°)	
1/2	M52471/4-8	M52525/6-8-10	45	M52525/6-8-10	45	A322
				M52525/7-8-8	90 1/	A323
				M52525/7-8-10		A324
				M52525/8-8-8	90 2/	A325
				M52525/8-8-10		A326
		M52525/7-8-8	90 1/	M52525/7-8-8	90 1/	A327
				M52525/7-8-10		A328
				M52525/8-8-8	90 2/	A329
				M52525/8-8-10		A330
		M52525/7-8-10	90 1/	M52525/7-8-10	90 1/	A331
				M52525/8-8-8	90 2/	A332
				M52525/8-8-10		A333
		M52525/8-8-8	90 2/	M52525/8-8-8	90 2/	A334
				M52525/8-8-10		A335
		M52525/8-8-10	90 2/	M52525/8-8-10	90 2/	A336

1/ 90° short drop fitting.
2/ 90° long drop fitting.

TABLE IV. 3/4-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1)		Fitting Y (figure 1)		Assembly Code number
		part number	angle reference (°)	part number	angle reference (°)	
3/4	M524714-12	M52525/5-12-12	0	M52525/5-12-12	0	A501
				M52525/6-12-12	45	A503
				M52525/7-12-12	90 1/	A505
				M52525/8-12-12	90 2/	A507
		M52525/6-12-12	45	M52525/6-12-12	65	A516
				M52525/7-12-12	90 1/	A518
				M52525/8-12-12	90 2/	A520
				M52525/7-12-12	90 1/	A527
		M52525/7-12-12	90 1/	M52525/8-12-12	90 2/	A529
		M52525/8-12-12	90 2/	M52525/8-12-12	90 2/	A534

1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE V. 1-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1)		Fitting Y (figure 1)		Assembly Code number
		part number	angle reference (°)	part number	angle reference (°)	
1	M52471/4-16	M52525/5-16-16	0	M52525/5-16-16	0	A601
				M52525/6-16-16	45	A602
				M52525/7-16-16	90 1/	A603
				M52525/8-16-16	90 2/	A604
		M52525/6-16-16	45	M52525/6-16-16	65	A609
				M52525/7-16-16	90 1/	A610
				M52525/8-16-16	90 2/	A611
				M52525/7-16-16	90 1/	A616
		M52525/7-16-16	90 1/	M52525/8-16-16	90 2/	A617
		M52525/8-16-16	90 2/	M52525/8-16-16	90 2/	A622

1/ 90° short drop fitting.
2/ 90° long drop fitting.

TABLE VI. 1-1/4 inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1)		Fitting Y (figure 1)		Assembly Code number
		part number	angle reference (°)	part number	angle reference (°)	
1-1/4	M52471/4-20	M52525/5-20-20	0	M52525/5-20-20	0	A701

TABLE VII. Hose assembly operating pressure.

Hose size (inch)	Dash number	Operating pressure psi MAX
1/4	-4	2750
3/8	-6	2250
1/2	-8	2000
3/4	-12	1250
1	-16	1000
1-1/4	-20	625

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. The hose assemblies shall be in accordance with figure 1 and tables I through VII.

2. Attaching parts for hose assemblies shall conform to MIL-DTL-52525.

3. The fittings and hose for these assemblies must be listed on QPL-52525 and QPL-52471, respectively.

NOTES:

1. Part number: The military part number consists of the specification sheet number, an assigned code number for the hose assembly, hose assembly length, and angular relationship of fittings, when applicable.

Example of a military part number: M52471/1-A216-098-4-135



1/ Not applicable for assemblies with straight fittings.

CONCLUDING MATERIAL

Custodian:
Army - AT
Air Force - 99
Navy - SH

Preparing activity:
DLA - CC

(Project 4720-0191-01)

Review activities:
Army - AR, GL

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.