INCH-POUND

MIL-DTL-52471/2B
27 April 1998
SUPERSEDING
MIL-H-52471/2A
31 July 1987

DETAIL SPECIFICATION SHEET

HOSE ASSEMBLIES, RUBBER: HYDRAULIC PRESSURE-TYPE; TYPE 100R2

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-52471.



FIGURE 1. Hose assembly, fitting identification.

AMSC N/A FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE I. 1/4-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
				M52525/1-4-4	0	B001
				M52525/1-4-5		B002
				M52525/2-4-4	45	B004
		M52525/1-4-4	0	M52525/2-4-5		B005
				M52525/3-4-4	90 1/	B006
				M52525/3-4-5		B007
				M52525/4-4-4	90 2/	B008
				M52525/4-4-5		B009
				M52525/1-4-5	0	B010
				M52525/2-4-4	45	B012
				M52525/2-4-5		B013
		M52525/1-4-5	0	M52525/3-4-4	90 1/	B014
				M52525/3-4-5		B015
				M52525/4-4-4	90 2/	B016
				M52525/4-4-5		B017
				M52525/2-4-4	45	B025
				M52525/2-4-5		B026
1/4	M52471/5-4	M52525/2-4-4	45	M52525/3-4-4	90 1/	B027
				M52525/3-4-5		B028
				M52525/4-4-4	90 2/	B029
				M52525/4-4-5		B030
				M52525/2-4-5	45	B031
				M52525/3-4-4	90 1/	B032
		M52525/2-4-5	45	M52525/3-4-5		B033
				M52525/4-4-4	90 2/	B034
				M52525/4-4-5		B035
				M52525/3-4-4	90 1/	B036
		M52525/3-4-4	90 1/	M52525/3-4-5		B037
				M52525/4-4-4	90 2/	B038
				M52525/4-4-5		B039
				M52525/3-4-5	90 1/	B040
		M52525/3-4-5	90 1/	M52525/4-4-4	90 2/	B041
				M52525/4-4-5		B042
		M52525/4-4-4	90 2/	M52525/4-4-4	90 2/	B043
				M52525/4-4-5		B044
		M52525/4-4-5	90 2/	M52525/4-4-5	90 2/	B045

Note: 1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE II. 3/8-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
3/8	M52471/5-6	M52525/1-6-6	0	M52525/1-6-6	0	B101
				M52525/2-6-6	45	B103
				M52525/3-6-6	90 1/	B105
				M52525/4-6-6	90 2/	B107
		M52525/2-6-6	45	M52525/2-6-6	45	B116
				M52525/3-6-6	90 1/	B118
				M52525/4-6-6	90 2/	B120
		M52525/3-6-6	90 1/	M52525/3-6-6	90 1/	B127
				M52525/4-6-6	90 2/	B129
		M52525/4-6-6	90 2/	M52525/4-6-6	90 2/	B134

Note: 1/ 90° short drop fitting.
2/ 90° long drop fitting.

TABLE III. 1/2-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
1/2	M52471/5-8	M52525/1-8-8	0	M52525/1-8-8	0	B201
				M52525/1-8-10		B202
				M52525/2-8-8	45	B203
				M52525/2-8-10		B204
				M52525/3-8-8	90 1/	B205
				M52525/3-8-10		B206
				M52525/4-8-8	90 2/	B207
				M52525/4-8-10		B208
				M52525/10-8-8	0	B209
				M52525/11-8-8	45	B211
				M52525/12-8-8	90	B212
		M52525/1-8-10	0	M52525/1-8-10	0	B213
				M52525/2-8-8	45	B214
				M52525/2-8-10		B215
				M52525/3-8-8	90 1/	B216
				M52525/3-8-10		B217

Note: 1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE III. 1/2-inch hose assemblies - Continued.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
				M52525/4-8-8	90 2/	B218
				M52525/4-8-10		B219
		M52525/1-8-10	0	M52525/10-8-8	0	B220
				M52525/11-8-8	45	B222
				M52525/12-8-8	90	B223
				M52525/2-8-8	45	B224
				M52525/2-8-10		B225
				M52525/3-8-8	90 1/	B226
				M52525/3-8-10		B227
		M52525/2-8-8	45	M52525/4-8-8	90 2/	B228
				M52525/4-8-10		B229
				M52525/10-8-8	0	B230
				M52525/11-8-8	45	B232
1/2	M52471/5-8			M52525/2-8-10	90	B233
				M52525/2-8-8	45	B234
				M52525/3-8-8	90 1/	B235
				M52525/3-8-10		B236
		M52525/2-8-10	45	M52525/4-8-8	90 2/	B237
				M52525/4-8-10		B238
				M52525/10-8-8	0	B239
				M52525/11-8-8	45	B241
				M52525/12-8-8	90	B242
				M52525/3-8-8	90 1/	B243
				M52525/3-8-10		B244
				M52525/4-8-8	90 2/	B245
		M52525/3-8-8	90 1/	M52525/4-8-10		B246
				M52525/10-8-8	0	B247
				M52525/11-8-8	45	B249
				M52525/12-8-8	90	B250
				M52525/3-8-10	90 1/	B251
				M52525/4-8-8	90 2/	B252
		M52525/3-8-10	90 2/	M52525/4-8-10		B253
				M52525/10-8-8	0	B254
				M52525/11-8-8	45	B256
				M52525/12-8-8	90	B257

Note: 1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE III. 1/2-inch hose assemblies - Continued.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
				M52525/4-8-8	90 2/	B258
				M52525/4-8-10		B259
		M52525/4-8-8	90 2/	M52525/10-8-8	0	B260
				M52525/11-8-8	45	B262
				M52525/12-8-8	90	B263
				M52525/4-8-10	90 2/	B264
1/2	M52471/5-8	M52525/4-8-10	90 2/	M52525/10-8-8	0	B265
				M52525/11-8-8	45	B267
				M52525/12-8-8	90	B268
				M52525/10-8-8	0	B269
		M52525/10-8-8	0	M52525/11-8-8	45	B271
				M52525/12-8-8	90	B272
		M52525/11-8-8	45	M52525/11-8-8	45	B276
				M52525/12-8-8	90	B277
		M52525/12-8-8	90	M52525/12-8-8	90	B278

Note: 2/ 90° long drop fitting.

TABLE IV. 3/4-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
				M52525/1-12-12	0	B401
				M52525/2-12-12	45	B403
				M52525/3-12-12	90 1/	B405
		M52525/1-12-12	0	M52525/4-12-12	90 2/	B407
				M52525/10-12-12	0	B409
3/4	M52471/5-12			M52525/11-12-12	45	B411
				M52525/12-12-12	90	B413
				M52525/2-12-12	45	B428
				M52525/3-12-12	90 1/	B430
		M52525/2-12-12	45	M52525/4-12-12	90 2/	B432
				M52525/10-12-12	0	B434
				M52525/11-12-12	45	B436
				M52525/12-12-12	90	B438

Note: 1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE IV. 3/4-inch hose assemblies - Continued.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
				M52525/3-12-12	90 1/	B451
				M52525/4-12-12	90 2/	B453
		M52525/3-12-12	90 1/	M52525/10-12-12	0	B455
				M52525/11-12-12	45	B457
				M52525/12-12-12	90	B459
				M52525/4-12-12	90 2/	B470
3/4	M52471/5-12	M52525/4-12-12	90 2/	M52525/10-12-12	0	B472
				M52525/11-12-12	45	B474
				M52525/12-12-12	90	B476
				M52525/10-12-12	0	B485
		M52525/10-12-12	0	M52525/11-12-12	45	B487
				M52525/12-12-12	90	B489
		M52525/11-12-12	45	M52525/11-12-12	45	B496
				M52525/12-12-12	90	B498
		M52525/12-12-12	90	M52525/12-12-12	90	B503

Note: 2/ 90° long drop fitting.

TABLE V. 1-inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
				M52525/1-16-16	0	B601
				M52525/2-16-16	45	B602
				M52525/3-16-16	90 1/	B603
				M52525/4-16-16	90 2/	B604
1	M52471/5-16	M52525/1-16-16	0	M52525/10-16-16	0	B605
				M52525/10-16-20		B606
				M52525/11-16-16	45	B607
				M52525/11-16-20		B608
				M52525/12-16-16	90	B609
				M52525/12-16-20		B610
				M52525/2-16-16	45	B615
				M52525/3-16-16	90 1/	B616
				M52525/4-16-16	90 2/	B617
				M52525/10-16-16	0	B618
		M52525/2-16-16	45	M52525/10-16-20		B619
				M52525/11-16-16	45	B620
				M52525/11-16-20		B621
				M52525/12-16-16	90	B622
				M52525/12-16-20		B623

Note: 1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE V. 1-inch hose assemblies - Continued.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
				M52525/3-16-16	90 1/	B628
				M52525/4-16-16	90 2/	B629
				M52525/10-16-16	0	B630
		M52525/3-16-16	90 1/	M52525/10-16-20		B631
				M52525/11-16-16	45	B632
				M52525/11-16-20		B633
				M52525/12-16-16	90	B634
				M52525/12-16-20		B635
				M52525/4-16-16	90 2/	B640
				M52525/10-16-16	0	B641
				M52525/10-16-20		B642
		M52525/4-16-16	90 2/	M52525/11-16-16	45	B643
				M52525/11-16-20		B644
				M52525/12-16-16	90	B645
				M52525/12-16-20		B646
				M52525/10-16-16	0	B651
				M52525/10-16-20		B652
1	M52471/5-16	M52525/10-16-16	0	M52525/11-16-16	45	B653
				M52525/11-16-20		B654
				M52525/12-16-16	90	B655
				M52525/12-16-20		B656
				M52525/10-16-20	0	B661
				M52525/11-16-16	45	B662
		M52525/10-16-20	0	M52525/11-16-20		B663
				M52525/12-16-16	90	B664
				M52525/12-16-20		B665
				M52525/11-16-16	45	B670
		M52525/11-16-16	45	M52525/11-16-20		B671
				M52525/12-16-16	90	B672
				M52525/12-16-20		B673
				M52525/11-16-20	45	B678
		M52525/11-16-20	45	M52525/12-16-16	90	B679
				M52525/12-16-20		B680
		M52525/12-16-16	90	M52525/12-16-16	90	B685
				M52525/12-16-20		B686

Note: 1/ 90° short drop fitting.
2/ 90° long drop fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

TABLE VI. 1-1/4 inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
1-1/4	M52471/5-20	M52525/1-20-20	0	M52525/1-20-20	0	B706
				M52525/10-20-20	0	B707
				M52525/10-20-24		B708
				M52525/11-20-20	45	B709
				M52525/12-20-20	90	B710
				M52525/12-20-24		B711
		M52525/10-20-20	0	M52525/10-20-20	0	B716
				M52525/10-20-24		B717
				M52525/11-20-20	45	B718
				M52525/12-20-20	90	B719
				M52525/12-20-24		B720
		M52525/10-20-24	0	M52525/10-20-24	0	B725
				M52525/11-20-20	45	B726
				M52525/12-20-20	90	B727
				M52525/12-20-24		B728
		M52525/11-20-20	45	M52525/11-20-20	45	B733
				M52525/12-20-20	90	B734
				M52525/12-20-24		B735
		M52525/12-20-20	90	M52525/12-20-20	90	B740
				M52525/12-20-24		B741
		M52525/12-20-24	90	M52525/12-20-24	90	B746

TABLE VII. 1-1/2 inch hose assemblies.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
1-1/2	M52471/5-24	M52525/1-24-24	0	M52525/1-24-24	0	B801
				M52525/10-24-24	0	B802
				M52525/10-24-32		B803
				M52525/11-24-24	45	B804
				M52525/12-24-24	90	B805
		M52525/10-24-24	0	M52525/10-24-24	0	B810
				M52525/10-24-32		B811
				M52525/11-24-24	45	B812
				M52525/12-24-24	90	B813
		M52525/10-24-32	0	M52525/10-24-32	0	B818
				M52525/11-24-24	45	B819
				M52525/12-24-24	90	B820
		M52525/11-24-24	45	M52525/11-24-24	45	B825
				M52525/12-24-24	90	B826
		M52525/12-24-24	90	M52525/12-24-24	90	B831

TABLE VIII. 2-inch hose assemblies.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

Hose size (inch)	Hose part number	Fitting X (figure 1) part number	Fitting X (figure 1) angle reference (°)	Fitting Y (figure 1) part number	Fitting Y (figure 1) angle reference (°)	Assembly code number
2	M52471/5-32	M52525/1-32-32	0	M52525/1-32-32	0	B901
				M52525/10-32-32	0	B902
				M52525/11-32-32	45	B903
				M52525/12-32-32	90	B904
		M52525/10-32-32	0	M52525/10-32-32	0	B909
				M52525/11-32-32	45	B910
				M52525/12-32-32	90	B911
		M52525/11-32-32	45	M52525/11-32-32	45	B916
				M52525/12-32-32	90	B917
		M52525/12-32-32	90	M52525/12-32-32	90	B922

TABLE IX. Hose assembly operating pressure.

Hose size (inch)	Dash number	Operating pressure psi MAX
1/4	-4	5000
3/8	-6	4000
1/2	-8	3500
3/4	-12	2250
1	-16	2000
1-1/4	-20	1625
1-1/2	-24	1250
2	-32	1125

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. The hose assemblies shall be in accordance with figure 1 and tables I through IX.

2. Attaching parts for hose assemblies shall conform to MIL-DTL-52525.

3. The fittings and hose for these assemblies must be listed on QPL-52525 and QPL-52471, respectively.

NOTES:

1. Part number: the military part number consists of the specification sheet number, an assigned code number for the hose assembly, hose assembly length, and angular relationship of fittings; when applicable.

Example of military part number:



1/ Not applicable for assemblies with straight fittings.

CONCLUDING MATERIAL

Custodian:
Army - CR4
Navy - SH
Air Force - 99

Review activities:
Army - GL, AR

Preparing activity:
DLA - CC

(Project 4720-0191-02)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:19Z
Check the source to verify that this is the current version before use.