QUALIFICATIONS HAVE BEEN VALIDATED
(Frequency - See Specification)
BY TEST DATA

QPL-39029-39
18 December 2003
SUPERSEDING
QPL-39029-38
29 June 2001

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-39029

CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release or otherwise affect the obligation of the manufacturer to comply with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND (COMMANDER, NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION, HIGHWAY 547, CODE 414100B120-3, LAKEHURST, NJ 08733-5100). THE ACTIVITY RESPONSIBLE FOR QUALIFICATION APPROVAL IS THE NAVAL AIR SYSTEMS COMMAND, CODE 4.4.4.3, 48142 SHAW ROAD, BUILDING 3197, SUITE E, PATUXENT RIVER, MD 20670-1900.

MANUFACTURER'S FULL NAME, CAGE NUMBER, OFFICE AND PLANT ADDRESSES ARE LISTED AT THE END OF THIS QPL.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-C-39029/1, CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEMS).		
M39029/1-100	2560-214-1631	Deutsch Engineered Connecting
-101	2560-215-1631	Devices (1), (2)
-102	2560-216-1431	
-103	2560-217-1231	00407601.AD/11-9-99
-507	2560-218-2031	
M39029/1-100	315-1622-500	Tri-Star Electronics International, Inc.
-101	315-1620-501	
-102	315-1416-502	00425314.AB/7-31-99
-103	315-1212-503	
-507	315-2022-600	
M39029/1-100	3-592404-1	Tyco Electronics - AMP
-101	2-592404-1	
-102	1-592404-1	00401301.AA/8-31-97
-103	592404-1	00402301.AB/8-31-99
-507	592413-1M	
MIL-C-39029/4, CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS).		
M39029/4-110	10-497006-205 or LP-497006-205	Amphenol Aerospace (1), (2)
-111	10-497006-165 or LP-497006-165	
-113	10-807300-125 or LP-807300-125	00401402.AB/5-31-98
M39029/4-110	M5000-054-0020 or M5000-054-0020L	Amphenol Aerospace (3)
-111	M5000-054-0016 or M5000-054-0016L	00401419.AA/10-14-98
-112	M5000-054-1620 or M5000-054-1620L	
-113	M5000-054-0012 or M5000-054-0012L	
-114	M5000-054-1216 or M5000-054-1216L	
M39029/4-110	BA-4020-36LD	Amphenol Aerospace
-111	BA-4016-36LD	Pyle-National Connectors
-112	BA-401620-36LD	
-113	BA-4012-36LD	00428102.AB/5-31-98
M39029/4-110	0641-1-2031	Deutsch Engineered Connecting
-111	0641-2-1631	Devices (1), (2)
-112	109026-31	
		00407602.AA/5-31-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/4-113	0641-3-1231	Deutsch Engineered Connecting
-114	109028-31	Devices (1), (2) (Continued)
		00407602.AA/5-31-98
M39029/4-110	8522-2253A	Framatome Connectors
-111	8522-330A	
-113	8522-331A	00403802.AA/5-31-98
M39029/4-110	030-9173-006 or 030-9173-050	ITT Cannon (1)
-111	030-9205-007	
-113	030-9185-003	00412902.AA/5-31-98
		00412915.AA/8-12-03
M39029/4-110	04-110-2020-011	NCMI Brueggemann, Inc.
-111	04-111-1616-011	
-112	04-112-1616-011	00434519.AA/8-14-00
-113	04-113-1212-011	00434502.P1/2-26-02
-114	04-114-1212-011	
M39029/4-110	315-2020-088 or 315-2020-088L or 5000-054-0020 or 5000-054-0020SP	Tri-Star Electronics International, Inc.
-111	315-1616-089 or 315-1616-089L or 5000-054-0016	00425314.AB/7-31-99
-112	315-1620-123 or 315-1620-123L or 5000-054-1620	
-113	315-1212-090 or 315-1212-090L or 5000-054-0012	
-114	315-1216-124 or 315-1216-124L or 5000-054-1216	

MIL-C-39029/5, CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS AND MIL-S-12883/40 AND /41 RELAY SOCKETS).

M39029/5-115	LP-597805-355	Amphenol Aerospace (1), (2)
-115	10-497007-205 or LP-497007-205	
-116	10-497007-165 or LP-497007-165	00401402.AB/5-31-98
-118	10-807301-125 or LP-807301-125	
M39029/5-115	M5100-001-0020 or M5100-001-0020L	Amphenol Aerospace (3)
-116	M5100-001-0016 or M5100-001-0016L	00401419.AA/10-14-98
-117	M5100-001-1620 or M5100-001-1620L	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/5-118	M5100-001-0012 or M5100-001-0012L	Amphenol Aerospace (3) (Continued)
-119	M5100-001-1216 or M5100-001-1216L	00401419.AA/10-14-98
M39029/5-115	BA-4120-36LD	Amphenol Aerospace
-116	BA-4116-36LD	Pyle-National Connectors
-118	BA-4112-36LD	00428102.AB/5-31-98
M39029/5-115	100503	Deutsch Engineered Connecting
-116	100504	Devices (1), (2)
-117	109027	
-118	100505	00407602.AA/5-31-98
-119	109029	
M39029/5-115	8520-289	Framatome Connectors
-116	8522-486A	
-118	8522-487B	00403802.AA/5-31-98
M39029/5-115	031-9174-004 or 031-9174-031	ITT Cannon (1)
-115	031-9174-047	
-116	031-9206-006	00412902.AA/5-31-98
-118	031-9186-003	00412915.AA/8-12-03
M39029/5-116	05-116-1616-021	NCMI Brueggemann, Inc.
-118	05-118-1212-021	00434519.AA/8-14-00
M39029/5-115	316-2020-088 or 316-2020-088L or 5100-001-0020 or 5100-001-0020SP	Tri-Star Electronics International, Inc.
-116	316-1616-089 or 316-1616-089L or 5100-001-0016	00425314.AB/7-31-99
-117	316-1620-123 or 316-1620-123L or 5100-001-1620	
-118	316-1212-090 or 316-1212-090L or 5100-001-0012	
-119	316-1216-124 or 316-1216-124L or 5100-001-1216	

MIL-C-39029/9, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS).

M39029/9-134	09-134-2020-011AL	NCMI Brueggemann, Inc.
-135	09-135-2020-011CH	
-517	09-517-1616-011CH	00434519.AA/8-14-00

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/9-132	PM088-2020-M12-615	Precision Technology
-133	PM088-2020-M16-015	
-134	PM088-2020-M14-015	00419103.AA/2-28-98
-135	PM088-2020-M15-015	
-136	PM088-2020-M17-415	
-514	PM089-1616-M12-615	
-515	PM089-1616-M16-015	
-516	PM089-1616-M14-015	
-517	PM089-1616-M15-015	
-518	PM089-1616-M17-415	
M39029/9-132	615-2020-088D	Tri-Star Electronics International, Inc.
-133	015-2020-088K	
-134	015-2020-088A or 5000-070-0120	00425317.AB/4-30-99
-135	015-2020-088C or 5000-070-0220	
-136	415-2020-088I	
-514	615-1616-089D	
-515	015-1616-089K	
-516	015-1616-089A	
-517	015-1616-089C	
-518	415-1616-089I	

MIL-C-39029/10, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS).

M39029/10-140	10-140-2020-021AL	NCMI Brueggemann, Inc.
-141	10-141-2020-021CH	
-521	10-521-1616-021AL	00434519.AA/8-14-00
M39029/10-138	PM088-2020-M12-616	Precision Technology
-139	PM088-2020-M16-016	
-140	PM088-2020-M14-016	00419103.AA/2-28-98
-141	PM088-2020-M15-016	
-142	PM088-2020-M17-416	
-519	PM089-1616-M12-616	
-520	PM089-1616-M16-016	
-521	PM089-1616-M14-016	
-522	PM089-1616-M15-016	
-523	PM089-1616-M17-416	
M39029/10-138	616-2020-088D	Tri-Star Electronics International, Inc.
-139	016-2020-088K	
-140	016-2020-088A or 5100-108-0120	00425317.AB/4-30-99
-141	016-2020-088C or 5100-108-0220	
-142	416-2020-088I	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/10-519	616-1616-089D	Tri-Star Electronics International, Inc.
-520	016-1616-089K	(Continued)
-521	016-1616-089A	
-522	016-1616-089C	00425317.AB/4-30-99
-523	416-1616-089I	
MIL-C-39029/11, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS).		
M39029/11-144	2560-212-2231	Deutsch Engineered Connecting
-145	2560-212-2031	Devices (1), (2)
		00407604.AA/3-19-98
		00407604.AB/12-2-99
M39029/11-144	030-1975-008	ITT Cannon (1)
-145	030-1892-004	
-146	030-9083-012	00412904.AC/2-28-99
-147	030-1909-002	
M39029/11-144	616-200	Radiall S.A.
-145	616-210	
-146	616-230	00420004.AC/2-28-99
-147	616-240	
M39029/11-144	315-2222-079 or 315-2222-097L	Tri-Star Electronics International, Inc.
-145	315-2020-081 or 315-2020-081L	
-146	315-1616-076 or 315-1616-076L	00425314.AB/7-31-99
-147	315-1212-078 or 315-1212-078L	00425315.AA/8-7-02
M39029/11-144	204873-3 or 204873-4	Tyco Electronics - AMP
-145	204938-3 or 204938-4	
-146	204978-3 or 204978-4	00401304.AB/2-28-99
MIL-C-39029/12, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81659 SERIES 2 CONNECTORS).		
M39029/12-148	2562-209-2231	Deutsch Engineered Connecting
-149	2562-209-2031	Devices (1), (2)
		00407604.AA/3-19-98
		00407604.AB/12-02-99
M39029/12-148	031-1113-008	ITT Cannon (1)
-149	031-1047-003	
-150	031-1271-000	00412904.AC/2-28-99
-151	031-1059-003	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/12-148	616-300	Radiall S.A.
-149	616-310	
-150	616-330	00420004.AC/2-28-99
-151	616-340	
M39029/12-148	316-2222-079 or 316-2222-079L	Tri-Star Electronics International, Inc.
-149	316-2020-081 or 316-2020-081L	
-150	316-1616-076 or 316-1616-076L	00425314.AB/7-31-99
-151	316-1212-078 or 316-1212-078L	00425315.AA/8-7-02
M39029/12-148	205103-3 or 205103-4	Tyco Electronics - AMP
-149	205116-1 or 205116-2	
-150	205117-1 or 205117-2	00401304.AB/2-28-99
MIL-C-39029/16, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 4 CONNECTORS). Inactive for new design		
M39029/16-166	81542-238	Deutsch Engineered Connecting
-167	81542-23	Devices (1), (2)
-168	81542-20	
-169	81542-16	00407605.AB/11-30-98
-170	81542-12	
M39029/16-167	316-2322-567	Tri-Star Electronics International, Inc.
-168	316-2020-568	
-169	316-1616-569	00425314.AB/7-31-99
MIL-C-39029/17, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 CONNECTORS).		
M39029/17-171	81543-238	Deutsch Engineered Connecting
-172	81543-23	Devices (1), (2)
-173	81543-20	
-174	81543-16	00407605.AB/11-30-98
-175	81543-12	
M39029/17-172	316-2322-572	Tri-Star Electronics International, Inc.
-173	316-2020-573	
-174	316-1616-574	00425314.AB/7-31-99
MIL-C-39029/18, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS). Inactive for new design.		
M39029/18-176	81541-238	Deutsch Engineered Connecting
-177	81541-23	Devices (1), (2)
-178	81541-20	
-179	81541-16	00407605.AB/11-30-98
-180	81541-12	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/18-177	315-2322-567	Tri-Star Electronics International, Inc.
-178	315-2020-568	
-179	315-1616-569	00425314.AB/7-31-99
MIL-C-39029/22, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEM SERIES II AND MIL-C-81511 SERIES 3 AND 4 CLASS L CONNECTORS).		
M39029/22-191	CTS-S22/22	Deutsch Engineered Connecting
-192	CTS-S20/20	Devices (1), (2)
-193	CTS-S16/16	
-605	CTS-S12/12	00407601.AC/8-31-99
M39029/22-191	316-2222-191	Tri-Star Electronics International, Inc.
-192	316-2020-192	
-193	316-1616-193	00425314.AB/7-31-99
MIL-C-39029/25, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS). Inactive for new design		
M39029/25-206	21-33114-42F	Amphenol Aerospace (1), (2)
		00401406.AB/2-28-99
MIL-C-39029/26, CONTACTS, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS). Inactive for new design		
M39029/26-207	21-33115-40F	Amphenol Aerospace (1), (2)
		00401406.AB/2-28-99
MIL-C-39029/27, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12, (FOR MIL-C-38999 SERIES II CONNECTORS).		
M39029/27-210	21-33121-546	Amphenol Aerospace (1), (2)
-402	21-33121-541	
		39029-155-78
M39029/27-210	316-12CX-550	Tri-Star Electronics International, Inc.
-402	316-12CX-551	
-403	316-12CX-552	39029-218-84
MIL-C-39029/28, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III, AND IV CONNECTORS).		
M39029/28-211	21-33122-546	Amphenol Aerospace (1), (2)
-409	21-33122-541	
		39029-155-78

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/28-211	T3-4612-211LD	Amphenol Aerospace
-409	T3-4612-409LD	Pyle-National Connectors
-414	T3-4612-414LD	
		39029-378-85
		39029-738-87
M39029/28-211	6162-233-1277	Deutsch Engineered Connecting
-409	6162-234-1277	Devices (1), (2)
-410	6162-235-1277	
-411	6162-236-1277	39029-221-84
-413	6162-238-1277	
-414	6162-239-1277	
-415	6162-240-1277	
M39029/28-211	602290-211	Deutsch Ltd
		39029-398-88
M39029/28-211	315-12CX-550	Tri-Star Electronics International, Inc.
-409	315-12CX-551	
-410	315-12CX-552	39029-218-84
MIL-C-39029/29, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-5015 SERIES MS3450 AND MIL-C-83723 SERIES 2 CONNECTORS).		
M39029/29-212	M5000-029-0016 or M5000-029-0016L	Amphenol Aerospace (3)
-213	M5000-029-0012	0401409.AA/10-14-98
-214	M5000-029-0008	
M39029/29-212	0660-206-1631	Deutsch Engineered Connecting
-213	0660-206-1282	Devices (1), (2)
		00407607.AB/5-31-99
M39029/29 -212	030-3196-008	ITT Cannon (1)
-213	030-3197-007	
-214	030-3198-003	00412907.AA/8-26-97
-215	030-3199-004	
-216	030-3200-003	
M39029/29-212	541-110-1616	J-Tech
-213	541-220-1212	
-214	541-220-0808	00413407.AA/5-31-97
-215	541-220-0404	00413407.AC/8-19-98
-216	541-220-0101	
M39029/29-212	29-212-1616-011	NCMI Brueggemann, Inc.
-213	29-213-1212-011	
		00434519.AA/8-14-00

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/29-212	315-1616-091 or 315-1616-091L or 5000-029-0016	Tri-Star Electronics International, Inc.
-213	915-1212-092 or 5000-029-0012	00425314.AA/10-31-97
-214	915-0808-093 or 5000-029-0008	00425315.AA/10-31-97
-215	915-0404-094	00425316.AB/10-31-98
-216	915-0000-095	
MIL-C-39029/30, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83733 SERIES II CONNECTORS).		
M39029/30-217	M5100-033-1601 or M5100-033-1601L	Amphenol Aerospace (3)
-218	M5100-033-1602 or M5100-033-1602L	00401409.AA/10-14-98
-219	M5100-033-0012	
-220	M5100-033-0008	
M39029/30-217	0662-212-1631	Deutsch Engineered Connecting
-218	0662-207-1631	Devices (1), (2)
-219	0662-207-1282	00407607.AB/5-31-99
M39029/30-217	031-3113-005	ITT Cannon (1)
-218	031-3114-008	
-219	031-3115-006	00412907.AA/8-26-97
-220	031-3116-003	
-221	031-3117-003	
-222	031-3118-003	
M39029/30-217	542-110-1616S	J-Tech
-218	542-110-1616	
-219	542-220-1212	00413407.AA/5-31-97
-220	542-220-0808	00413407.AB/7-29-97
-221	542-220-0404	
-222	542-220-0101	
M39029/30-218	30-218-1616-021	NCMI Brueggemann, Inc.
-219	30-219-1212-021	00434519.AA/8-14-00
M39029/30-217	316-1616-117 or 316-1616-117L or 5100-033-1601	Tri-Star Electronics International, Inc.
-218	316-1616-091 or 316-1616-091L or 5100-033-1602	00425314.AA/10-31-97 00425315.AA/10-31-97
-219	916-1212-092 or 5100-033-0012	00425316.AB/10-31-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/30-220	916-0808-093 or 5100-033-0008	Tri-Star Electronics International, Inc.
-221	916-0404-094	(Continued)
-222	916-0000-095	
		00425314.AA/10-31-97
		00425315.AA/10-31-97
		00425316.AB/10-31-98
MIL-C-39029/31, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS).		
M39029/31-223	10-807164-205 or LP-807164-205	Amphenol Aerospace (1), (2)
-228	10-314980-16P or LP-314980-165	
-229	10-807100-165 or LP-807100-165	004011408.AA/11-30-97
-235	10-807100-125 or LP-807100-125	
-240	10-314980-20P or LP-314980-205	
-241	10-807100-205 or LP-807100-205	
M39029/31-229	ZZL-4016-36LD	Amphenol Aerospace
-234	ZZL-4012-66LD	Pyle-National Connectors
-235	ZZL-4012-36LD	
-241	ZZL-4020-36LD	00428108.AA/11-30-97
		00428108.AA/5-27-98
M39029/31-228	4160-203-1631	Deutsch Engineered Connecting
-229	4160-204-1631	Devices (1), (2)
-240	0004-058-100	
-241	4160-202-2031	00407608.AB/11-30-99
M39029/31-228	030-9032-003 or 030-9032-032	ITT Cannon (1)
-240	030-9036-000 or 030-9036-023	
		00412908.AA/11-30-97
		00412915.AA/8-12-03
M39029/31-224	PM001-2020-M17-415	Precision Technology
-225	PM001-2020-M15-015	
-226	PM001-2020-M14-015	00419108.AA/8-25-00
-227	PM001-2020-M16-015	
-230	PM086-1616-M17-415	
-231	PM086-1616-M15-015	
-232	PM086-1616-M14-015	
-233	PM086-1616-M16-015	
-236	PM087-1212-M17-415	
-237	PM087-1212-M15-015	
-238	PM087-1212-M14-015	
-239	PM087-1212-M16-015	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/31-223	317-2020-001 or 317-2020-001L	Tri-Star Electronics International, Inc.
-224	415-2020-001I	
-225	015-2020-001C	00425317.AB/4-30-99
-226	015-2020-001A	
-227	015-2020-001K	
-228	317-1616-086 or 317-1616-086L or 5000-255-0016	
-229	315-1616-086 or 315-1616-086L	
-230	415-1616-086I	
-231	015-1616-086C	
-232	015-1616-086A	
-233	015-1616-086K	
-234	317-1212-087 or 317-1212-087L	
-235	315-1212-087 or 315-1212-087L	
-236	415-1212-087I	
-237	015-1212-087C	
-238	015-1212-087A	
-239	015-1212-087K	
-240	317-2020-085 or 317-2020-085L or 5000-255-0020	
-241	315-2020-085 or 315-2020-085L	
-448	317-2020-084 or 317-2020-084L	
MIL-C-39029/32, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS).		
M39029/32-242	10-807165-205 or LP-807165-205	Amphenol Aerospace (1), (2)
-247	10-257982-16F	
-248	10-807103-165 or LP-807103-165	00401408.AA/11-30-97
-254	10-807103-125 or LP-807103-125	
-259	10-597820-355 or LP-597820-355	
-259	10-257982-20F or LP-257982-205	
-260	10-807103-205 or LP-807103-205	
-260	LP-597815-355	
M39029/32-248	ZZL-4116-36LD	Amphenol Aerospace
-253	ZZL-4112-66LD	Pyle-National Connectors
-254	ZZL-4112-36LD	
-260	ZZL-4120-36LD	00428108.AA/11-30-97 00428108.AA/5-27-98
M39029/32-247	4162-201-1631	Deutsch Engineered Connecting
-248	4162-202-1631	Devices (1), (2)
-259	0007-008-100	
-260	4109-207-2000	00407608.AB/11-30-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/32-247	031-9095-003 or 031-9095-030	ITT Cannon (1)
-259	031-9074-002 or 031-9074-032	
		00412908.AA/11-30-97
		00412915.AA/8-12-03
M39029/32-243	PM001-2020-M17-416	Precision Technology
-244	PM001-2020-M15-016	
-245	PM001-2020-M14-016	00419108.AA/8-25-00
-246	PM001-2020-M16-016	
-249	PM902-1616-M17-416	
-250	PM902-1616-M15-016	
-251	PM902-1616-M14-016	
-252	PM902-1616-M16-016	
-255	PM903-1212-M17-416	
-256	PM903-1212-M15-016	
-257	PM903-1212-M14-016	
-258	PM903-1212-M16-016	
M39029/32-242	318-2020-001 or 318-2020-001L	Tri-Star Electronics International, Inc.
-243	416-2020-001I	
-244	016-2020-001C	00425317.AB/4-30-99
-245	016-2020-001A	
-246	016-2020-001K	
-247	318-1616-086 or 318-1616-086L or 5100-401-0016	
-248	316-1616-086 or 316-1616-086L	
-249	416-1616-902I	
-250	016-1616-902C	
-251	016-1616-902A	
-252	016-1616-902K	
-253	318-1212-087 or 318-1212-087L	
-254	316-1212-087 or 316-1212-087L	
-255	416-1212-903I	
-256	016-1212-903C	
-257	016-1212-903A	
-258	016-1212-903K	
-259	318-2020-085 or 318-2020-085L or 5100-401-0020	
-260	316-2020-085 or 316-2020-085L	
-449	318-2020-084 or 318-2020-084L	

MIL-C-39029/33, CONTACTS, ELECTRICAL, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/33-262	10-807403-735 or LP-807403-735	Amphenol Aerospace (1), (2)
-264	10-807401-735 or LP-807401-735	
-266	10-807401-205 or LP-807401-205	00401409.AA/2-28-98
-268	10-807003-165 or LP-807003-165	
-270	10-807003-125 or LP-807003-125	
M39029/33-262	316-2328-513	Tri-Star Electronics International, Inc.
-264	316-2322-514	
-266	316-2020-515	00425314.AB/7-31-99
MIL-C-39029/34, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/3 AND MIL-C-28748/13 CONNECTORS).		
M39029/34-271	2500-P4A20	Continental Connector Corporation
-272	2500-P6A20	
-273	2500-P6A16	39029-276-78
-440	MS2500-P2A22-61	39029-289-78
		39029-719-80
M39029/34-271	MC220N-50	Positronic Industries Inc.
-272	MC120N-50	
-273	MC116N-50	39029-1131-84
-440	MC422N-50	39029-1452-85
M39029/34-272	315-1620-519 or 315-1620-519L	Tri-Star Electronics International, Inc.
-273	315-1616-520 or 315-1616-520L	
		39029-1229-87
M39029/34-271	100R-2020P95	Winchester Electronics
-272	100R-1020P95	
-273	100B-1016P95	39029-291-78
-440	100-202861-50	39029-1094-79
		39029-764-81
		39029-1225-84
MIL-C-39029/35, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/4 AND MIL-C-28748/14 CONNECTORS).		
M39029/35-274	C2500-S4A20	Continental Connector Corporation
-275	C2500-S6A20	
-276	C2500-S6A16	39029-276-78
-441	MS2500-S2A22	39029-289-78
		39029-719-80
M39029/35-274	FC220N2-50	Positronic Industries
-275	FC120N2-50	
-276	FC116N2-50	39029-1131-84
-441	FC422N2-50	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/35-275	316-1620-519 or 316-1620-519L	Tri-Star Electronics International, Inc.
-276	316-1616-520 or 316-1616-520L	
		39029-44-90
M39029/35-274	100R-2020S95	Winchester Electronics
-275	100R-510200S95	
-276	100B-51016S95	39029-291-78
-441	100-202862-50	39029-1094-79
		39029-764-81
		39029-1225-84
MIL-C-39029/36, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/9 CONNECTORS).		
M39029/36-277	561-110-1620	J-Tech
-278	561-110-1616	
		39029-146-90
M39029/36-277	MP16Y20C400	Packard-Hughes Interconnect
-278	MP16Y16C400	
		39029-535-82
		00412220.AA/11-19-99
M39029/36-277	315-1620-521 or 315-1620-521L	Tri-Star Electronics International, Inc.
-278	315-1616-522 or 315-1616-522L	
		39029-535-82
MIL-C-39029/37, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/10 CONNECTORS).		
M39029/37-279	562-110-1620	J-Tech
-280	562-110-1616	
		39029-146-90
M39029/37-279	MS16Y20C400	Packard-Hughes Interconnect
-280	MS16Y16C400	
		39029-232-92
		00412220.AA/11-19-99
M39029/37-279	316-1620-521 or 316-1620-521L	Tri-Star Electronics International, Inc.
-280	316-1616-522 or 316-1616-522L	39029-535-82
MIL-C-39029/44, CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS).		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/44-287	511-110-1622 or 511-150-1622	J-Tech
-288	511-110-1616 or 511-150-1616	
-289	511-220-1216	00413410.AB/8-31-98
-290	511-220-1212	
-291	511-220-0808	
-292	511-220-0404	
-293	511-320-0101	
M39029/44-287	315-1622-097 or 315-1622-097L	Tri-Star Electronics International, Inc.
-288	315-1616-096 or 315-1616-096L	
-289	915-1216-125	00425314.AA/10-31-97
-290	915-1212-098	00425315.AA/10-31-97
-291	915-0808-099	00425316.AB/10-31-98
-292	915-0404-100	
-293	915-0000-101	
MIL-C-39029/45, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS).		
M39029/45-294	512-110-1622 or 512-150-1622	J-Tech
-295	512-110-1616 or 512-150-1616	
-296	512-220-1216	00413410.AB/8-31-98
-297	512-220-1212	
-298	512-220-0808	
-299	512-220-0404	
-300	512-220-0101	
M39029/45-294	316-1622-097 or 316-1622-097L	Tri-Star Electronics International, Inc.
-295	316-1616-096 or 316-1616-096L	
-296	916-1216-125	00425314.AA/10-31-97
-297	916-1212-098	00425315.AA/10-31-97
-298	916-0808-099	00425316.AB/10-31-98
-299	916-0404-100	
-300	916-0000-101	
MIL-C-39029/46, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 2 CONNECTORS). Inactive for new design		
M39029/46-302	10-807402-735 or LP-807402-735	Amphenol Aerospace (1), (2)
-304	10-807400-735 or LP-807400-735	
-306	10-807400-205 or LP-807400-205	00401409.AA/2-28-98
-308	10-807001-165 or LP-807001-165	
-310	10-807001-125 or LP-807001-125	
M39029/46-302	316-2328-561	Tri-Star Electronics International, Inc.
-304	316-2322-562	
		00425314.AB/7-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-C-39029/47, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS). Inactive for new design		
M39029/47-312	10-807018-735 or LP-807018-735	Amphenol Aerospace (1), (2)
-314	10-807000-735 or LP-807000-735	
-316	10-807000-205 or LP-807000-205	00401409.AA/2-28-98
-337	10-807000-165 or LP-807000-165	
-339	10-807000-125 or LP-807000-125	
M39029/47-312	315-2328-561	Tri-Star Electronics International, Inc.
-314	315-2322-562	
-328	10-497102-43	00425314.AB/7-31-99
MIL-C-39029/48, CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-22992 CLASS L CONNECTORS).		
M39029/48-317	10-497100-6	Amphenol Aerospace (1), (2)
-318	10-497102-6	
-319	10-497222-6	39029-295-77
-320	10-497100-4	
-321	10-497102-4	
-322	10-497222-4	
-323	10-497100-3	
-324	10-497102-3	
-327	10-497100-43	
-328	10-497102-43	
MIL-C-39029/49, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-22992 CLASS L CONNECTORS).		
M39029/49-329	10-497101-6	Amphenol Aerospace (1), (2)
-330	10-497223-6	
-331	10-497101-4	39029-295-77
-332	10-497233-4	
-333	10-497101-3	
-335	10-497101-43	
MIL-C-39029/50, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-83733 CONNECTORS).		
M39029/50-340	249-1825-001	ITT Cannon (1)
		C70-73
MIL-C-39029/51, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-83733 CONNECTORS).		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/51-341	249-1826-000	ITT Cannon (1) C70-73
MIL-C-39029/55, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26500 (USAF) AND MIL-C-26518 (USAF) CONNECTORS). Inactive for new design		
M39029/55-345	316-08CX-548	Tri-Star Electronics International, Inc. 39029-63-88
MIL-C-39029/56, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS).		
M39029/56-348	10-407035-725	Amphenol Aerospace (1), (2)
-349	10-407035-235 or LP-407035-235	
-350	10-407035-225 or LP-407035-225	39029-271-78
-351	10-407035-205 or LP-407035-205	39029-151-92
-351	10-497403-205	
-352	10-407035-165 or LP-407035-165	
-353	10-407035-125 or LP-407035-125	
M39029/56-348	T3-4122-36LD	Amphenol Aerospace
-351	T3-4120-36LD	Pyle-National Connectors
-352	T3-4116-36LD	
-353	T3-4112-36LD	39029-894-79
-527	T3-4110-36LD	39029-944-83
-527	10-597872-451	39029-378-85 00401425.AA/10-16-00
M39029/56-348	38943-22	Deutsch Engineered Connecting
-351	38943-20	Devices (1), (2)
-352	38943-16	
-353	38943-12	39029-1054-82
M39029/56-351	097-0236-20	Connecteurs Electriques Deutsch
-352	097-0236-16	
-353	097-0236-12	00437725.AB/3-1-01
M39029/56-348	8599-906	Framatome Connectors
-351	8599-907	
-352	8599-908	39029-573-84
-353	8599-909	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/56-348	031-1147-007 or 031-1147-047 or	ITT Cannon (1)
-348	031-1147-072	
-351	031-1250-001 or 031-1250-017	39029-273-78
-352	031-1251-001	39029-1156-81
-353	031-1237-000	39029-78-92
		00412915.AA/8-12-03
M39029/56-348	83011-1P4-7010-B1	Preci-Dip Durtal SA
-351	83021-1P4-7110-B1	
-352	83031-1P4-7210-B1	00437625.AA/4-4-03
-353	83041-1P4-7310-B1	00437625.AA/6-4-03
M39029/56-348	316-2222-136 or 316-2222-136L	Tri-Star Electronics International, Inc.
-349	316-2222-137 or 316-2222-137L	
-350	316-2222-138 or 316-2222-138L	39029-1022-77
-351	316-2020-139 or 316-2020-139L	39029-238-82
-352	316-1616-140 or 316-1616-140L	
-353	316-1212-141 or 316-1212-141L	
-527	316-1010-231	

MIL-C-39029/57, CONTACTS, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-38999 SERIES II, MIL-C-55302/68, /71, /72, /75 AND MIL-C-83733 CONNECTORS).

M39029/57-354	10-251416-725 or LP-251416-725 or 10-597873-451	Amphenol Aerospace (1), (2)
-355	10-251416-235 or LP-251416-235	39029-271-78
-356	10-251416-225 or LP-251416-225	39029-151-92
-357	10-497401-205	00401425.AA/10-16-00
-357	10-251416-205 or LP-251416-205	
-358	10-251416-165 or LP-251416-165	
-359	10-251416-125 or LP-497093-125	
M39029/57-354	38946-22	Deutsch Engineered Connecting
-357	38946-20	Devices (1), (2)
-358	38946-16	
-359	38946-12	39029-568-84
		39029-064-96
M39029/57-354	8599-0910	Framatome Connectors
-357	8599-0911	
-358	8599-0912	39029-573-84
-359	8599-0913	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/57-354	031-1147-000 or 031-1147-046 or 031-1147-071	ITT Cannon (1)
-354		
-355	031-1122-022	39029-273-78
-356	031-1125-022	39029-1156-81
-357	031-1124-020	39029-78-92
-358	031-1123-016	00412915.AA/8-12-03
-359	031-1238-000	
M39029/57-357	57-357-2020-021	NCMI Brueggemann, Inc. 00434519.AA/8-14-00
M39029/57-354	FC8522D	Positronic Industries 39029-680-87
M39029/57-354	316-2222-103 or 316-2222-103L	Tri-Star Electronics International, Inc.
-355	316-2222-104 or 316-2222-104L	
-356	316-2222-105 or 316-2222-105L	39029-1023-77
-357	316-2020-106 or 316-2020-106L	39029-1022-77
-358	316-1616-107 or 316-1616-107L	39029-21-81
-359	316-1212-108 or 316-1212-108L	39029-22-82 39029-238-82
M39029/57-354	204351-1 or 204351-2	Tyco Electronics - AMP 00401325.AA/1-31-00 39029-538-87

MIL-C-39029/58, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-38999 SERIES I, II, III, IV, AND MIL-C-55302/69 AND MIL-C-83733 CONNECTORS).

M39029/58-360	10-251415-725 or LP-251415-725	Amphenol Aerospace (1), (2)
-361	10-251415-235 or LP-251415-235	
-362	10-251415-225 or LP-251415-225	39029-271-78
-363	10-251415-205 or LP-251415-205	39029-151-92
-364	10-251415-165 or LP-251415-165	
-365	10-251415-12H or LP-251415-125	
M39029/58-360	T3-4022-36LD	Amphenol Aerospace
-363	T3-4020-36LD	Pyle-National Connectors
-364	T3-4016-36LD	
-365	T3-4012-36LD	39029-894-79
-528	T3-4010-36LD	39029-944-83 39029-378-85

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/58-360	38941-22	Deutsch Engineered Connecting
-363	38941-20	Devices (1), (2)
-364	38941-16	
-365	38941-12	39029-1054-82
M39029/58-360	8599-0902	Framatome Connectors
-363	8599-0903	
-364	8599-0904	39029-573-84
-365	8599-0905	
M39029/58-360	030-2042-000 or 030-2042-023	ITT Cannon (1)
-361	030-1993-022	
-362	030-1999-022	39029-273-78
-363	030-1997-020 or 030-1997-044	39029-1156-81
-364	030-1995-016	00412915.AA/8-12-03
-365	030-2155-000	
-528	315-1010-231	
M39029/58-363	58-363-2020-011	NCMI Brueggemann, Inc
		00434519.AA/8-14-00
M39029/58-360	MC8522D	Positronic Industries
		39029-680-87
M39029/58-360	82011-40-01	Preci-Dip Durtal SA
-363	82021-40-01	
-364	82031-40-01	00437625.AA/4-4-03
-365	82041-40-01	00437625.AA/6-4-03
M39029/58-360	315-2222-103 or 315-2222-103L	Tri-Star Electronics International, Inc.
-363	315-2020-106 or 315-2020-106L	
-361	315-2222-104 or 315-2222-104L	39029-1022-77
-362	315-2222-105 or 315-2222-105L	39029-21-81
-364	315-1616-107 or 315-1616-107L	39029-22-82
-365	315-1212-108 or 315-1212-108L	39029-238-82
-528	315-1010-231	
M39029/58-360	204370-2 or 204370-5	Tyco Electronics - AMP
		39029-538-87
		00401325.AA/1-31-00

MIL-C-39029/59, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/59-366	21-33101-21	Amphenol Aerospace (1), (2) 39029-288-78
M39029/59-366	316-08CX-547	Tri-Star Electronics International, Inc. 39029-594-87
MIL-C-39029/60, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED SIZE 8 (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS).		
M39029/60-367	21-33102-21	Amphenol Aerospace (1), (2) 39029-288-78
M39029/60-367	315-08CX-547	Tri-Star Electronics International, Inc. 39029-594-87
MIL-C-39029/63, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS).		
M39029/63-368	DSC20W-1DJ5	Burndy Corporation 39029-929-80
M39029/63-368	2562-201-2031	Deutsch Engineered Connecting Devices (1), (2) 39029-245-84
M39029/63-368	8630-3022A	Framatome Connectors 39029-184-81
M39029/63-368	GCM 39209/63-368	General Connector Corporation 00439521.AA/8-15-03
M39029/63-368	031-1007-042	ITT Cannon (1), (2), (3) 39029-284-78
M39029/63-368	FC5020D	Positronic Industries 39029-694-79
M39029/63-368	318-2020-055 or 318-2020-055L	Tri-Star Electronics International, Inc. 39029-339-88

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/63-368	205090-1	Tyco Electronics - AMP
-368	205090-2 or 1218372-1	
		39029-538-87
		00401321.AA/2-14-00
MIL-C-39029/64, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS).		
M39029/64-369	DCM20W-1DJ5	Burndy Corporation
		39029-929-80
M39029/64-369	2560-201-2031	Deutsch Engineered Connecting Devices (1), (2)
		39029-345-84
M39029/64-369	8630-3020A	Framatome Connectors
		39029-184-81
M39029/64-369	25-43	General Connector Corporation
		39029-285-78
M39029/64-369	330-5291-037	ITT Cannon (1), (2), (3)
		39029-284-78
M39029/64-369	MC5020D	Positronic Industries Inc.
		39029-694-79
M39029/64-369	317-2020-055 or 317-2020-055L	Tri-Star Electronics International, Inc.
		39029-339-88
M39029/64-369	205089-1	Tyco Electronics - AMP
-369	205089-2 or 1218371-1	
		39029-538-87
		00401321.AA/2-14-00
MIL-C-39029/69, CONNECTOR CONTACT, ELECTRICAL SOCKET, CRIMP REMOVABLE, FOR MIL-C-85028 (AS) CONNECTORS.		
M39029/69-384	C-21S1624LU	Packard-Hughes Interconnect
-385	C-21S1620LU	
-386	C-21S1616LU	00412211.AB/2-28-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/69-385	316-1620-602	Tri-Star Electronics International, Inc.
-386	316-1616-602	
		00425314.AB/7-31-99
MIL-C-39029/70, CONNECTOR CONTACT, ELECTRICAL PIN, CRIMP REMOVABLE, FOR MIL-C-85028 (AS) CONNECTORS.		
M39029/70-387	C-21P1624LU	Packard-Hughes Interconnect
-388	C-21P1620LU	
-389	C-21P1616LU	00412211.AB/2-28-99
M39029/70-388	315-1620-602	Tri-Star Electronics International, Inc.
-389	315-1616-602	
		00425314.AB/7-31-99
MIL-C-39029/71, CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III AND IV, MIL-C-24308, MIL-C-83733, AND MIL-C-55302/69 CONNECTORS).		
M39029/71-390	10-407572-15	Amphenol Aerospace (1), (2)
-392	10-407572-35	
		39029-771-78
M39029/71-390	315-22WW-912	Tri-Star Electronics International, Inc.
-391	315-22WW-103	
-392	315-22WW-127	39029-815-80
MIL-C-39029/72, CONTACTS, ELECTRICAL CONNECTOR SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III, AND IV, MIL-C-24308, AND MIL-C-55302/68, /71, AND /75 CONNECTORS).		
M39029/72-393	10-407573-15	Amphenol Aerospace (1), (2)
-395	10-407573-35	
-524	10-497577-25	39029-771-78
-525	10-497577-35	
-526	10-497577-15	
M39029/72-393	316-22W1-912	Tri-Star Electronics International, Inc.
-394	316-22W1-103	
-395	316-22W1-127	39029-815-80
-524	316-22W1-157	39029-691-83
-525	316-22W1-345	
-526	316-22W1-038	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-C-39029/73, CONTACTS, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES 3, MIL-C-26482 SERIES 2, MIL-C-83733, AND DOD-C-83527 CONNECTORS).		
M39029/73-397 -398	316-12CX-610 316-12CX-611	Tri-Star Electronics International, Inc. AFALD/PTSP ltr of 21 Apr 97
M39029/73-396 -397 -398	D-602-0107 D-602-0095 D-602-0105	Tyco Electronics - Raychem 00420228.AA/4-30-99
MIL-C-39029/74, CONTACTS, ELECTRICAL CONNECTIONS, PIN, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES III, MIL-C-26482 SERIES 2, MIL-C-83733 AND DOD-C-83527 CONNECTORS).		
M39029/74-400 -401	315-12CX-610 315-12CX-611	Tri-Star Electronics International, Inc. 00425318.AD/03-21-00
M39029/74-399 -400 -401	D-602-0106 D-602-0094 D-602-0104	Tyco Electronics - Raychem 00420228.AA/4-30-99
MIL-C-39029/75, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS).		
M39029/75-416 -417	21-33123-546 21-33123-541	Amphenol Aerospace (1), (2) 39029-1089-83
M39029/75-416 -417 -422	T3-4712-416LD T3-4712-417LD T3-4712-422LD	Amphenol Aerospace Pyle-National Connectors 39029-378-85 39029-738-87
M39029/75-416 -417 -418 -419 -421 -422 -423	6162-217-1277 6162-218-1277 6162-219-1277 6162-220-1277 6162-222-1277 6162-223-1277 6162-224-1277	Deutsch Engineered Connecting Devices (1), (2) 39029-221-84
M39029/75-416	602272-416	Deutsch Ltd. 39029-398-88

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39025/75-416	316-12CX-616	Tri-Star Electronics International, Inc.
-417	316-12CX-617	
		39029-302-83
		39029-218-84
MIL-C-39029/76, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16, (FOR MIL-C-38999 SERIES 1, 2, 3 AND 4 AND MIL-C-24308 CONNECTORS).		
M39029/76-424	21-33122-563	Amphenol Aerospace (1), (2)
-425	21-33122-564	
		39029-155-78
M39029/76-424	6162-229-1677	Deutsch Engineered Connecting
-425	6162-230-1677	Devices (1), (2)
-426	6162-231-1677	
-427	6162-232-1677	39029-221-84
M39029/76-424	315-16CX-624	Tri-Star Electronics International, Inc.
-425	315-16CX-625	
-426	315-16CX-626	39029-218-84
-427	315-16CX-627	39029-1224-85
MIL-C-39029/77, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16, (FOR MIL-C-38999 SERIES 1, 2, 3 AND 4 CONNECTORS).		
M39029/77-428	21-33123-563	Amphenol Aerospace (1), (2)
-429	21-33123-564	
		39029-156-78
M39029/77-428	6162-213-1677	Deutsch Engineered Connecting
-429	6162-214-1677	Devices (1), (2)
-430	6162-215-1677	
-431	6162-216-1677	39029-221-84
M39029/77-428	316-16CX-628	Tri-Star Electronics International, Inc.
-429	316-16CX-629	
-430	316-16CX-630	39029-218-84
-431	316-16CX-631	39029-1224-85
MIL-C-39029/78, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16, (FOR MIL-C-38999 SERIES II AND MIL-C-24308 CONNECTORS).		
M39029/78-432	21-33121-563	Amphenol Aerospace (1), (2)
-433	21-33121-564	
		39029-156-78

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/78-432	6162-253-1677	Deutsch Engineered Connecting
-433	6162-254-1677	Devices (1), (2)
-434	6162-255-1677	
-435	6162-256-1677	39029-221-84
M39029/78-432	316-16CX-624	Tri-Star Electronics International, Inc.
-433	316-16CX-625	
-434	316-16CX-626	39029-218-84
-435	316-16CX-627	39029-1224-85
MIL-C-39029/79, CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/9 CONNECTORS).		
M39029/79-436	315-16CX-612	Tri-Star Electronics International, Inc.
-437	315-16CX-613	
		39029-173-90
MIL-C-39029/80, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/10 CONNECTORS).		
M39029/80-438	316-16CX-612	Tri-Star Electronics International, Inc.
-439	316-16CX-613	
		39029-173-90
MIL-C-39029/83, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS).		
M39029/83-450	2560-221-2031	Deutsch Engineered Connecting
-451	2560-222-2031	Devices (1), (2)
-508	2560-220-2031	
		00407631/3-1-01
M39029/83-450	030-8008-800	ITT Cannon (1)
-451	030-8009-100	
-508	030-8085-700	Crane 0781/12-8-81
M39029/83-450	GTP2022A0	Packard-Hughes Interconnect
-451	GTP2028A0	
-508	GTP2020A0	Crane 0481/2-23-82
M39029/83-450	315-2022-915 or 315-2022-915L	Tri-Star Electronics International, Inc.
-451	315-2028-915 or 315-2028-915L	
-508	315-2020-915 or 315-2020-915L	Crane 0383/11-17-83
		Crane 0584/6-27-84
MIL-C-39029/84, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS).		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/84-452	2562-214-2031	Deutsch Engineered Connecting
-453	2562-215-2031	Devices (1), (2)
-509	2562-213-2031	
		00407631/3-1-01
M39029/84-452	031-8004-300	ITT Cannon (1)
-453	031-8004-400	
-509	031-8005-700	Crane 0781/12-8-81
M39029/84-452	GTS2022A0	Packard-Hughes Interconnect
-453	GTS2028A0	
-509	GTS2020A0	Crane 0481/2-23-82
M39029/84-452	316-2022-915 or 316-2022-915L	Tri-Star Electronics International, Inc.
-453	316-2028-915 or 316-2028-915L	
-509	316-2020-915 or 316-2020-915L	Crane 0383/11-17-83
		Crane 0584/6-27-84
MIL-C-39029/85, CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES 2 CONNECTORS).		
M39029/85-454	PM091-1616-M16-015	Precision Technology
-455	PM091-1616-M14-015	
-456	PM091-1616-M15-015	39029-89-95
-457	PM091-1616-M17-415	
-458	PM092-1212-M16-015	
-459	PM092-1212-M14-015	
-460	PM092-1212-M15-015	
-461	PM092-1212-M17-415	
M39029/85-454	015-1616-091K	Tri-Star Electronics International, Inc.
-455	015-1616-091A	
-456	015-1616-091C	39029-592-83
-457	415-1616-091I	39029-304-85
-458	015-1212-092K	39029-319-85
-459	015-1212-092A	
-460	015-1212-092C	
-461	415-1212-092I	
MIL-C-39029/86, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS).		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/86-462	PM091-1616-M16-016	Precision Technology
-463	PM091-1616-M14-016	
-464	PM091-1616-M15-016	39029-89-95
-465	PM091-1616-M17-416	
-466	PM092-1212-M16-016	
-467	PM092-1212-M14-016	
-468	PM092-1212-M15-016	
-469	PM092-1212-M17-416	
-510	PM117-1616-M16-016	
-511	PM117-1616-M14-016	
-512	PM117-1616-M15-016	
-513	PM117-1616-M17-416	
M39029/86-462	016-1616-091K	Tri-Star Electronics International, Inc.
-463	016-1616-091A	
-464	016-1616-091C	39029-592-83
-465	416-1616-091I	39029-304-85
-466	016-1212-092K	39029-319-85
-467	016-1212-092A	
-468	016-1212-092C	
-469	416-1212-092I	
-510	016-1616-117K	
-511	016-1616-117A	
-512	016-1616-117C	
-513	416-1616-117I	

MIL-C-39029/87, CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-38999 SERIES I, II, III, AND IV, MIL-C-24308, AND MIL-C-83733 CONNECTORS).

M39029/87-471	T3-4022-10R	Amphenol Aerospace
-472	T3-4022-10P	Pyle-National Connectors
-475	T3-4020-10R	
-476	T3-4020-10P	39029-112-84 39029-795-84
M39029/87-475	87-475-2020-011AL	NCMI Brueggemann, Inc.
-476	87-476-2020-011CH	00434519.AA/8-14-00
M39029/87-470	PM103-2222-M16-015	Precision Technology
-471	PM103-2222-M14-015	
-472	PM103-2222-M15-015	39029-34-94
-473	PM103-2222-M17-415	
-474	PM106-2020-M16-015	
-475	PM106-2020-M14-015	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/87-476	PM106-2020-M15-015	Precision Technology
-477	PM106-2020-M17-415	(Continued)
-478	PM107-1616-M16-015	
-479	PM107-1616-M14-015	39029-34-94
-480	PM107-1616-M15-015	
-481	PM107-1616-M17-415	
M39029/87-470	015-2222-103K	Tri-Star Electronics International, Inc.
-471	015-2222-103A	
-472	015-2222-103C	
-473	415-2222-103I	39029-592-83
-474	015-2020-106K	39029-304-85
-475	015-2020-106A	39029-319-85
-476	015-2020-106C	
-477	415-2020-106I	
-478	015-1616-107K	
-479	015-1616-107A	
-480	015-1616-107C	
-481	415-1616-107I	
MIL-C-39029/88, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS).		
M39029/88-483	T3-4122-10R	Amphenol Aerospace
-484	T3-4122-10P	Pyle-National Connectors
-487	T3-4120-10R	
-488	T3-4120-10P	39029-112-84
		39029-795-84
M39029/88-487	88-487-2020-021AL	NCMI Brueggemann, Inc.
-488	88-488-2020-021CH	
		00434519.AA/8-14-00
M39029/88-482	PM136-2222-M16-016	Precision Technology
-483	PM136-2222-M14-016	
-484	PM136-2222-M15-016	39029-34-94
-485	PM136-2222-M17-416	
-486	PM139-2020-M16-016	
-487	PM139-2020-M14-016	
-488	PM136-2020-M15-016	
-489	PM136-2020-M17-416	
-490	PM140-1616-M16-016	
-491	PM140-1616-M14-016	
-492	PM140-1616-M15-016	
-493	PM140-1616-M17-416	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/88-482	016-2222-136K	Tri-Star Electronics International, Inc.
-483	016-2222-136A	
-484	016-2222-136C	39029-592-83
-485	416-2222-136I	39029-304-85
-486	016-2020-139K	39029-319-85
-487	016-2020-139A	
-488	016-2020-139C	
-489	416-2020-139I	
-490	016-1616-140K	
-491	016-1616-140A	
-492	016-1616-140C	
-493	416-1616-140I	

MIL-C-39029/89, CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-38999 SERIES II, MIL-C-83733, AND MIL-C-24308 CONNECTORS).

M39029/89-494	PM103-2222-M16-016	Precision Technology
-495	PM103-2222-M14-016	
-496	PM103-2222-M15-016	39029-34-94
-497	PM103-2222-M17-416	
-498	PM106-2020-M16-016	
-499	PM106-2020-M14-016	
-500	PM106-2020-M15-016	
-501	PM106-2020-M17-416	
-502	PM107-1616-M16-016	
-503	PM107-1616-M14-016	
-504	PM107-1616-M15-016	
-505	PM107-1616-M17-416	
M39029/89-494	016-2222-103K	Tri-Star Electronics International, Inc.
-495	016-2222-103A	
-496	016-2222-103C	39029-304-85
-497	416-2222-103I	39029-319-85
-498	016-2020-106K	
-499	016-2020-106A	
-500	016-2020-106C	
-501	416-2020-106I	
-502	016-1616-107K	
-503	016-1616-107A	
-504	016-1616-107C	
-505	416-1616-107I	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-C-39029/90, CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8.		
M39029/90-529	21-33190-529	Amphenol Aerospace (1), (2) 00401412.AB/11-30-98
M39029/90-529	T3-46T08-LD	Amphenol Aerospace Pyle-National Connectors 00428112.AB/11-30-98
M39029/90-529	602081-A	Deutsch Ltd 00411512.AB/11-30-98
M39029/90-529	6162-283-0877	Deutsch Engineered Connecting Devices (1), (2) 00407612.AA/3-10-99
M39029/90-529	019912-2002	Sabritec 00421312.AB/11-30-98
M39029/90-529	315-08CX-232	Tri-Star Electronics International, Inc. 00425318.AB/5-31-98
MIL-C-39029/91, CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8.		
M39029/91-530	21-33191-530	Amphenol Aerospace (1), (2) 00401412.AB/11-30-98
M39029/91-530	T3-47T08-LD	Amphenol Aerospace Pyle-National Connectors 00428112.AB/11-30-98
M39029/91-530	602091-A	Deutsch Ltd. 00411512.AB/11-30-98
M39029/91-530	6162-284-0877	Deutsch Engineered Connecting Devices (1), (2) 00407612.AA/3-10-99
M39029/91-530	019912-2003	Sabritec 00421312.AB/11-30-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/91-530	316-08CX-232	Tri-Star Electronics International, Inc. 00425318.AB/5-31-98
MIL-C-39029/92, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-R-6106 AND MIL-S-12883/40 AND /41 RELAY SOCKETS).		
M39029/92-531	CNS115900	Precision Connector Design, Inc.
-532	CNS074900	
-533	CNS126900	39029-78-88
-534	CNS127900	
-535	CNS128900	
-536	CNS129900	
M39029/92-533	316-1616-634 or 316-1616-634L	Tri-Star Electronics International, Inc.
-534	316-1620-634 or 316-1620-634L	
-535	316-1212-634 or 316-1212-634L	39029-1228-87
-536	316-1216-634	00425314.AD/1-12-01
MIL-C-39029/93, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR DOD-C-83527 CONNECTOR).		
M39029/93-539	315-1616-306 or 315-1616-306L	Tri-Star Electronics International, Inc.
-540	315-1212-306 or 315-1212-306L	
-597	315-2222-306 or 315-2222-306L	39029-555-91
-598	315-2020-306 or 315-2020-306L	
MIL-C-39029/94, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR DOD-C-83527 CONNECTOR).		
M39029/94-601	316-2222-306 or 316-2222-306L	Tri-Star Electronics International, Inc.
-602	316-2020-306 or 316-2020-306L	
-603	316-1616-306 or 316-1616-306L	39029-555-91
-604	316-1212-306 or 316-1212-306L	
MIL-C-39029/101, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-S-12883/44, MIL-S-12883/45, MIL-S-12883/46, AND MIL-R-6106/23 RELAY).		
M39029/101-553	1662-213-2031	Deutsch Engineered Connecting
-554	1662-213-1631	Devices (1), (2) 39029-1130-86 39029-338-88

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M39029/101-551	316-2228-194	Tri-Star Electronics International, Inc.
-552	316-2222-194	
-553	316-2020-194	39029-1226-87
-554	316-1616-194	
MIL-C-39029/102, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP, REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III, AND IV CONNECTORS).		
M39029/102-558	21-33651-11	Amphenol Aerospace (1), (2) 00401423.P2/1-15-02
M39029/102-558	6162-324-1231	Deutsch Engineered Connecting Devices (1), (2) 00407623/4-25-01
M39029/102-558	604727	Deutsch Ltd. 39029-398-88
MIL-C-39029/103, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III, AND IV CONNECTORS).		
M39029/103-559	21-33650-11	Amphenol Aerospace (1), (2) 00401423.P2/1-15-02
M39029/103-559	6162-325-1231 6161-247-1231 (Socket Body's)	Deutsch Engineered Connecting Devices (1), (2) 00407623/4-25-01
M39029/103-559	604728	Deutsch Ltd. 39029-398-88
MIL-C-39029/106, CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III, AND IV AND MIL-C-29600 SERIES A CONNECTORS).		
M39029/106-614	10-597061-2X	Amphenol Aerospace (1), (2)
-615	10-597065-2X	
-616	10-597069-2X	00401413.AB/6-30-00
-617	10-597073-2X	
M39029/106-614	12333-22	Deutsch Engineered Connecting
-615	12333-20	Devices (1), (2)
-616	12333-16	
-617	12333-12	00407613.AA/3-31-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION Finish: overall or localized	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-C-39029/107, CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III, AND IV AND MIL-C-29600 SERIES A CONNECTORS).		
M39029/107-620	10-597058-3X	Amphenol Aerospace (1), (2)
-621	10-597064-2X	
-622	10-597068-2X	00401413.AB/6-30-00
-623	10-597072-2X	
M39029/107-620	12331-22	Deutsch Engineered Connecting
-621	12331-20	Devices (1), (2)
-622	12331-16	
-623	12331-12	00407613.AA/3-31-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Amphenol Aerospace 40-60 Delaware Avenue Sidney, NY 13838-1395 Plants: Same address (1) Amphenol Optimize Mexico (2) S.A. de C.V. Parque Industrial San Ramon APDO Postal 205-A Nogales, Sonora, Mexico 84000 Tri-Star Electronics (3) International, Inc. 2201 Rosecrans Avenue El Segundo, CA 90245	77820
Amphenol Aerospace Pyle-National Connectors 40-60 Delaware Avenue Sidney, NY 13838 Plant: Same address	49367
Burndy Corporation Richards Avenue Norwalk, CT 06856 Plant: Same address	09929
Connecteurs Electriques Deutsch 17 Rue Lavoisier Z.I. N° 2 27000 Evreux France Plant: Same address	F1983
Continental Connector Corporation Subsidiary of PMC Corporation 52 LaFrance Avenue Bloomfield, NJ 07003 Plant: Same address	95238
Deutsch Engineered Connecting Devices 3850 Industrial Avenue Hemet, CA 92545 Plants: Deutsch Engineered (1) Connecting Devices 5733 W. Whittier Avenue Hemet, CA 92545 Deutsch Engineered (2) Connecting Devices Municipal Airport Oceanside, CA 92054	11139 11139
Deutsch Ltd The Birches Industrial Estate East Grinstead West Sussex RH19 1RW United Kingdom Plant: Deutsch Ltd 4 Stanier Road Castleham, St. Leonards-On-Sea East Grinstead West Sussex RH19 1RW United Kingdom	0PE82

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Framatome Connectors, France Manufacturer Souriau Connectors R.N. 23 72470 Champagne France Plant: Same address	F0323	J-Tech 14251 Franklin Avenue Tustin, CA 92680 Plant: Same address	0BW78
General Connector Corporation A Wire-Pro Company 23 Front Street Salem, NJ 08079 Plant: Same address	25330	NCMI Brueggemann, Inc 1207 W. Brooks Street Ontario, CA 91762 Plant: Same address	0K292
ITT Cannon 666 East Dyer Road P.O. Box 929 Santa Ana, CA 92702 Plants: Same as address (1) ITT Electromechanical (2) Component AV. Du Mal de Lattre de Tassigny 39105 Dole France El Cid (3) Carretera International Kilometro 6.5, Parque Industrial Nogales, Sonora Mexico	71468	Packard-Hughes Interconnect 17150 Von Karman Avenue Irvine, CA 92614-0968 Plant: Packard-Hughes Interconnect Mexico S.A. de C.V. 14532 Boulevard Pacifico Parque Industrial Pacifico Tijuana, Baja California, Mexico	53669
		Positronic Industries, Inc. 423 North Campbell Springfield, MO 65806 Plant: Same address	28198
		Preci-Dip Durtal SA Rue St.-Maurice 34 CH 2800 Delemont, Switzerland Plant: Same address	SH369

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Precision Connector Design, Inc. 2 Technology Drive Peabody, MA 01960 Plant: Same address	58982	Plant: Tyco Electronics - AMP 1250 E. Main Street Mount Joy, PA 17552	
Precision Technology 3147 Durahart Street Riverside, CA 92507 Plant: Same address	0BA72	Tyco Electronics - Raychem 300 Constitution Drive Menlo Park, CA 94025 Plant: Avenida Universidad #6 E Parque Industrial International	06090
Radiall S.A. Rue Velpeau, Z.I. No. 1 37110 Chateau-Renault France Plant: Same address	F0987	Mesa de Otay Tijuana, BC, Mexico C.P. 22610 Winchester Electronics 62 Barnes Industrial Road North Wallingford, CT 06492	81312
Sabritec 1733 Kaiser Avenue Irvine, CA 92714 Plant: Same address	59795	Plant: Winchester Electronics Carretera International KM 6.5 Parque Industrial Nogales, Sonora, Mexico	
Tri-Star Electronics International, Inc. 2201 Rosecrans Avenue El Segundo, CA 90245 Plant: Same address	55104		
Tyco Electronics - AMP 2901 Fulling Mill Road Middletown, PA 17057	00779		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:21Z
Check the source to verify that this is the current version before use.