INCH-POUND

MIL-D-51533(EA)
AMENDMENT 3
13 December 1989
SUPERSEDING
AMENDMENT 2
4 January 1989

MILITARY SPECIFICATION

DECONTAMINATING APPARATUS: PORTABLE 14 LITER, M13, AND COMPONENTS FOR

This amendment forms a part of MIL-D-51533(EA), dated 19 June 1987, and is approved for use by the U.S. Army Chemical Research, Development and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, Under "SPECIFICATIONS", "MILITARY": Delete "MIL-C-22750 - Coating, Epoxy - Polyamide."

2.1.2, After "DRAWINGS": Add the following:

"SPECIAL PACKAGING INSTRUCTIONS (SPI)

P5-51-529 - Accessory Container Assy
P5-51-540 - Pump Assy
P5-51-560 - Hose Assy
P5-51-561 - Brush"

2.2: Delete in its entirety.

AMSC N/A FSC 4230

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:04Z
Check the source to verify that this is the current version before use.

PAGE 3

3.1.2.1: Add the following new paragraph:

"**3.1.2.1 Protective finish.** The protective finish of all the applicable components of the decontaminating apparatus shall conform to Drawing 5-51-557."

PAGE 5

3.3.6: Delete in its entirety.

3.3.6.1: Delete in its entirety.

3.3.6.2: Delete in its entirety.

PAGE 6

4.3.1: Add the following subparagraphs:

"(f) Wand assembly, brush half (Drawing 5-51-537)
(g) Wand assembly, pump half (Drawing 5-51-555)"

PAGE 7

4.3.3.1, line 1: Add the word "packaged" between "twenty" and "M13".

4.3.3.2, line 1: Add the word "packaged" between "twenty" and "M13".

4.3.3.3: Delete in its entirety and substitute the following:

"**4.3.3.3 For destructive test.** A random sample of 10 fluid containers, 10 hose assemblies, 10 brushes, and 5 complete packaged M13 decontaminating apparatus shall be taken from the preproduction lot for destructive test."

4.3.4.1:

Line 1: Add the word "packaged" between "of" and "M13".

Add the following sentence to the end of the paragraph: "The packaging inspection (4.4.3.5(m)) shall be conducted prior to the examination of the complete M13 Decontaminating Apparatus."

4.3.4.2, line 1: Add the word "packaged" between "of" and "M13".

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:04Z
Check the source to verify that this is the current version before use.

PAGE 8

4.3.4.3(e): Delete in its entirety.

PAGE 9

4.4.2.1, line 1: Add the word "packaged" between "The" and "M13".

4.4.2.2, line 1: Add the word "packaged" between "The" and "M13".

4.4.2.3(d): Delete in its entirety.

4.4.3.1:

Line 1: Add the word "packaged" between "sample" and "decontaminating".

Line 2: Delete "and the level A packaging".

4.4.3.2, line 1: Add the word "packaged" between "sample" and "decontaminating".

PAGE 10

4.4.3.3(d): Delete in its entirety.

PAGE 11

4.4.3.5(a):

Major 105: Delete in its entirety.

Minor 202, under "AQL or 100%": Delete "2.5%" and substitute "1.0%".

PAGE 12

4.4.3.5(b):

Major 105: Delete in its entirety.

Minor 203, under "AQL or 100%": Delete "2.5%" and substitute "1.0%".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:04Z
Check the source to verify that this is the current version before use.

PAGE 13

4.4.3.5(c):

Under Major 102: Change to read "Components missing or incorrectly assembled".

Major 106: Delete in its entirety.

Major 107: Delete in its entirety.

Add the following under Major defects:

" 110	Clip width or length incorrect (Dwg 5-51-536)	1.0%	3.1.2	CIE
111	Spring link lock does not fasten	1.0%	3.1.2	Functional"

Minor 201, under "AQL or 100%": Delete "2.5%" and substitute "1.0%".

In "NOTES" block: Delete "1. Sample level S-4".

PAGE 14

4.4.3.5(d):

Major 106: Delete in its entirety.

Minor 201, under "AQL or 100%": Delete "2.5%" and substitute "1.0%".

PAGE 16

4.4.3.5(f):

Major 103: Delete in its entirety.

Add the following under Major defects:

" 106	Positional tolerance (.750) diameter with (.625) diameter excessive	1.0%	3.1.2	CIE
107	Retaining ring external diameter incorrect (Dwg 5-51-389)	1.0%	3.1.2	CIE
108	Wand tube outside diameter incorrect (Dwg 5-51-539)	1.0%	3.1.2	CIE

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:04Z
Check the source to verify that this is the current version before use.

109	Positional tolerance (.750-15 unf-2B) thread with (.773) diameter excessive (Dwg 5-51-567)	1.0%	3.1.2	CIE
110	Diameter (.773) incorrect (Dwg 5-51-567)	1.0%	3.1.2	CIE
111	Slot missing (Dwg 5-51-567)	1.0%	3.1.2	Visual"

Minor 202, under "AQL or 100%": Delete "2.5%" and substitute "1.0%".

Add the following under Minor defects:

" 203	Detents missing (Dwg 5-51-388)	2.5%	3.1.2	Visual"

PAGE 17

4.4.3.5(g):

Major 103: Delete in its entirety.

Minor 201, under "AQL or 100%": Delete "2.5%" and substitute "1.0%".

PAGE 23

4.4.3.5(m): Delete current text for Major and substitute the following:

"Category	Examination or Test	AQL or 100%	Requirement Paragraph	Inspection Method
Major				
101	Item not completely cleaned or dried	1.0%	---	Visual
102	Filler pads missing or incorrect	1.0%	5.1	Visual
103	Marking missing, incorrect or illegible	1.0%	5.3	Visual
104	Unit container and closure incorrect or damaged	1.0%	5.2	Visual
105	Cushioning missing or incorrect	1.0%	5.1	Visual
106	Banding strap broken, missing or loose, or incorrectly located	1.0%	5.4	Visual
107	Shipping container and closure incorrect or damaged	1.0%	5.2	Visual"

Add new 4.4.3.5(o) "**Classification of defects**" as shown on next page.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:04Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER P5-51-529, P5-51-540, P5-51-560, P5-51-561, P5-51-555, P5-51-537
4.4.3.5(o)	Packaging; Special Packaging Instructions*				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Item not completely cleaned/dried		1.0%		Visual
102	Cushioning missing or not as specified, as applicable		1.0%		Visual
103	Unit container or closure not as specified or damaged		1.0%		Visual
104	Blocking missing or not as specified, as applicable		1.0%		Visual
105	Markings missing, incorrect or illegible		1.0%		Visual

NOTES:
*These requirements apply to the SPIs listed in the drawing number block only when they are procured as repair or replacement parts (see 5.5).

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T21:04Z
Check the source to verify that this is the current version before use.

4.4.5.6: Delete in its entirety.

5.1.2, line 1: Change "unit packaged" to "unit packed".

5.5:

In the title, after "**and accessory container).**": Add "(see 4.4.3.5(o))".

Line 2: Delete "unit packaging" and substitute "unit packing".

Line 4: Delete the period after "(SPI)." and add "which is identified by the part number preceded by "P".

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 4230-A088

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:04Z
Check the source to verify that this is the current version before use.