NOTICE OF
CHANGE

DOD-STD-35-117(MI)
NOTICE 2
18 SEPTEMBER 1992

MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

SWITCHES, PRESSURE

TO ALL HOLDERS OF DOD-STD-35-117(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-117(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
v	18 SEPTEMBER 1992	v	31 AUGUST 1987
1	31 AUGUST 1987 (Reprinted without change)		
2	18 SEPTEMBER 1992	2	31 AUGUST 1987
5	18 SEPTEMBER 1992	5	31 AUGUST 1987
6	18 SEPTEMBER 1992	6	31 AUGUST 1987
11	18 SEPTEMBER 1992	11	16 JUNE 1978
12	18 SEPTEMBER 1992	12	16 JUNE 1978
157	16 JUNE 1978 (Reprinted without change)		
158	18 SEPTEMBER 1992	158	16 JUNE 1978
159	18 SEPTEMBER 1992	159	16 JUNE 1978
160	18 SEPTEMBER 1992	160	16 JUNE 1978

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35–117(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-M, AV, CR, ER
ME, MR, SC

User activity
Army - AR

Preparing activity:
Army - MI

(Project EGDs-A454)

AMSC N/A

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	APPLICABLE DOCUMENTS	5
	2.1	Goverment documents	5
	2.2	Non-Government publications	6
	2.3	Order of Precedence	6
	3.	DEFINITION	7
	4.	GENERAL REQUIREMENTS	9
	4.1	Introduction	9
	4.2	Specification Requirement Sheet (SRS)	9
	4.3	Configuration	9
	4.3.1	Dimensions	9
	4.3.2	Illustrations	9
	4.4	Units of measure	9
	5	DETAILED REQUIREMENTS	11
	5.1	Introduction	11
	5.2	MSE Formats	11
	5.3	Referenced documents	11
	5.4	Deleted	11
	5.5	Tabulation	12
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	15
	5.6.1	Interrelationship of Codes	15
	5.6.2	Automatic MSE Data	15
	5.6.3	DOD-STD-35 Tables	15

TABLES

Table	I.	Title Index	2
	II.	Deleted	12
	III.	Tabulation Candidates	13

APPENDICES

Appendix	A.	Illustrations	167
	B.	Characteristic Code Index	175
		Index	135

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Switches, Pressure.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packiging, and notes, applicable to all AEDPS dash–numbered parts have been included in the basic document. (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash–numbered part, the following list contains additional subjects that are applicable to all AEDPS dash–numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specifications (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSE's for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for the assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user-s reference. When more than one document is listed for an MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base doscument. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SWITCH, PRESSURE	016001	MS25276	BULKHEAD MTD
		MIL-S-9395	ABSOLUTE, GAGE DIFFERENTIAL
		MIL-S-12211	AUTOMOTIVE
		MS27152	60 PSI
		MS75062	AIR BRAKE
		MS75063	HYDRAULIC BRAKE
		MS90530	24 VOLT DC
		MIL-S-21919	UNDERWATER MINE
		MIL-S-21920	UNDERWATER MINE
		MIL-S-23772	UNDERWATER MINE
		MIL-S-45869	ABSOLUTE PRESSURE, MISSILE TEST SET
		MIL-S-62300	TANK WARNING
		MIL-S-81039	UNDERWATER MINE
		MIL-S-82517	DEPTH CHARGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless othewise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATION

MILITARY

MIL-S-9395	Switches, Pressure (Absolute, Gauge and Differential), General Specification For
MIL-S-12211	Switch, Pressure
MIL-F-13927	Fungus Resistance Test; Automotive Components
MIL-S-45869	Switch, Pressure, For T4016 (T310) Test Set

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation Systems
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-202	Test Methods for Electronic and Electrical Component Parts

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

MIL-STD-810	Environmental Test Methods and Engineering Guidelines
MIL-STD-1184	Electrical Components for Automotive Vehicles: Waterproofness Tests
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1523	Age Control of Age-Sensitive Elastomeric Materials
MS33540	Safety Wiring and Cotter Pinning, General Practices For

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

ASTM E 380	Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, , 1916 Race St., Philadelphia, Pa. 19103.)

(Non-government standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence. Nothing in this document, however, supersedes applicable laws and regulation unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE formats. AEDPS has the capability to prepare a six-section or a single-section document. The six section document appears similar to a six-section military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in DOD-STD-35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

a. 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4, and 5 of the MSE. Instructions for referencing documents to appear in Section 2 of the forthcoming MSE are contained in DOD-STD-35.

5.4 Deleted

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for additional specific column headings which may be used for pressure switch characteristics. When different units of measure within one system (U.S. or SI) are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
1439	THE LOCATION OF VIBRATION MONITORING POINTS SHALL BE ANY SUITABLE LOCATION.
1462	THE LOCATION OF VIBRATION MONITORING POINTS SHALL BE AS CLOSE AS PRACTICAL TO THE TEST SPECIMEN(S).
1430	THERE SHALL BE 1430 VIBRATION MONITORING POINT(S).
1402	MONITORING DURING THE TEST SHALL BE IN ACCORDANCE WITH METHOD 310 OF MIL-STD-202. TEST CIRCUIT LETTER 1402 SHALL APPLY.
1382	TEST CONDITION LETTER 1382 IN ACCORDANCE WITH METHOD 310 OF MIL-STD-202 SHALL APPLY.
4678	THE LOAD SHALL BE 4678 PERCENT OF THE RATED LOAD.
4975	MOUTING SHALL BE IN ACCORDANCE WITH 4975.
4976	MOUNTING SHALL BE BY THE NORMAL METHOD.
4977	MOUNTING SHALL BE BY ANY SUITABLE METHOD.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
WATERPROOFNESS	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2392
AS FOLLOWS:	2393
NO EVIDENCE OF WATER LEAKAGE	2394
NO CHANGE IN DIELECTRIC WITHSTANDING VOLTAGE REQUIREMENTS.	2396
NO EVIDENCE OF MEDIA LEAKAGE.	2398
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2362
PER MIL-STD-1184.	2364
TYPE (SELECT ONE)	
I.	2366
II.	2368
CLASS (SELECT ONE)	
1.	2370
2.	2372
3.	2374
4.	2376

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
2392	WATERPROOFNESS. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2392.
2393	WATERPROOFNESS. THE REQUIREMENT(S) SHALL, BE AS FOLLOWS:
2394	THERE SHALL BE NO EVIDENCE OF WATER LEAKAGE.
2396	THERE SHALL BE NO CHANGE IN DIELECTRIC WITHSTANDING VOLTAGE REQUIREMENTS.
2398	THERE SHALL, BE NO EVIDENCE OF MEDIA LEAKAGE.
2362	WATERPROOFNESS. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENIT, EXCEPT 2362.
2364	WATERPROOFNESS. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-STD-1184.
2366	THE SWITCH SHALL BE CLASSIFIED AS TYPE I.
2368	THE SWITCH SHALL BE CLASSIFIED AS TYPE II.
2370	THE SWITCH SHALL BE CLASSIFIED AS CLASS 1.
2372	THE SWITCH SHALL BE CLASSIFIED AS CLASS 2
2374	THE SWITCH SHALL BE CLASSIFIED AS CLASS 3.
2376	THE SWITVCH SHALL BE CLASSIFIED AS CLASS 4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
PER MIL-STD-1184. (CONT)	
TEST PRESSURE (SELECT ONE)	
U.S.	
(POUNDS PER SQUARE INCH, GAGE)	2378
PLUS PRESSURE TOLERANCE (POUNDS PER SQUARE INCH, GAGE)	2380
MINUS PRESSURE TOLERANCE (POUNDS PER SQUARE INCH, GAGE)	2382
SI	
(KILOPASCALS, GAGE)	2384
PLUS PRESSURE TOLERANCE (KILOPASCALS, GAGE)	2386
MINUS PRESSURE TOLERANCE (KILOPASCALS, GAGE)	2388

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.