INCH-POUND

MIL-C-63239B (AR)
AMENDMENT 4
20 August 1993
SUPERSEDING
AMENDMENT 3
13 February 1992

MILITARY SPECIFICATION

CARTRIDGE, 40MM, PRACTICE, 781
METAL PARTS AND
LOADING, ASSEMBLING AND PACKAGING

This Amendment forms a part of MIL-C-63239B (AR), dated 5 November 1984, and is approved for use by the US Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 5

4.3.1 Delete:

"Body and Band Assembly (when applicable)	9354247	25
Body (when applicable)	9352746	25
Rotating Band (when applicable)"	9352745	25

PAGE 6

* 4.3.3.1.b: Delete in its entirety and substitute the following:

"b. Mean velocity or standard deviation fails to meet the applicable requirement (ambient only, informational in hot and cold phase)."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:27Z
Check the source to verify that this is the current version before use.

PAGE 7

Table I Delete:

"Rotating Band (Dwg. 9352745) (when applicable) Examination for defects	25	4.4.2.2
Body (Dwg. 9352746) (when applicable) Examination for defects	25	4.4.2.3
Body and Band Assembly (Dwg. 9352747) (when applicable) Examination for defects	25	4.4.2.4"

PAGE 9

Delete 4.4.1c in its entirety and substitute the following:

"4.4.1c Primers from one interfix lot number from one manufacturer."

PAGE 10

4.4.2.1 Delete "9354248 or" from next higher assembly block.

4.4.2.1 Add Major 105:

"105. Diameter between lobes (when applicable) (Dwg. 9322236-2)"	0.40%	3.2	Gage

PAGE 11

4.4.2.2: Delete in its entirety.

PAGE 12

4.4.2.3: Delete in its entirety.

PAGE 13

4.4.2.4: Delete in its entirety.

PAGE 14

4.4.2.5: Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:27Z
Check the source to verify that this is the current version before use.

PAGE 20

4.4.2.11 Add major 107:

"107 Diameter of Windshield Snap Groove (when applicable) (Dwg. 9310344-2)"	0.40%	3.2	Gage

4.4.2.11 Delete existing Major 107 and substitute:

"107 Maximum Diameter of Windshield Snap Groove (when applicable) (Dwg. 9310344-2)"	0.40%	3.2	Gage

PAGE 30

* Under paragraph block delete "4.4.2.13" and substitute "4.4.2.21".

PAGE 33

* 4.4.3.6 Functioning, third line: Delete "...select tow-hundred..." and substitute "...select two hundred...".

PAGE 40

* 6.7: Delete: $S = \sqrt{\frac{(x-x)^2}{n-1}}$

and substitute: $S = \sqrt{\frac{\Sigma(x-\bar{x})^2}{n-1}}$

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1310-A531)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:27Z
Check the source to verify that this is the current version before use.