INCH-POUND

MIL-E-63124B(AR)
AMENDMENT 2
04 January 1994
SUPERSEDING
AMENDMENT 1
22 October 1990

MILITARY SPECIFICATION

ELECTRONIC MODULE ASSEMBLY

This amendment forms a part of Military Specification MIL-D-63124B(AR), dated 14 January 1985, and is approved for use by the US Army Armament, Munitions and Chemical Command, and is available for use by all Department and Agencies of the Department of Defense.

PAGE 1

* 2.1.1 Standards, Military: Delete "MIL-STD-810C" and substitute "MIL-STD-810".

PAGE 2

2.1.2: Add the following drawing under INSPECTION EQUIPMENT DRAWINGS:

"12589959 - BALLAST, FLARE"

PAGE 4

* 3.4.1 Helicopter vibration.

Line 3: Delete "MIL-STD-810C, Test Method 514.2, Procedure IIC" and substitute "MIL-STD-810, Method 514.4, Category 7C".

Line 3: Delete "... Procedure IIC. The electronics ... (First article only)" and susbstitute "... Procedure IIC when tested as specified in 4.5.4 (First article only)".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:16Z
Check the source to verify that this is the current version before use.

* 3.4.2 Transportation vibration, line 3: Delete "MIL-STD-810C" and substitute "MIL-STD-810, Method 514.4, Basic Transportation, Category 7C".

* 3.4.3 Humidity, line 3: Delete "MIL-STD-810C" and substitute "MIL-STD-810, Method 507.3, Procedure III".

* 3.4.4 High temperature, line 2: Delete "MIL-STD-810C, Test Method 501.1" and substitute "MIL-STD-810, Test Method 501.3, Procedure II, Induced".

* 3.4.5 Low temperature, line 2: Delete "MIL-STD-810C, Test Method 502.1" and substitute "MIL-STD-810, Test Method 502.3, Procedure II, Severe Cold".

* 3.4.6 Seal integrity, Delete in its entirety and substitute the following:

3.4.6 Seal integrity. The electronics module assembly, Dwg. 9311431, shall show no evidence of leakage when tested as specified in with 4.5.8".

PAGE 10

* TABLE I. First article inspection:

Programmer Assembly: Delete in its entirety.

Electronics Module Assembly (Dwg. 9311431): Add the following after Humidity Test, "Seal integrity 2 3.4.6 4.5.8".

PAGE 12

4.4.2.1, Housing Assembly, Electronics: Add alternate drawing 12598357 with drawing 9311565

PAGE 24

* 4.4.2.13 Programmer module, Major 103: Delete in its entirety.

* 4.4.2.14 Module electronics, Major 106: Add the following "Seal integrity .40% 3.4.6 4.5.8".

PAGE 31

* 4.5.2 High temperature, line 2: Delete "MIL-STD-810C, Test Method 501.1" and substitute "MIL-STD-810, Test Method 501.3, Procedure II, Induced".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:16Z
Check the source to verify that this is the current version before use.

* 4.5.3 Low temperature, line 2: Delete "MIL-STD-810C, Test Method 502.1" and substitute "MIL-STD-810, Test Method 502.3, Procedure II, Severe Cold".

4.5.4 Helicopter vibration.

* Line 2: Delete "MIL-STD-810C, Test Method 514.2, Procedure IIC, ..." and substitute "MIL-STD-810, Method 514.4, Category 7C, ...".

Line 5: Delete "...in Figure 1. The payload ... for this test" and substitute "... in Figure 2. The payload module shall be loaded with thirty (30) ballast flares, dwg. 12589959, (Preferred) or with thirty (30) inert flares for this test".

* 4.5.5 Transportation vibration, line 2: Delete "MIL-STD-810C 5 and 6 HZ)" and substitute "MIL-STD-810, Method 514.4, Basic Transportation, Category I".

* 4.5.6 Humidity, line 2: Delete "MIL-STD-810C .... (10 days)" and substitute "MIL-STD-810, Method 507.3, Procedure III".

* 4.5.8 Seal integrity:

First sentence: Delete "...programmer module (Dwg. 9311429) ..." and substitute "...electronics module assembly (Dwg. 9311431) ...".

Last sentence: Delete "...program module ..." and substitute "...electronics module assembly ...".

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1095-A269)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:16Z
Check the source to verify that this is the current version before use.