
FED. SUP CLASS
4730



COUPLING ASSEMBLY

(F) DENOTES CHANGES

REVISED (F) 16 JAN 1987
APPROVED 1959

P.A. NAVY — AS Other Cust	TITLE COUPLING, GROUND COOLING, COMBAT TYPE AIRCRAFT	MILITARY STANDARD MS16051(AS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES: NAF 50Z501	SHEET 1 OF 4

DISTRIBUTION STATEMENT A: APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.
THIS MILITARY STANDARD IS APPROVED BY NAVAIR FOR THE DEPARTMENT OF THE NAVY.
Department of the Navy and shall be used by them jointly. All other military activities are required to comply with standard where applicable.

AMSC N/A


DD FORM 1426 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PROJECT NO. 4730-0805

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:52Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
4730




BODY -1 & -2

F TABLE II. Dimension Data


DASH NO	A	B	C	D	E	F
-1	4.000	4.188	3.750	1.281	0.906	7.313
-2	8.000	8.188	7.750	1.281	4.227	10.825



SEAL, SUB-ASSY -3



SLEEVE -4
ENLARGED



DETAIL A
ENLARGED

REVISED (F) FOR CHANGES SEE SHTS 1 THRU 4

APPROVED 1959


P.A. NAVY — AS Other Cust	TITLE COUPLING, GROUND COOLING, COMBAT TYPE AIRCRAFT	MILITARY STANDARD MS16051(AS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES AF 50258	SHEET 2 OF 4

AMSC N/A


DISTRIBUTION STATEMENT A: APPROVED FOR PUBLIC RELEASE, DISTRIBUTION IS UNLIMITED. (This military standard is approved by NAVAL AIR SYSTEMS COMMAND, Department of the Navy and shall be used by that activity. All other military activities are required to employ this standard where suitable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:52:22
Check the source to verify that this is the current version before use.

FED. SUP CLASS
4730



SECTIONAL VIEW AA



NUT -6

REVISED (F) FOR CHANGES SEE SHTS 1 THRU 4

APPROVED 1959

P.A. NAVY — AS Other Cust	TITLE COUPLING, GROUND CABLING, COMBAT TYPE AIRCRAFT	MILITARY STANDARD MS16051(AS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES: AN 605501	SHEET 3 OF 4

AMSC N/A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:52Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
4730

REQUIREMENTS:

1. MATERIAL:

(F) A. BODY, ALUMINUM ALLOY IN ACCORDANCE WITH QQ-A-225/6, OR TUBING WW-T-700/6 TEMPER T6 OR CAST FROM QQ-A-591, QQ-A-596, OR MIL-C-21180.

(F) B. SLEEVE, ALUMINUM ALLOY, IN ACCORDANCE WITH QQ-A-225/6 OR WW-T-700/6 TEMPER T6.

C. NUT, PLASTIC, POLYAMIDE (NYLON) IN ACCORDANCE WITH L-P-410, TYPE 6/6.

(F) D. SEAL, MOLDED RUBBER IN ACCORDANCE WITH MIL-R-6855, CLASS 2, GRADE 40, TYPE A.

2. FINISH: BODY SHALL BE FINISHED IN ACCORDANCE WITH MIL-A-8625, TYPE I OR II, CLASS 1.

(F) 3. SURFACE ROUGHNESS: SURFACES MARKED ✓ TO HAVE 125 MICROINCHES PHR MAXIMUM SURFACE TEXTURE SHALL BE IN ACCORDANCE WITH ANSI B46.1.

4. THREADS: THREAD DIMENSIONS AND DESIGNATIONS SHALL BE INTERPRETED IN ACCORDANCE WITH FED-STD-H28.

5. HEAT TREAT: SLEEVE SHALL BE HEAT TREATED IN ACCORDANCE WITH MIL-H-6088, ULTIMATE TENSILE STRESS 62,000 PSI MIN TO 64,000 PSI MAX.

NOTES:

1. BREAK ALL SHARP EDGES AND REMOVE ALL BURRS.

(F) 2. UNLESS OTHERWISE SPECIFIED, DIMENSION ARE IN INCHES. TOLERANCES: DECIMALS ± .010; ANGLES ± 1°

3. "CERTAIN PROVISIONS OF THIS DOCUMENT ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENTS NATO STANAG 3917. WHEN CHANGE NOTICE, REVISION, OR CANCELLATION OF THIS DOCUMENT IS PROPOSED WHICH WILL AFFECT OR VIOLATE THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY SHALL TAKE APPROPRIATE RECONCILIATION ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS, INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES, IF REQUIRED."

4. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.

5. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

APPROVED

REVISED (F) FOR CHANGES SEE SHTS 1 THRU 4

P.A. NAVY — AS Other Cust	TITLE COUPLING, GROUND COOLING, COMBAT TYPE AIRCRAFT	MILITARY STANDARD MS16051(AS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES: NAF 502581	SHEET 4 OF 4

AMSC N/A

DISTRIBUTION STATEMENT A: APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.
This military standard is approved by NAVAL AIR SYSTEMS COMMAND, Department of the Navy and shall be used by that activity. All other military activities are required to employ this standard where suitable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:50Z
Check the source to verify that this is the current version before use.