INCH-POUND


MIL-DTL-3943/242B
21 July 2016
SUPERSEDING
MIL-DTL-3943/242A
10 October 2012

DETAIL SPECIFICATION SHEET

MEDAL, MULTINATIONAL FORCE AND OBSERVERS

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-3943.



OBVERSE REVERSE

DASH NO.
-1: Regular Size
-2: Miniature Size

MATERIAL (-1 and -2): Red Brass 85/15 (UNS Alloy No. C-230)

FINISH (-1 and -2): Brass, Oxidized, Buffed Relieved and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T01:40Z
Check the source to verify that this is the current version before use.

DIMENSIONS:
PENDANT:
DIAMETER:
-1: 1-3/8 inches (REF)
-2: 11/16 inch (REF)
HEIGHT (Including ring):
-1: 1-5/8 inches (REF)
-2: 13/16 inch (REF)
THICKNESS (At thickest point):
-1: 0.110 inch ± 0.010 inch
-2: 0.080 inch ± 0.010 inch
SUSPENSION BAR:
HEIGHT (Overall):
-1: 5/16 inch (REF)
-2: 5/32 inch (REF)
WIDTH (Overall):
-1: 1-1/2 inches (REF)
-2: 3/4 inch (REF)
THICKNESS (At thickest point):
-1: 0.085 inch ± 0.010 inch
-2: 0.055 inch ± 0.010 inch

PENDANT RING:

1. A ring formed from red brass 85/15 (UNS Alloy No. C-230) shall be soldered to the suspension bar.

2. The ring for -1 shall be formed from 0.057 inch ± 0.002 inch diameter wire and have an outside diameter of 3/16 inch ± 1/64 inch.

3. The ring for -2 shall be formed from 0.036 inch ± 0.002 inch diameter wire and have an outside diameter of 1/8 inch ± 1/64 inch.

NOTES:

1. The term (REF) refers to the measurements taken from the Government furnished hub or die

2. The specification slash sheet for the ribbon for the pendant drape is MIL-DTL-11589/334.

3. For commercial sale only may be manufactured using 24K Gold Plate Mirror-like Polished and shall match TIOH Metal Finish Chip Number 6.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T01:40Z
Check the source to verify that this is the current version before use.

Custodians:
Army - IH
Navy - MC
Air Force - 11

Preparing activity:
Army - IH

Review activity:
Navy - CG1
DLA - CT

(Project No. 8455-2016-639)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T01:40Z
Check the source to verify that this is the current version before use.