
MIL-C-55181/6C
23 June 1986
SUPERSEDING
MIL-C-55181/6B
7 Nov. 1985

MILITARY SPECIFICATION SHEET
CONNECTOR, RECEPTACLE, ELECTRICAL

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the connector described herein shall consist of this specification sheet and the latest issue of MIL-C-55181.

CONNECTOR ASSEMBLY




AMSC N/A


FSC-5935

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.


Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:35Z
Check the source to verify that this is the current version before use.



(TERMINAL SIDE)




TOLERANCE ON THESE DIMENSIONS ± .002



RECOMMENDED PANEL CUTOUT

(CONTACT SIDE)

CONTACT



NOTES.

1. DIMENSIONS ARE IN INCHES.
2. DIMENSIONAL TOLERANCE SHALL BE ± .005 UNLESS OTHERWISE SPECIFIED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:35Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and configuration
Gages See drawing SC-GL 323139
Mating connector M55181/5-01, -02, -03, and -04
Contact current rating 7.5 amperes
Part number M55181/6-01

Custodians
Army - CR
Navy - EC
Air Force - 85

Review activities
Army -
Navy -
Air Force - 11 99
DLA - ES

Preparing activity:
Army - CR

(PROJECT 5935-3569-06)

U S GOVERNMENT PRINTING OFFICE: 1986 - 605-036/43876

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:35Z
Check the source to verify that this is the current version before use.